

# **CEDRUS**<sup>®</sup> Construction

2026



**RELIABLE AT EVERY STAGE OF CONSTRUCTION**

[cedrus.com.pl](http://cedrus.com.pl)

# CONTENTS

<b>3</b>	Inverter generators
<b>5</b>	Generators
<b>7</b>	Power stations
<b>8</b>	Diesel generators
<b>9</b>	Motopumps
<b>11</b>	Plate compactors
<b>13</b>	Vibratory rammers
<b>14</b>	Dumpers
<b>15</b>	Power trowels
<b>15</b>	Finishing screed
<b>15</b>	Concrete vibrator
<b>16</b>	Concrete mixers
<b>16</b>	Masonry&stone saw
<b>17</b>	Concrete cutters
<b>18</b>	Compressors
<b>19</b>	Pressure washers



**3 YEARS WARRANTY**



**Inverter generator**  
CEDIN1200R

**CEDRUS**

Model	<b>IN1200R</b>	Starter	<b>Manual</b>
Engine model	<b>Rato R56i</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>1200 W</b>	Fuel tank capacity	<b>2,8 l</b>
Rated power	<b>1000 W</b>	Working time - 100% load	<b>4 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>No</b>
Power sockets	<b>1 x 230 V / 16 A</b>	Weight	<b>12 kg</b>

Rated power  
1000 W

Working time  
4 h

**AVR**



**Inverter generator**  
CEDIN1000R

**CEDRUS**

Model	<b>IN1000R</b>	Starter	<b>Manual</b>
Engine model	<b>Rato R60i</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>1100 W</b>	Fuel tank capacity	<b>3,0 l</b>
Rated power	<b>1000 W</b>	Working time - 100% load	<b>3,5 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>No</b>
Power sockets	<b>1 x 230 V / 16 A</b>	Weight	<b>14 kg</b>

Rated power  
1000 W

Working time  
3,5 h

**AVR**



**Inverter generator**  
CEDIN2000R

**CEDRUS**

Model	<b>IN2000R</b>	Starter	<b>Manual</b>
Engine model	<b>Rato R80i</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>1950 W</b>	Fuel tank capacity	<b>4,2 l</b>
Rated power	<b>1600 W</b>	Working time - 100% load	<b>3,5 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>Yes</b>
Power sockets	<b>1 x 230 V / 16 A</b>	Weight	<b>23,5 kg</b>

Rated power  
1600 W

Working time  
3,5 h

**AVR**



**Inverter generator**  
CEDIN3000E

**CEDRUS**

Model	<b>IN3000E</b>	Starter	<b>Manual, Electric</b>
Engine model	<b>Rato R210Di</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>3300 W</b>	Fuel tank capacity	<b>10 l</b>
Rated power	<b>3000 W</b>	Working time - 100% load	<b>5 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>Yes</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Weight	<b>46 kg</b>

Rated power  
3000 W

Working time  
5 h

**AVR**



**Inverter generator**  
LC2000i



Model	<b>LC2000i</b>	Starter	<b>Manual</b>
Engine model	<b>Loncin 148F</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>1800 W</b>	Fuel tank capacity	<b>4 l</b>
Rated power	<b>1600 W</b>	Working time - 100% load	<b>4 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>No</b>
Power sockets	<b>1 x 230 V / 16 A</b>	Weight	<b>21 kg</b>



Rated power  
1600 W



Working time  
4 h



**Inverter generator**  
LC3000i



Model	<b>LC3000i</b>	Starter	<b>Manual</b>
Engine model	<b>Loncin 165F-4</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>2500 W</b>	Fuel tank capacity	<b>4 l</b>
Rated power	<b>2300 W</b>	Working time - 100% load	<b>2,7 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>No</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Weight	<b>27 kg</b>



Rated power  
2300 W



Working time  
2,7 h



**Inverter generator**  
LC3500i



Model	<b>LC3500i</b>	Starter	<b>Manual, Electric</b>
Engine model	<b>Loncin 170FD-3</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>3300 W</b>	Fuel tank capacity	<b>10 l</b>
Rated power	<b>3000 W</b>	Working time - 100% load	<b>5,5 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>Yes</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Weight	<b>45 kg</b>



Rated power  
3000 W



Working time  
5,5 h



**Inverter generator**  
LC7500i



Model	<b>LC7500i</b>	Starter	<b>Manual, Electric</b>
Engine model	<b>Loncin LC190FD-2</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>7500 W</b>	Fuel tank capacity	<b>25 l</b>
Rated power	<b>6500 W</b>	Working time - 100% load	<b>6,5 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>Yes</b>
Power sockets	<b>2 x 230 V / 16 A 1 x 230 V / 32 A</b>	Weight	<b>130 kg</b>



Rated power  
6500 W



Working time  
6,5 h



**3 YEARS WARRANTY**

### Inverter generator

GH9000i

**Loncin**



Model	<b>GH9000i</b>	Starter	<b>Manual, Electric</b>
Engine model	<b>Loncin H240G</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>9000 W</b>	Fuel tank capacity	<b>25 l</b>
Rated power	<b>7000 W</b>	Working time - 100% load	<b>6 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Transport set	<b>Yes</b>
Power sockets	<b>1 x 230 V / 16 A 1 x 230 V / 32 A</b>	Weight	<b>57 kg</b>



Rated power  
7000 W



Working time  
6 h



### Generator

CEDAG3-1F

**CEDRUS**



Model	<b>AG3-1F</b>	Copper winding	<b>Yes</b>
Engine model	<b>Rato R210</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>3000 W</b>	Fuel tank capacity	<b>12 l</b>
Rated power	<b>2700 W</b>	Working time - 100% load	<b>10 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working time - 50% load	<b>15 h</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Transport set	<b>No</b>
Starter	<b>Manual</b>	Weight	<b>45 kg</b>



Rated power  
2700 W



Working time  
10-15 h



### Generator

CEDAG5-1F

**CEDRUS**



Model	<b>AG5-1F</b>	Copper winding	<b>Yes</b>
Engine model	<b>Rato R390</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>5500 W</b>	Fuel tank capacity	<b>25 l</b>
Rated power	<b>5000 W</b>	Working time - 100% load	<b>8 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working time - 50% load	<b>12 h</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Transport set	<b>Yes</b>
Starter	<b>Manual</b>	Weight	<b>82 kg</b>



Rated power  
5000 W



Working time  
8-12 h



### Generator

CEDAG6E-1F

**CEDRUS**



Model	<b>AG6E-1F</b>	Copper winding	<b>Yes</b>
Engine model	<b>Rato R420</b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>6000 W</b>	Fuel tank capacity	<b>25 l</b>
Rated power	<b>5500 W</b>	Working time - 100% load	<b>7 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working time - 50% load	<b>11 h</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Transport set	<b>Yes</b>
Starter	<b>Manual, Electric</b>	Weight	<b>90 kg</b>



Rated power  
5500 W



Working time  
7-11 h



**Generator**

CEDAG7E-3F



Model	<b>AG7E-3F</b>	Copper winding	Yes
Engine model	<b>Rato R440</b>	AVR/Oil sensor	Yes/Yes
Starting power	<b>6800 W</b>	Fuel tank capacity	<b>25 l</b>
Rated power	<b>6300 W</b>	Working time - 100% load	<b>5,5 h</b>
Voltage/Frequency	<b>400V / 230V / 50Hz</b>	Working time - 50% load	<b>11 h</b>
Power sockets	<b>2 x 230 V / 16 A 1 x 400 V</b>	Transport set	Yes
Starter	<b>Manual, Electric</b>	Weight	<b>92 kg</b>



Rated power  
6300 W



Working time  
5,5-11 h



**Generator**

CEDAG8E-1F



Model	<b>AG8E-1F</b>	Copper winding	Yes
Engine model	<b>Rato R500V</b>	AVR/Oil sensor	Yes/Yes
Starting power	<b>8500 W</b>	Fuel tank capacity	<b>25 l</b>
Rated power	<b>8000 W</b>	Working time - 100% load	<b>5 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working time - 50% load	<b>7 h</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Transport set	Yes
Starter	<b>Manual, Electric</b>	Weight	<b>96 kg</b>



Rated power  
8000 W



Working time  
5-7 h



**Generator**

CEDAG10E-3F



Model	<b>AG10E-3F</b>	Copper winding	Yes
Engine model	<b>Rato R670</b>	AVR/Oil sensor	Yes/Yes
Starting power	<b>10000 W</b>	Fuel tank capacity	<b>30 l</b>
Rated power	<b>9000 W</b>	Working time - 100% load	<b>7 h</b>
Voltage/Frequency	<b>400V / 230V / 50Hz</b>	Working time - 50% load	<b>11 h</b>
Power sockets	<b>2 x 230 V / 16 A, 1 x 400 V</b>	Transport set	Yes
Starter	<b>Manual, Electric</b>	Weight	<b>175 kg</b>



Rated power  
9000 W



Working time  
7-11 h



**Generator**

LC3500-AS



Model	<b>LC3500-AS</b>	Copper winding	Yes
Engine model	<b>Loncin G210FAD</b>	AVR/Oil sensor	Yes/Yes
Starting power	<b>3300 W</b>	Fuel tank capacity	<b>15 l</b>
Rated power	<b>3000 W</b>	Working time - 100% load	<b>8 h</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working time - 50% load	<b>15 h</b>
Power sockets	<b>2 x 230 V / 16 A</b>	Transport set	No
Starter	<b>Manual</b>	Weight	<b>46 kg</b>



Rated power  
3000 W



Working time  
8-15 h



# 3 YEARS WARRANTY



## Generator

LC3500-AS

Model	LC3500-AS	Copper winding	Yes
Engine model	Loncin G210FAD	AVR/Oil sensor	Yes/Yes
Starting power	3300 W	Fuel tank capacity	15 l
Rated power	3000 W	Working time - 100% load	8 h
Voltage/Frequency	230 V / 50 Hz	Working time - 50% load	15 h
Power sockets	2 x 230 V / 16 A	Transport set	No
Starter	Manual	Weight	46 kg



## Generator

LC6500D-AS

Model	LC6500D-AS	Copper winding	Yes
Engine model	Loncin G390FD	AVR/Oil sensor	Yes/Yes
Starting power	5500 W	Fuel tank capacity	25 l
Rated power	5000 W	Working time - 100% load	6 h
Voltage/Frequency	400V / 230V / 50Hz	Working time - 50% load	9 h
Power sockets	1 x 230 V / 16 A 1 x 400 V	Transport set	Yes
Starter	Manual, Electric	Weight	77 kg



## Generator

LC8000D-AS

Model	LC8000D-AS	Copper winding	Yes
Engine model	Loncin G420FD	AVR/Oil sensor	Yes/Yes
Starting power	6500 W	Fuel tank capacity	25 l
Rated power	6000 W	Working time - 100% load	5 h
Voltage/Frequency	400V / 230V / 50Hz	Working time - 50% load	8 h
Power sockets	1 x 230 V / 16 A, 1 x 400 V	Transport set	Yes
Starter	Manual, Electric	Weight	85 kg



## Power station

EP1650-3

Battery capacity	1024 Wh	USB	3 x USB A 18W, 2 x USB C 100W
Battery type	Li-Ion	Dimensions	336x268x263mm
Rated power	1650 VA	Weight	13 kg
Peak power	2700 VA	Charging temperature	0 - 40 °C
Voltage/Frequency	230 V / 50 Hz	Operating temperature	-10 - 40 °C
Power sockets	3 x 230 V		



### Diesel generator

CEDDG7E-3F



Model	<b>DG7E-3F</b>	Starter	<b>Manual, Electric</b>
Engine type	<b>Diesel, single-cylinder, air-cooled 532 cm<sup>3</sup></b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>7100 W</b>	Fuel tank capacity	<b>30 l</b>
Rated power	<b>6600 W</b>	Weight	<b>175 kg</b>
Voltage/Frequency	<b>400 V / 230 V / 50 Hz</b>	ATS (optional):	<b>ATS-DG1</b>



### Diesel generator

CEDDG8.5E-3F



Model	<b>DG8.5E-3F</b>	Starter	<b>Manual, Electric</b>
Engine type	<b>Diesel, single-cylinder, air-cooled 667 cm<sup>3</sup></b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>8500 W</b>	Fuel tank capacity	<b>26 l</b>
Rated power	<b>8000 W</b>	Weight	<b>210 kg</b>
Voltage/Frequency	<b>400 V / 230 V / 50 Hz</b>	ATS (optional):	<b>ATS-DG1</b>



### Diesel generator

CEDDG12E-3F



Model	<b>DG12E-3F</b>	Starter	<b>Manual, Electric</b>
Engine type	<b>Diesel, single-cylinder, air-cooled 997 cm<sup>3</sup></b>	AVR/Oil sensor	<b>Yes/Yes</b>
Starting power	<b>12000 W</b>	Fuel tank capacity	<b>26 l</b>
Rated power	<b>11000 W</b>	Weight	<b>320 kg</b>
Voltage/Frequency	<b>400 V / 230 V / 50 Hz</b>	ATS (optional):	<b>ATS-DG2</b>



**POWER IN YOUR HANDS  
EVEN IN THE DARKEST HOUR**

**3 YEARS WARRANTY**



### Dirty water pump

CEDPB60-3

**CEDRUS**

Model	<b>PB60-3</b>	Max. lifting height	<b>26 m</b>
Engine model	<b>Rato R210</b>	Inlet/outlet diameter	<b>3"</b>
Engine capacity	<b>210 cm<sup>3</sup></b>	Vibration damping system	<b>Rubber shock absorbers</b>
Max. flow	<b>1000 l/min</b>	Automatic shutdown	<b>Yes</b>
Rotor	<b>Cast iron</b>	Transport set	<b>No</b>
Suction depth	<b>7 m</b>	Weight	<b>33 kg</b>

Max. flow  
1000 l/min

Suction depth  
7 m

Max. lifting height  
26 m



### Sludge pump

CEDPS60-3

**CEDRUS**

Model	<b>PS60-3</b>	Max. lifting height	<b>20 m</b>
Engine model	<b>Rato R270</b>	Inlet/outlet diameter	<b>3"</b>
Engine capacity	<b>270 cm<sup>3</sup></b>	Vibration damping system	<b>Rubber shock absorbers</b>
Max. flow	<b>1000 l/min</b>	Automatic shutdown	<b>Yes</b>
Rotor	<b>Cast iron</b>	Transport set	<b>No</b>
Suction depth	<b>7 m</b>	Weight	<b>64 kg</b>

Max. flow  
1000 l/min

Suction depth  
7 m

Max. lifting height  
20 m



### Sludge pump

CEDPS100-4

**CEDRUS**

Model	<b>PS100-4</b>	Max. lifting height	<b>26 m</b>
Engine model	<b>Rato R390</b>	Inlet/outlet diameter	<b>4"</b>
Engine capacity	<b>389 cm<sup>3</sup></b>	Vibration damping system	<b>Rubber shock absorbers</b>
Max. flow	<b>1666 l/min</b>	Automatic shutdown	<b>Yes</b>
Rotor	<b>Cast iron</b>	Transport set	<b>Yes</b>
Suction depth	<b>7 m</b>	Weight	<b>76 kg</b>

Max. flow  
1666 l/min

Suction depth  
7 m

Max. lifting height  
26 m



### Clean water pump

LC40ZB20-1.7Q

**LONCIN**

Model	<b>LC40ZB20-1.7Q</b>	Max. lifting height	<b>21 m</b>
Engine model	<b>Loncin 148F-2</b>	Inlet/outlet diameter	<b>1,5"</b>
Engine capacity	<b>80 cm<sup>3</sup></b>	Vibration damping system	<b>Rubber shock absorbers</b>
Max. flow	<b>200 l/min</b>	Automatic shutdown	<b>Yes</b>
Rotor	<b>Cast iron</b>	Transport set	<b>No</b>
Suction depth	<b>6 m</b>	Weight	<b>13 kg</b>

Max. flow  
200 l/min

Suction depth  
6 m

Max. lifting height  
21 m



### Clean water pump

LC50ZB60-4.5Q



Model	LC50ZB60-4.5Q	Max. lifting height	60 m
Engine model	Loncin G200FA	Inlet/outlet diameter	2"
Engine capacity	196 cm <sup>3</sup>	Vibration damping system	Rubber shock absorbers
Max. flow	500 l/min	Automatic shutdown	Yes
Rotor	Cast iron	Transport set	No
Suction depth	6 m	Weight	32 kg



Max. flow  
500 l/min



Suction depth  
6 m



Max. lifting height  
60 m

NEW



### Clean water pump

LC50ZB30-4.5Q



Model	LC50ZB30-4.5Q	Max. lifting height	30 m
Engine model	Loncin G200	Inlet/outlet diameter	2"
Engine capacity	196 cm <sup>3</sup>	Vibration damping system	Rubber shock absorbers
Max. flow	500 l/min	Automatic shutdown	Yes
Rotor	Cast iron	Transport set	No
Suction depth	6 m	Weight	26 kg



Max. flow  
500 l/min



Suction depth  
6 m



Max. lifting height  
30 m



### Dirty water pump

LC80WB30-4.5Q



Model	LC80WB30-4.5Q	Max. lifting height	30 m
Engine model	Loncin G200FA	Inlet/outlet diameter	3"
Engine capacity	196 cm <sup>3</sup>	Vibration damping system	Rubber shock absorbers
Max. flow	1000 l/min	Automatic shutdown	Yes
Rotor	Cast iron	Transport set	No
Suction depth	6 m	Weight	36 kg



Max. flow  
1000 l/min



Suction depth  
6 m



Max. lifting height  
30 m



### Sludge pump

LC80NB20-6.1Q



Model	LC80NB20-6.1Q	Max. lifting height	30 m
Engine model	Loncin G300FA	Inlet/outlet diameter	3"
Engine capacity	302 cm <sup>3</sup>	Vibration damping system	Rubber shock absorbers
Max. flow	1150 l/min	Automatic shutdown	Yes
Rotor	Cast iron	Transport set	No
Suction depth	7 m	Weight	69 kg



Max. flow  
1150 l/min



Suction depth  
7 m



Max. lifting height  
30 m

**3 YEARS**  
WARRANTY

NEW



### Clean water pump

LC80ZB35-4.5Q

Model	LC80ZB35-4.5Q	Max. lifting height	35 m
Engine model	Loncin G200	Inlet/outlet diameter	3"
Engine capacity	196 cm <sup>3</sup>	Vibration damping system	Rubber shock absorbers
Max. flow	1000 l/min	Automatic shutdown	Yes
Rotor	Cast iron	Transport set	No
Suction depth	6 m	Weight	30 kg

Max. flow  
1000 l/minSuction depth  
6 mMax. lifting height  
35 m

### Plate compactor

CEDZG02

Model	ZG02	Reverse	No
Engine manufacturer	Loncin	Plate dimensions	52 cm x 44,5 cm
Engine model	G200F	Plate thickness	12 mm
Engine power	4,1 kW	Compaction depth	30 cm
Engine capacity	196 cm <sup>3</sup>	Wheels / Silicone mat	Yes/Yes
Compaction force	13 kN	Weight	79 kg

Rated power  
4,1 kWCompaction force  
13 kNCompaction depth  
30 cm

NEW



### Plate compactor

CEDZG80L

Model	ZG80L	Reverse	No
Engine manufacturer	Loncin	Plate dimensions	54 cm x 42 cm
Engine model	G200F	Plate thickness	8 mm
Engine power	4,1 kW	Compaction depth	30 cm
Engine capacity	196 cm <sup>3</sup>	Wheels / Silicone mat	Yes/Yes
Compaction force	13 kN	Weight	78 kg

Rated power  
4,1 kWCompaction force  
13 kNCompaction depth  
30 cm

### Plate compactor

CEDZG01

Model	ZG01	Reverse	No
Engine manufacturer	Loncin	Plate dimensions	56 cm x 52 cm
Engine model	G200F	Plate thickness	12 mm
Engine power	4,1 kW	Compaction depth	35 cm
Engine capacity	196 cm <sup>3</sup>	Wheels / Silicone mat	Yes/Yes
Compaction force	20 kN	Weight	96 kg

Rated power  
4,1 kWCompaction force  
20 kNCompaction depth  
35 cm

NEW



**Plate compactor**  
CEDZG90L

**CEDRUS**

Model	<b>ZG90L</b>	Reverse	<b>No</b>
Engine manufacturer	<b>Loncin</b>	Plate dimensions	<b>58 cm x 50 cm</b>
Engine model	<b>G200F</b>	Plate thickness	<b>10 mm</b>
Engine power	<b>4,1 kW</b>	Compaction depth	<b>35 cm</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Wheels / Silicone mat	<b>Yes/Yes</b>
Compaction force	<b>20 kN</b>	Weight	<b>90 kg</b>



Rated power  
4,1 kW



Compaction force  
20 kN



Compaction depth  
35 cm



**Plate compactor**  
CEDZG07

**CEDRUS**

Model	<b>ZG07</b>	Reverse	<b>No</b>
Engine manufacturer	<b>Loncin</b>	Plate dimensions	<b>54 cm x 45 cm</b>
Engine model	<b>G200F</b>	Plate thickness	<b>12 mm</b>
Engine power	<b>4,1 kW</b>	Compaction depth	<b>30 cm</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Wheels / Silicone mat	<b>Yes/Yes</b>
Compaction force	<b>20 kN</b>	Weight	<b>96 kg</b>



Rated power  
4,1 kW



Compaction force  
20 kN



Compaction depth  
30 cm

NEW



**Plate compactor**  
CEDZG90L-F

**CEDRUS**

Model	<b>ZG90L-F</b>	Reverse	<b>No</b>
Engine manufacturer	<b>Loncin</b>	Plate dimensions	<b>55 cm x 44 cm</b>
Engine model	<b>G200F</b>	Plate thickness	<b>8 mm</b>
Engine power	<b>4,1 kW</b>	Compaction depth	<b>30 cm</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Wheels / Silicone mat	<b>Yes/Yes</b>
Compaction force	<b>15 kN</b>	Weight	<b>88,5 kg</b>



Rated power  
4,1 kW



Compaction force  
15 kN



Compaction depth  
30 cm

NEW



**Plate compactor**  
CEDZG120L

**CEDRUS**

Model	<b>ZG120L</b>	Reverse	<b>No</b>
Engine manufacturer	<b>Loncin</b>	Plate dimensions	<b>50 cm x 55 cm</b>
Engine model	<b>G200F</b>	Plate thickness	<b>10 mm</b>
Engine power	<b>4,1 kW</b>	Compaction depth	<b>40 cm</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Wheels / Silicone mat	<b>Yes/Yes</b>
Compaction force	<b>25 kN</b>	Weight	<b>120 kg</b>



Engine power  
4,1 kW



Compaction force  
25 kN



Compaction depth  
40 cm

**2 YEARS WARRANTY**



**Plate compactor**  
CEDZG06

**CEDRUS**

Model	<b>ZG06</b>	Reverse	<b>Yes - mechanical</b>
Engine manufacturer	<b>Loncin</b>	Plate dimensions	<b>63 cm x 40 cm</b>
Engine model	<b>G200F</b>	Plate thickness	<b>12 mm</b>
Engine power	<b>4,1 kW</b>	Compaction depth	<b>30 cm</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Wheels / Silicone mat	<b>Yes/Yes</b>
Compaction force	<b>25 kN</b>	Weight	<b>122 kg</b>

 Engine power  
4,1 kW

 Compaction force  
25 kN

 Compaction depth  
30 cm



**Plate compactor**  
CEDZG04

**CEDRUS**

Model	<b>ZG04</b>	Reverse	<b>Yes - hydraulic</b>
Engine manufacturer	<b>Kasey</b>	Plate dimensions	<b>70 cm x 40 cm</b>
Engine model	<b>EX27</b>	Plate thickness	<b>12 mm</b>
Engine power	<b>5,1 kW</b>	Compaction depth	<b>40 cm</b>
Engine capacity	<b>265 cm<sup>3</sup></b>	Wheels / Silicone mat	<b>Yes / No</b>
Compaction force	<b>30 kN</b>	Weight	<b>160 kg</b>

 Engine power  
5,1 kW

 Compaction force  
30 kN

 Compaction depth  
40 cm



**Plate compactor**  
CEDZG05

**CEDRUS**

Model	<b>ZG05</b>	Reverse	<b>Yes - hydraulic</b>
Engine manufacturer	<b>Loncin</b>	Plate dimensions	<b>83,5 cm x 48 cm</b>
Engine model	<b>G390F</b>	Plate thickness	<b>14 mm</b>
Engine power	<b>8,2 kW</b>	Compaction depth	<b>85 cm</b>
Engine capacity	<b>389 cm<sup>3</sup></b>	Wheels / Silicone mat	<b>Yes / No</b>
Compaction force	<b>38 kN</b>	Weight	<b>260 kg</b>

 Engine power  
8,2 kW

 Compaction force  
38 kN

 Compaction depth  
85 cm



**Vibratory rammer**  
CEDST01

**CEDRUS**

Model	<b>ST01</b>	Plate dimensions	<b>33,5 cm x 28 cm</b>
Engine manufacturer	<b>Kasey</b>	Number of strokes	<b>700/min</b>
Engine model	<b>156FC</b>	Stroke height	<b>65 mm</b>
Engine power	<b>2,05 kW</b>	Transport wheels	<b>Yes</b>
Engine capacity	<b>98 cm<sup>3</sup></b>	Weight	<b>75 kg</b>
Compaction force	<b>15 kN</b>		

 Engine power  
2,05 kW

 Compaction force  
15 kN

 Weight  
75 kg



**Vibratory rammer**  
CEDST0

**CEDRUS**

Model	ST02	Plate dimensions	34,5 cm x 28 cm
Engine manufacturer	Loncin	Number of strokes	650/min
Engine model	LC168F-2H	Stroke height	65 mm
Engine power	4,2 kW	Transport wheels	Yes
Engine capacity	196 cm <sup>3</sup>	Weight	78 kg
Compaction force	10 kN		



Engine power  
4,2 kW



Compaction force  
10 kN



Weight  
78 kg



**Dumper on wheels**  
CEDTR300

**CEDRUS**

Model	TR300	Load capacity	400 kg
Engine manufacturer	Loncin	Drive	4x4
Engine model	G200F	Forward/reverse gears	3/1
Engine power	4,1 kW	Weight	160 kg
Engine capacity	196 cm <sup>3</sup>		



Engine power  
4,1 kW



Load capacity  
400 kg



Drive  
4x4



**Dumper with tracks**  
CEDTR300G

**CEDRUS**

Model	TR300G	Load capacity	300 kg
Engine manufacturer	Loncin	Drive	Tracks
Engine model	G200F	Forward/reverse gears	3/1
Engine power	4,1 kW	Weight	178 kg
Engine capacity	196 cm <sup>3</sup>		



Engine power  
4,1 kW



Load capacity  
300 kg



Drive  
Tracks



**Battery dumper**  
CEDTA500

**CEDRUS**

Model	TA500	Drive	Two wheels
Moc	48 V / 32 Ah / 1000 W	Speed	0-5 km/h
Working time	3 h	Hydraulic unloading	Yes
Charging time	6 h	Weight	218 kg
Load capacity	500 kg		



Battery  
48V



Working time  
3 h



Load capacity  
500 kg

**2 YEARS WARRANTY**



**Power trowel**  
CEDZC01

**CEDRUS**

Model	<b>ZC01</b>	Working diameter	<b>58 cm</b>
Engine manufacturer	<b>Loncin</b>	Cover diameter	<b>60 cm</b>
Engine model	<b>G200F</b>	Number of blades	<b>4</b>
Engine power	<b>4,1 kW</b>	Trowel disc	<b>Yes</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Weight	<b>50 kg</b>

 Engine power  
4,1 kW

 Working diameter  
58 cm

 Weight  
50 kg



**Power trowel**  
CEDZC02

**CEDRUS**

Model	<b>ZC02</b>	Working diameter	<b>91 cm</b>
Engine manufacturer	<b>Loncin</b>	Cover diameter	<b>97 cm</b>
Engine model	<b>G200F</b>	Number of blades	<b>4</b>
Engine power	<b>4,1 kW</b>	Trowel disc	<b>Yes</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Weight	<b>78 kg</b>

 Engine power  
4,1 kW

 Working diameter  
91 cm

 Weight  
78 kg



**Finishing screed**  
CEDLW01 / CEDLW01-2

**CEDRUS**

Model	<b>LW01 / LW01-2</b>	Engine power	<b>1,0 kW / 0,9kW</b>
Engine manufacturer	<b>Honda / Cedrus</b>	Engine capacity	<b>35,8 cm<sup>3</sup> / 37,7 cm<sup>3</sup></b>
Engine model	<b>GV35 / FA140</b>	Weight	<b>15,5 kg</b>

 Engine power  
1,0 kW / 0,9kW

 Weight  
15,5 kg



**Concrete vibrator**  
CEDWT01

**CEDRUS**

Model	<b>WT01</b>	Engine capacity	<b>196 cm<sup>3</sup></b>
Engine manufacturer	<b>Loncin</b>	Cable diameter and length	<b>45 cm x 600 cm</b>
Engine model	<b>G200F</b>	Weight	<b>24 kg</b>
Engine power	<b>4,1 kW</b>		

 Engine power  
4,1 kW

 Weight  
24 kg



**Concrete mixer**  
CEDBT120

**CEDRUS**

Model	<b>BT120</b>	Drum speed	<b>26,6 rpm</b>
Motor power	<b>500 W</b>	Transmission	<b>Belt</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Wheels	<b>Yes</b>
Drum capacity	<b>120 l</b>	Weight	<b>43,5 kg</b>
Hole diameter	<b>328 mm</b>		

 Motor power  
500 W

 Drum capacity  
120 l

 Weight  
43,5 kg



**Concrete mixer**  
CEDBT160

**CEDRUS**

Model	<b>BT160</b>	Drum speed	<b>29,5 rpm</b>
Motor power	<b>650 W</b>	Transmission	<b>Belt</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Wheels	<b>Yes</b>
Drum capacity	<b>160 l</b>	Weight	<b>55,5 kg</b>
Hole diameter	<b>390 mm</b>		

 Motor power  
650 W

 Drum capacity  
160 l

 Weight  
55,5 kg



**Concrete mixer**  
CEDBT220

**CEDRUS**

Model	<b>BT220</b>	Drum speed	<b>29,5 rpm</b>
Motor power	<b>850 W</b>	Transmission	<b>Belt</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Wheels	<b>Yes</b>
Drum capacity	<b>220 l</b>	Weight	<b>61 kg</b>
Hole diameter	<b>390 mm</b>		

 Motor power  
850 W

 Drum capacity  
220 l

 Weight  
61 kg



**Masonry&stone saw**  
CEDPK350

**CEDRUS**

Model	<b>PK350</b>	Disc speed	<b>2800 rpm</b>
Motor power	<b>2200 W</b>	Table dimensions	<b>530 x 430 mm</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Cutting length	<b>700 mm</b>
Disc/hole diameter	<b>350 mm / 30 mm</b>	Cutting depth	<b>110 mm</b>
Disc in set	<b>Diamond</b>	Weight	<b>76 kg</b>

 Motor power  
2200 W

 Disc diameter  
350 mm

 Weight  
76 kg

**2 YEARS**  
WARRANTY

NEW



### Concrete cutter

CEDPC300

**CEDRUS**

Model	<b>PC300</b>	Disc speed	<b>4700 rpm</b>
Engine power	<b>2,9 kW</b>	Fuel tank capacity	<b>0,75 l</b>
Engine capacity	<b>65 cm<sup>3</sup></b>	Max. cutting depth	<b>105 mm</b>
Disc/hole diameter	<b>300 mm / 25,4 mm</b>	Weight	<b>12 kg</b>
Disc in set	<b>Diamond</b>		



### Concrete cutter

CEDPC350

**CEDRUS**

Model	<b>PC350</b>	Disc speed	<b>4800 rpm</b>
Engine power	<b>3,5 kW</b>	Fuel tank capacity	<b>1,1 l</b>
Engine capacity	<b>74 cm<sup>3</sup></b>	Max. cutting depth	<b>125 mm</b>
Disc/hole diameter	<b>350 mm / 25,4 mm</b>	Weight	<b>10,2 kg</b>
Disc in set	<b>Diamond</b>		



### Concrete cutter

CEDPC400

**CEDRUS**

Model	<b>PC400</b>	Disc speed	<b>4800 rpm</b>
Engine power	<b>3,5 kW</b>	Fuel tank capacity	<b>1,1 l</b>
Engine capacity	<b>74 cm<sup>3</sup></b>	Max. cutting depth	<b>125 mm</b>
Disc/hole diameter	<b>400 mm / 25,4 mm</b>	Weight	<b>10,2 kg</b>
Disc in set	<b>Diamond</b>		



NEW



### Concrete cutter

CEDPC400-94

**CEDRUS**

Model	<b>PC400-94</b>	Disc speed	<b>4700 rpm</b>
Engine power	<b>4,8 kW</b>	Fuel tank capacity	<b>1 l</b>
Engine capacity	<b>94 cm<sup>3</sup></b>	Max. cutting depth	<b>150 mm</b>
Disc/hole diameter	<b>400 mm / 25,4 mm</b>	Weight	<b>13,3 kg</b>
Disc in set	<b>Diamond</b>		





**Compressor**  
CEDKM24-1T

**CEDRUS**

Model	<b>KM24-1T</b>	Efficiency	<b>200 l/min</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working pressure	<b>8 bar / 116 psi</b>
Power	<b>1,5 kW</b>	Compressor type	<b>Single-piston</b>
Rotation speed	<b>2800 rpm</b>	Weight	<b>23,5 kg</b>

 Motor power  
1,5 kW

 Efficiency  
200 l/min

 Working pressure  
8 bar / 116 psi



**Compressor**  
CEDKM50-1T

**CEDRUS**

Model	<b>KM50-1T</b>	Efficiency	<b>200 l/min</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working pressure	<b>8 bar / 116 psi</b>
Power	<b>1,5 kW</b>	Compressor type	<b>Single-piston</b>
Rotation speed	<b>2800 rpm</b>	Weight	<b>29,5 kg</b>

 Motor power  
1,5 kW

 Efficiency  
200 l/min

 Working pressure  
8 bar / 116 psi



**Compressor**  
CEDKM50-2T

**CEDRUS**

Model	<b>KM50-2T</b>	Efficiency	<b>356 l/min</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working pressure	<b>8 bar / 116 psi</b>
Power	<b>2,24 kW</b>	Compressor type	<b>Double-piston</b>
Rotation speed	<b>2800 rpm</b>	Weight	<b>40 kg</b>

 Motor power  
2,24 kW

 Efficiency  
356 l/min

 Working pressure  
8 bar / 116 psi



**Compressor**  
CEDKM100

**CEDRUS**

Model	<b>KM100</b>	Efficiency	<b>314 l/min</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Working pressure	<b>8 bar / 116 psi</b>
Power	<b>2,24 kW</b>	Compressor type	<b>Double-piston</b>
Rotation speed	<b>2800 rpm</b>	Weight	<b>68 kg</b>

 Motor power  
2,24 kW

 Efficiency  
314 l/min

 Working pressure  
8 bar / 116 psi

**2 YEARS**  
WARRANTY



**Pressure washer**  
CEDMC110

**CEDRUS**

Model	<b>MC110</b>	Max. pressure	<b>165 bar</b>
Motor power	<b>2100 W</b>	Max. supply pressure	<b>4 bar</b>
Motor type	<b>Induction</b>	Max. water temperature	<b>50°C</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Pump	<b>Aluminum</b>
Max. flow	<b>432 l/h</b>	Hose length	<b>10 m</b>
Working flow	<b>360 l/h</b>	Detergent tank	<b>Yes</b>
Working pressure	<b>110 bar</b>	Weight	<b>19 kg</b>

 Motor power  
2100 W

 Max. pressure  
165 bar

 Weight  
19 kg



**Pressure washer**  
CEDMC150

**CEDRUS**

Model	<b>MC150</b>	Max. pressure	<b>225 bar</b>
Motor power	<b>3200 W</b>	Max. supply pressure	<b>4 bar</b>
Motor type	<b>Induction</b>	Max. water temperature	<b>50°C</b>
Voltage/Frequency	<b>230 V / 50 Hz</b>	Pump	<b>Brass</b>
Max. flow	<b>540 l/h</b>	Hose length	<b>10 m</b>
Working flow	<b>450 l/h</b>	Detergent tank	<b>Yes</b>
Working pressure	<b>150 bar</b>	Weight	<b>26 kg</b>

 Motor power  
3200 W

 Max. pressure  
225 bar

 Weight  
26 kg

**WHERE PRESSURE  
MEETS PERFECTION**

## Cedrus Spółka Akcyjna

95-060 Brzeziny  
ul. Przemysłowa 1  
biuro@cedrus.com.pl

tel. (+48) 46 874 13 11  
tel. (+48) 46 874 18 60

Authorized Cedrus Dealer

