

CEDRUS[®]

Power+

2026



CHARGED AND READY FOR YOUR GARDEN

cedrus.com.pl

CONTENTS

1	Garden tools 20 V
2	Power tools 20 V
3	Batteries 20 V
4	Chargers 20 V
4	Garden tools 60 V
2	Batteries 60 V
3	Chargers 60 V

Cedrus – technology that drives modern landscaping

For over 30 years, Cedrus has been providing professional machines and tools for gardening, forestry, and construction, combining durability, experience, and modern technological solutions. We develop our offerings based on real user needs—from classic petrol-powered devices to advanced zero-emission systems that set a new direction for field work.

Power+ – Next-Generation Cordless Performance

Power+ line responds to growing demands for work comfort, mobility, and reduced exhaust emissions. The system includes 20V cordless devices for everyday tasks around the home and garden, as well as a 60V series designed for professional use. This equipment combines high operating power with quiet operation and zero exhaust emissions, enabling effective operation in spaces requiring reduced noise and pollution.

One System, Multiple Applications

Power+ system is a shared battery technology that provides ease of use and flexibility for various devices within a single platform. This translates into lower operating costs, easier maintenance, and full operational readiness without the fuel, cables, and maintenance downtime typical of combustion engines.

A modern approach to efficiency

Power+ devices offer operating parameters that meet the modern requirements of professional users and discerning private landscaping owners. It is a combination of power, precision, and technology that truly improves work quality and operator comfort.

Cedrus Power+—energy that works quieter, cleaner, and more efficiently.



PROFESSIONAL POWER IN YOUR HANDS

No emissions. No cables. No limits.





Lawn mower
CEDLM40LiX2

Model	LM40LiX2	Basket/Side disch./Mulch.	Yes/No/Yes
Battery	2 x max 20 V	Basket capacity	40 l
Working width	40 cm	Weight	13,9 kg
Cutting height	25-75 mm / 6 levels	Battery included	No
Cutting height adjustment	Central	Charger included	No
Drive	N/A	Case included	No



Battery
2 x 20V



Working width.
40 cm



Cutting height
25-75 mm / 6 levels



Basket capacity
40 l



Weight
13,9 kg

PERFECT CUTTING POWERED BY BATTERY



Patio cleaner Cedrus CEDPC160LI
CEDPC160LI

Model	PC160LI	Adjustable handle	Yes
Battery	Max. 20 V	Weight	3,36 kg
No load speed	1300 rpm	Battery included	No
Brush width	160 mm	Charger included	No
Wire brush diameter	115 mm	Case included	No
Telescopic handle	Yes		



Battery
20V



Brush width
160 mm



Brush diameter
115 mm



Trimmer

CEDST300LIX2

Model	ST300LIX2	Head adjustment	90°
Battery	2 x max 20 V	Adjustable handle	Yes
No load speed	6700 rpm	Edger function	Yes
Cutting width	300 mm	Weight	2,60 kg
Cutting line diameter	1,6 mm	Battery included	No
Head type	Automatic	Charger included	No



Trimmer

CEDBC350LIX2

Model	BC350LIX2	Head adjustment	No
Battery	2 x max 20 V	Adjustable handle	No
No load speed	7000 rpm	Edger function	No
Cutting width	350 mm	Weight	4,28 kg
Cutting line diameter	2,0 mm	Battery included	No
Head type	Automatic	Charger included	No



Trimmer

CEDGT254LI

Model	GT254LI	Head adjustment	90°
Battery	Max. 20 V	Adjustable handle	Yes
No load speed	9000 rpm	Edger function	Yes
Cutting width	254 mm	Weight	1,84 kg
Cutting line diameter	Replaceable blades	Battery included	No
Head type	20 blades in set	Charger included	No



Trimmer

CEDST280LI

Model	ST280LI	Head adjustment	90°
Battery	Max. 20 V	Adjustable handle	Yes
No load speed	9000 rpm	Edger function	Yes
Cutting width	280 mm	Weight	2,00 kg
Cutting line diameter	1,6 mm	Battery included	No
Head type	Automatic	Charger included	No





Hedge trimmer

CEDHT520LIX2



Model	HT520LIX2	Hand cover	Yes
Battery	2 x max 20 V	Adjustable boom	No
No load speed	6700 rpm	Adjustable head	90°
Cutting bar length	520 mm	Weight	2,60 kg
Distance between teeth	24 mm	Battery / Charger	No/No
Handle adjustment	Yes	Replaceable head - saw	No




Hedge trimmer

CEDHT510LI



Model	HT510LI	Hand cover	Yes
Battery	Max. 20 V	Adjustable boom	No
No load speed	1300 rpm	Adjustable head	No
Cutting bar length	510 mm	Weight	2,12 kg
Distance between teeth	15 mm	Battery / Charger	No/No
Handle adjustment	Yes	Replaceable head - saw	No




Pole hedge trimmer

CEDPHT450LI



Model	PHT450LI	Hand cover	Yes
Battery	Max. 20 V	Adjustable boom	Yes
No load speed	1300 rpm	Adjustable head	90°
Cutting bar length	450 mm	Weight	3,15 kg
Distance between teeth	15 mm	Battery / Charger	No/No
Handle adjustment	No	Replaceable head - saw	Yes - CPS20



Pole saw attachment PHT450Li

CEDCPS20



Model	CPS20	Chain pitch	3/8"
Attachment for pole hedge trimmer	PHT450Li	Chain speed	8 m/s
No load speed	1300 rpm	Battery included	No
Bar length	20 cm	Charger included	No
		Case included	No



3 YEARS WARRANTY



Shears
CEDGS100LI

Model	GS100LI	Weight	1,05 kg
Battery	Max. 20 V	Battery included	No
Grass shears width	100 mm	Charger included	No
Cutting bar length	200 mm	Case included	No
Distance between teeth	8 mm		
Claw width	75 mm		



Battery
20V



Grass shears width
100 mm



Grass shears,
hedge shears,
earth claws



Cutting bar length
200 mm



Weight
1,05 kg



Pruning shears
CEDBPB40LI-SET

Model	BPB40LI	Brushless motor	Yes
Battery	Max. 20 V	Weight	0,90 kg
Max. cutting diameter	40 mm	Battery included	2 Ah
Cutting diameter adjust.	Yes	Charger included	Yes
Cutting speed	1,75 s	Case included	No
Dimensions	300x70x115 mm		



Battery
20V



Max. cutting diameter
40 mm



Cutting speed
1,75 s



Weight
0,90 kg



Battery
included



Charger
included

**THOUSANDS
OF CUTS ON A
SINGLE CHARGE**



Chainsaw

CEDCHS350LIX2



Model	CHS350LIX2	Tool-free tensioner	Yes
Battery	2 x max 20 V	Chain lubrication	Automatic
Bar length	35 cm	Weight	3,50 kg
Chain size	3/8" Picco	Battery included	No
Cutting system	Oregon	Charger included	No
Chain speed	19 m/s	Case included	No



Chainsaw

CEDCHS250LI



Model	CHS250LI	Tool-free tensioner	Yes
Battery	Max. 20 V	Chain lubrication	Automatic
Bar length	25 cm	Weight	3,14 kg
Chain size	3/8" Picco	Battery included	No
Cutting system	Oregon	Charger included	No
Chain speed	6 m/s	Case included	No



Chainsaw

CEDCHS150LI-SET



Model	CHS150LI	Tool-free tensioner	Yes
Battery	Max. 20 V	Chain lubrication	Automatic
Bar length	15 cm	Weight	1,30 kg
Chain size	1/4"	Battery included	2 Ah
Cutting system	Oregon	Charger included	Yes
Chain speed	7,9 m/s	Case included	No



Chainsaw

CEDCHS100LI



Model	CHS100LI	Tool-free tensioner	Yes
Battery	Max. 20 V	Chain lubrication	Manual
Bar length	10 cm	Weight	1,35 kg
Chain size	1/4"	Battery included	No
Cutting system	Oregon	Charger included	No
Chain speed	8 m/s	Case included	No



3 YEARS WARRANTY




Telescopic extension for CEDCHS100LI
CEDCHS100P

Model	CHS100P
Min. length	1,95 m
Max. length	2,40 m



Sprayer
CEDSC15LI

Model	SC15LI	Nozzle hole	1,6 mm
Battery	Max. 20 V	Weight	4,5 kg
Liquid tank capacity	15 l	Battery included	No
Efficiency	1,3 l/min	Charger included	No
Max. pressure	0,3 Mpa	Case included	No
Lance length	800 mm		



Pressure washer
CEDWP160LI

Model	WP160LI	Hose length	6 m
Battery	Max. 20 V	Detergent tank	Yes
Nozzle	Multifunctional 6w1	Total length	500 mm
Water flow	160 l/h	Battery included	No
Water pressure	25 bar	Charger included	No
Max. water temperature	40°C	Case included	No



**ALWAYS WITHIN REACH!
ALWAYS UNDER PRESSURE**

Blower

CEDB42LIX2



Model	B42LIX2	Bag capacity	N/A
Battery	2 x max 20 V	Turbo function	Yes
No load speed	20000 rpm	Speed lock button	Yes
Air speed	150 km/h	Weight	2,5 kg
Air flow	470 m³/h	Battery included	No
Turbo	650 m³/h	Charger included	No
Speed control	Yes	Case included	No
Vacuum cleaner function	No		



Blower

CEDBV200LIX2



Model	BV200LIX2	Bag capacity	35 l
Battery	2 x max 20 V	Turbo function	No
No load speed	14000 rpm	Speed lock button	No
Air speed	200 km/h	Weight	2,58 kg
Air flow	220 m³/h	Battery included	No
Speed control	Yes	Charger included	No
Vacuum cleaner function	Yes	Case included	No



Blower

CEDBV270LI



Model	BV270LI	Bag capacity	N/A
Battery	Max. 20 V	Turbo function	No
No load speed	18000 rpm	Speed lock button	No
Air speed	270 km/h	Weight	1,00 kg
Air flow	102 m³/h	Battery included	No
Speed control	Yes	Charger included	No
Vacuum cleaner function	Yes	Case included	No



3 YEARS WARRANTY



Drill
CEDD40LI-SET

Model	D40LI-SET	Drill chuck	2-13 mm
Battery	Max. 20 V	Changing direct. of rotat.	Yes
No load speed	0-400/0-1400 rpm	LED light	Yes
Impact	N/A	Belt clip	Yes
Max torque	40 Nm	Weight	1,13 kg
Motor type	Brush	Battery included	2 Ah
Torque control	25+1	Charger/Case/Accessories	Yes/Yes/Yes



Drill
CEDD60LI

Model	D60LI	Drill chuck	2-13 mm
Battery	Max. 20 V	Changing direct. of rotat.	Yes
No load speed	0-500/0-2000 rpm	LED light	Yes
Impact	N/A	Belt clip	Yes
Max torque	60 Nm	Weight	1,21 kg
Motor type	Brush	Battery included	No
Torque control	21+1	Charger/Case/Accessories	No/No/No



BATTERY DRILL
Indispensable in your workshop!





Impact driver

CEDIDB200LI

Model	IDB200LI	Changing direct. of rotat.	Yes
Battery	Max. 20 V	LED light	Yes
No load speed	0 - 2500 rpm	Belt clip	Yes
Impact	0 - 3500 stroke/min	Weight	1,09 kg
Max torque	200 Nm	Battery included	No
Motor type	Brush	Charger included	No
Chuck type	1/4" Hex	Case included	No



Impact wrench

CEDIW250LI

Model	IWB250LI	Chuck type	1/2" Square
Battery	Max. 20 V	Changing direct. of rotat.	Yes
No load speed	0 - 2800 rpm	LED light	Yes
Impact	0 - 3600 stroke/min	Belt clip	Yes
Torque control	N/A	Weight	1,21 kg
Motor type	Brush	Battery included	No
Max torque	250 Nm	Charger included	No



Impact wrench

CEDIWB250LI

Model	IWB250LI	Chuck type	1/2" Square
Battery	Max. 20 V	Changing direct. of rotat.	Yes
No load speed	0 - 2500 rpm	LED light	Yes
Impact (stroke/min)	0-1100/0-2500/0-3500	Belt clip	Yes
Torque control	3 levels	Weight	1,13 kg
Motor type	Brushless	Battery included	No
Max torque	50/150/250 Nm	Charger included	No



**POWER OF ARGUMENTS
IN YOUR HANDS**





Impact wrench
CEDIW400LI

Model	IW400LI	Motor type	Brush
Battery	Max. 20 V	Max torque	100/150/200/ 300/400 Nm
No load speed	0-1500 rpm 0-1700 rpm 0-1900 rpm 0-2000 rpm 0-2300 rpm	Chuck type	1/2" Square
Impact	0-2000 stroke/min	Changing direct. of rotat.	Yes
	0-2350 stroke/min	LED light	Yes
	0-2640 stroke/min	Belt clip	Yes
	0-2780 stroke/min	Weight	1,90 kg
	0-3200 stroke/min	Battery included	No
Torque control	5 levels	Charger included	No



Hammer drill
CEDRH1.1LI

Model	RH1.1LI	Drill chuck	SDS+
Battery	Max. 20 V	Weight	1,25 kg
No load speed	0 - 900 rpm	Battery included	No
Impact	0 - 5000 stroke/min	Charger included	No
Impact force	1,1 kJ	Case included	No
Motor type	Brush	Akcesoria w zestawie	No



Hammer drill
CEDRH2.2LI

Model	RH2.2LI	Drill chuck	SDS+
Battery	Max. 20 V	Weight	2,28 kg
No load speed	0 - 1420 rpm	Battery included	No
Impact	0 - 4500 stroke/min	Charger included	No
Impact force	2,2 kJ	Case included	No
Motor type	Brushless	Akcesoria w zestawie	No





Angle grinder

CEDAG125LI

Model	AG125LI	Hole diameter	22,2 mm
Battery	Max. 20 V	Weight	1,78 kg
No load speed	10000 rpm	Battery included	No
Motor type	Brush	Charger included	No
Disc diameter	125 mm	Case included	No
Spindle thread	M14		



Angle grinder

CEDAG125LI-SET

Model	AG125LI-SET	Hole diameter	22,2 mm
Battery	Max. 20 V	Weight	1,78 kg
No load speed	10000 rpm	Battery included	4 Ah
Motor type	Brush	Charger included	Yes
Disc diameter	125 mm	Case included	Yes
Spindle thread	M14		



Bench grinder

CEDCBG50LI

Model	CBG50LI	Flexible shaft for assembly	Yes
Battery	Max. 20 V	Accessories included	Yes
No load speed	9000 rpm	Weight	1,78 kg
Motor type	Brush	Battery included	No
Disc diameter	50 mm	Charger included	No
Disc thickness	13 mm	Case included	No



Orbital Sander

CEDOS125LI

Model	OS125LI	Disc diameter	125 mm
Battery	Max. 20 V	Motor type	Brush
Speed control	6 levels	LED light	Yes
No load speed	2000 rpm 3500 rpm 5000 rpm 6500 rpm 8000 rpm 10000 rpm	Dust bag	Yes
		Weight	1,1 kg
		Battery included	No
		Charger included	No
		Case included	No



3 YEARS WARRANTY

Reciprocating saw

CEDRSLI



Model	RSLI	Motor type	Brush
Battery	Max. 20 V	Blade stroke length	22 mm
No load speed	0 - 3000 rpm	Weight	1,71 kg
Cutting ability	115 mm in wood 10 mm in aluminum	Battery included	No
Quick blade change	Yes	Charger included	No
		Case included	No



Battery
20V



Cutting ability
115 mm in wood
10 mm in aluminum



Weight
1,71 kg

Circular saw

CEDCSLI



Model	CSLI	Laser pointer	Yes
Battery	Max. 20 V	Weight	2,4 kg
No load speed	4200 rpm	Battery included	No
Disc size	165x20x1,6 mm, 24 T	Charger included	No
Cutting depth	51mm at 90° 37mm at 45°	Case included	No
Motor type	Brush		



Battery
20V



Disc diameter
165x20x1,6mm, 24T



Weight
2,4 kg

Circular saw

CEDCSB165LI



Model	CSB165LI	Laser pointer	Yes
Battery	Max. 20 V	Weight	2,78 kg
No load speed	4200 rpm	Battery included	No
Disc size	165x20x1,6 mm, 24 T	Charger included	No
Cutting depth	51mm at 90° 37mm at 45°	Case included	No
Motor type	Brushless		



Battery
20V



Disc diameter
165x20x1,6 mm, 24 T



Weight
2,78 kg

CIRCULAR SAWS

Cordless cutting freedom





Circular saw
CEDCSM140LI

Model	CSM140LI	Laser pointer	Yes
Battery	Max. 20 V	Weight	2,1 kg
No load speed	6000 rpm	Battery included	No
Disc size	140 mm	Charger included	No
Cutting depth	50 mm at 90° 35 mm at 45°	Case included	No
Motor type	Brushless		



Multifunctional device
CEDMTLI

Model	MTLI	Weight	1,00 kg
Battery	Max. 20 V	Battery included	No
No load speed	5000 - 20000 rpm	Charger included	No
Speed control	6 levels	Case included	No
Oscillation angle	3°	Accessories included	Yes
Motor type	Brush		



Compressor
CEDAP100LI

Model	AP100LI	LED light	Yes
Battery	Max. 20 V	Display	Yes
Max. air pressure	7 bar (100 psi)	Weight	0,7 kg
Air volume	0,03m³/min	Battery included	No
Max. Air speed	54 m/s	Charger included	No
Motor type	Brush	Case included	No
Work cycle	5 min work 5 min break		



Glue gun
CEDCG3LI

Model	CG3LI	Weight	0,36 kg
Battery	Max. 20 V	Battery included	No
Nozzle diameter	3 mm	Charger included	No
Cartridge diameter	10-12 mm	Case included	No
Heating time	3 min		
Working temperature	175°C		





Silicone gun
CEDSG45LI

Model	SG45LI	Tube capacity	600 ml
Battery	Max. 20 V	Cartridge capacity	300 ml
Motor type	Brush	Weight	2,2 kg
Max. dosing force	4500 N	Battery included	No
Feed adjustment	6 levels	Charger included	No
Feed speed	0,7 - 11 m/s	Case included	No



Nail gun
CEDNGLI

Model	NGLI	Magazine capacity	50 pcs
Battery	Max. 20 V	Weight	1,8 kg
Nailing speed	up to 30 nails/min	Battery included	No
Nail size	15-32 mm	Charger included	No
Staple size	15-25 mm	Case included	No



Vacuum cleaner
CEDVC15LI

Model	VC15LI	Weight	4,0 kg
Battery	Max. 20 V	Accessories in set	Yes
Motor type	Brush	Battery included	No
Tank capacity	15 l	Charger included	No
Suction pressure	≥8,0 KPa	Case included	No
Hose diameter	32 mm		
Hose length	1,5 m		



Flashlight
CEDLLI

Model	LLI	Weight	0,25 kg
Battery	Max. 20 V	Battery included	No
Bulb	LED 3W 3pcs	Charger included	No
Luminous flux	260 Lumens	Case included	No
Adjustable head	90°		





Work light
CEDCL35LI

Model	CL35LI	Weight	0,75 kg
Battery	Max. 20 V	Battery included	No
Bulb	LED 35W SMD 100 pcs	Charger included	No
Luminous flux	I - 5000 Lumens II - 2000 Lumens	Case included	No
Adjustable head	120°		




Pump
CEDCP57LI

Model	CP57LI	Accessories included	Yes
Battery	Max. 20 V	Weight	0,55 kg
Max. air pressure	0,034 bar	Battery included	No
Max. air flow	53 m³/h	Charger included	No
Max. air speed	40 km/h	Case included	No
Motor type	Brush		




Fan
CEDWF300LI

Model	WF300LI	Weight	3 kg
Battery	Max. 20 V	Battery included	No
Fan diameter	300 mm	Charger included	No
Adjustable speed	3 levels	Case included	No
Time switch	Yes		
Mains power supply	Yes		



Paint gun
CEDSP1000Li

Model	SP1000Li	Nozzle diameter	2,5 / 1,8 / 1,5 mm
Battery	Max. 20 V	Weight	1,25 kg
Tank capacity	1000 ml	Battery included	No
Flow rate	800 ml/min	Charger included	No
Viscosity	60 DIN-S	Case included	No
Pressure	0,1 bar		



3 YEARS
WARRANTY



USB phone charger

CEDCHPLI


Model	CHPLI	LED light	Yes
Battery	Max. 20 V	Weight	0,1 kg
Input voltage	20 V	Battery included	No
Output voltage	5 V	Charger included	No
Input current	1,5 A	Case included	No
USB port	Yes		



Battery
20V



Weight
0,1 kg



ONE BATTERY
UNLIMITED POSSIBILITIES



Battery

CEDLI-ION 2AH

Model	LI-ION 2AH
Voltage	Max. 20 V
Battery capacity	2 Ah
Cells	Li-ion
Charge indicator	LED
Weight	0,40 kg



Battery
20V



Battery capacity
2 Ah



Weight
0,40 kg



Battery

CEDLI-ION 4AH

Model	LI-ION 4AH
Voltage	Max. 20 V
Battery capacity	4 Ah
Cells	Li-ion
Charge indicator	LED
Weight	0,65 kg



Battery
20V



Battery capacity
4 Ah



Weight
0,65 kg



Battery

CEDLI-ION 6AH

Model	LI-ION 6AH
Voltage	Max. 20 V
Battery capacity	6 Ah
Cells	Li-ion
Charge indicator	LED
Weight	0,90 kg



Battery
20V



Battery capacity
6 Ah



Weight
0,90 kg



Battery

CEDLI-ION 8AH

Model	LI-ION 8AH
Voltage	Max. 20 V
Battery capacity	8 Ah
Cells	Li-ion
Charge indicator	LED
Weight	1,00 kg



Battery
20V



Battery capacity
8 Ah



Weight
1,00 kg

3 YEARS
WARRANTY



Charger

CEDFCH2.4

Model	FCH2.4
Type	Single port
Charging current	2,4 A
Battery cooling	No
Status indication	Diode color change
Weight	0,30 kg

 Weight
0,30 kg



Charger

CEDDCH3.0

Model	DCH3.0
Type	Double port
Charging current	3,0 A
Battery cooling	No
Status indication	Diode color change
Weight	0,72 kg

 Weight
0,72 kg



Charger

CEDFCH3.5

Model	FCH3.5
Type	Single port
Charging current	3,5 A
Battery cooling	No
Status indication	Diode color change
Weight	0,30 kg

 Weight
0,30 kg

NEW



Charger

CEDFCH8

Model	FCH8
Type	Single port
Charging current	from 2,4 to 8,0A
Battery cooling	Yes
Status indication	Display
Weight	0,50 kg

 Weight
0,50 kg



Lawn mower

CEDLM560S-P25

Model	LM560S-P25	Working width	56 cm
Type	On board	Cutting height	25-89 mm / 6 levels
Motor power	3000 W	Basket capacity	80 l
Voltage	60 V	Basket/Side disch./Mulch.	Yes/Yes/Yes
Drive	Yes; adjustable	Weight	47,5 kg



Battery
60V



Type
On board



Motor power
3000 W



Working width
56 cm



Basket capacity
80 l



Weight
47,5 kg



Brushcutter

CEDBC420L-B

Model	BC420L-B	Cutting line diameter	2,4 mm
Type	On board	Blade cutting width	258 mm
Motor power	1800 W	Blade thickness	3 mm
Motor type	Brushless	Shaft diameter	26 mm
Voltage	60 V	Gearbox reduction	19:14
No load speed	4500-5200-5800 rpm	Display	Yes
Handle	Single	Protections class	IPX4
Cutting width	420 mm	Total length	1825 mm
Trimmer head	Tecomec	Weight	5,12 kg



Battery
60V



Type
on board



Power
1800 W



Cutting width
420 mm



Weight
5,12 kg



Brushcutter

CEDBC420B-B

Model	BC420B-B	Cutting line diameter	2,4 mm
Type	On board	Blade cutting width	258 mm
Motor power	1800 W	Blade thickness	3 mm
Motor type	Brushless	Shaft diameter	26 mm
Voltage	60 V	Gearbox reduction	19:14
No load speed	4500-5200-5800 rpm	Display	Yes
Handle	Double	Protections class	IPX4
Cutting width	420 mm	Total length	1825 mm
Trimmer head	Tecomec	Weight	6,3 kg



Battery
60V



Type
on board



Power
1800 W



Cutting width
420 mm



Weight
6,3 kg



Brushcutter

CEDBC420B-P

Model	BC420B-P	Cutting line diameter	2,4 mm
Type	Plug-In	Blade cutting width	258 mm
Motor power	1800 W	Blade thickness	3 mm
Motor type	Brushless	Shaft diameter	26 mm
Voltage	60 V	Gearbox reduction	19:14
No load speed	4500-5200-5800 rpm	Display	Yes
Handle	Double	Protections class	IPX4
Cutting width	420 mm	Total length	1825 mm
Trimmer head	Tecomec	Weight	6,5 kg



Battery
60V



Type
Plug-in



Power
1800 W



Cutting width
420 mm



Weight
6,5 kg

Hedge trimmer

CEDHT640-P



Model	HT640-P	Blade type	Double-sided, laser cut
Type	Plug-In	Blade thickness	2,5 mm
Motor power	1200 W	Distance between teeth	38 mm
Motor type	Brushless	Cutting bar length	638 mm
Voltage	60 V	Cutting efficiency	30 mm
No load speed	3200-3600-4000 rpm	Display	Yes
Handle	Rotating; 180° / 5 levels	Protections class	IPX4
		Weight	4,2 kg



Battery
60V



Type
Plug-in



Power
1200 W



Cutting bar length
638 mm



Weight
4,2 kg

Pole hedge trimmer

CEDPH525-B



Model	PH525-B	Display	Yes
Type	On board	Length	152 cm
Motor power	1800 W	Protections class	IPX4
Motor type	Brushless	Weight	6,12 kg
Voltage	60 V		
Blade type	Double sided, laser cut		
Cutting bar length	530 mm		
Feed speed (rpm)	2800-3200-3600		
Head adjustment	180° / 11 levels		



Battery
60V



Type
On board



Power
1800 W



Cutting bar length
152 cm



Weight
6,12 kg



Chainsaw

CEDCHS350-B4

Model	CHS350-B4	Bar length	12"
Type	On board -with bat. 4Ah	Chain pitch	0.325"
Motor power	1800 W	Automatic oil pump	Yes
Motor type	Brushless	Display	Yes
Voltage	60 V	Weight	2 kg
Chain speed	20 m/s		



Battery
60V



Type
On board



Power
1800 W



Bar length
12"



Weight
2 kg



Blower

CEDBL210-P

Model	BL210-P	Air flow in duct	1410 m³/h
Type produktu	Plug-In	Max. power	29 N
Motor power	1800W	Speed lock button	Yes
Motor type	Brushless	Turbo function	Yes
Voltage	60 V	Display	Yes
No load speed	2700 rpm	Protections class	IPX4
Max. Air speed	305 km/h	Weight	2,53 kg



Battery
60V



Type
Plug-in



Air speed
305km/h



Air flow in duct
1410 m³/h



Weight
2,53 kg

CLEAN UP IN ONE BLOW

Professional Power, Zero Emissions

3 YEARS
WARRANTY



Battery 4 Ah

CEDB4

Model	B4	Charging time	96 min (Charger 2,5 A)
Voltage	60 V	Charging time	44 min (Charger 5,5 A)
Battery capacity	4 Ah	Protections class	IP54
Energy content (nominal)	216 Wh	Weight	1,6 kg
Energy content (max.)	240 Wh		
Charge indicator	Yes		



Battery 8 Ah

CEDB8

Model	B8	Charging time	192 min (Charger 2,5 A)
Voltage	60 V	Charging time	88 min (Charger 5,5 A)
Battery capacity	8 Ah	Protections class	IP54
Energy content (nominal)	432 Wh	Weight	2,7 kg
Energy content (max.)	480 Wh		
Charge indicator	Yes		



Backpack battery 15 Ah

CEDP15

Model	P15	Charge indicator	Yes
Type	Backpack battery	Cable length	1,8 m
Voltage	60 V	Charging time	3,9 h (Charger 4,0 A)
Battery capacity	15 Ah	Charging time	1,8 h (Charger 8 A)
Energy content (nominal)	810 Wh	Protections class	IP54
Energy content (max.)	900 Wh	Weight	6,2 kg



Backpack battery

CEDP25

Model	P25	Charge indicator	Yes
Type	Backpack battery	Cable length	1,8 m
Voltage	60 V	Charging time	6,5 h (Charger 4,0 A)
Battery capacity	25 Ah	Charging time	3,0 h (Charger 8 A)
Energy content (nominal)	1350 Wh	Protections class	IP54
Energy content (max.)	1500 Wh	Weight	8,1 kg





Charger 2,5A

CEDCHB2.5

Model	CHB2.5
Input voltage	200-240 V, 155 W
Output voltage	2,5 A - 60 V
Charging time	1,6 h (for CEDB4)
Charging time	3,2 h (for CEDB8)



Charger 5,5A

CEDCHB5.5

Model	CHB5.5
Input voltage	200-240 V, 330 W
Output voltage	5,5 A - 60 V
Charging time	0,75 h (for CEDB4)
Charging time	1,5 h (for CEDB8)



Battery backpack charger

CEDCHP4-8

Model	CHP4-8
Input voltage	200-240 V, 535 W
Output voltage	4A / 8A - 25-63 V
Charging time	For CEDP25: Fast mode-3 h; Standard mode-6,5 h
Charging time	For CEDP15: Fast mode-1,8 h; Standard mode-3,9 h



Battery backpack adapter

CEDADB

Model	CEADAB
Battery compatible	CEDP15 / CEDP25
Warranty	3 years

3 YEARS WARRANTY



Harness for batteries CEDB4, CEDB8

CEDADP

Model	CEDADP
Battery compatible	CEDB4 / CEDB8
Warranty	3 years



Tool bag

CEDTB

Model	CEDTB
-------	-------

MODERN SOLUTIONS, ECO FRIENDLY APPROACH



Cedrus Spółka Akcyjna

95-060 Brzeziny
ul. Przemysłowa 1
biuro@cedrus.com.pl

tel. (+48) 46 874 13 11
tel. (+48) 46 874 18 60

Authorized Cedrus Dealer

