CEDRUS 2025 CEDRUS Powert

C CEDRUS C CEDRUS C CEDRUS C CEDRUS

C CEDRUS

Table of contents

Gardening Tools 20 V	4
Power Tools 20 V	11
Batteries 20 V	20
Chargers 20 V	21
Gardening tools 60 V	22
Batteries 60 V	25
Chargers 60 V	26

CEDRUS – Quality, that your garden deserves

We are one of the largest companies in Poland, providing top quality machinery and tools for gardening, forestry and construction. We have been developing CEDRUS for more than 30 years, offering equipment that is reliable, robust and tailored to the needs of both professionals and home users.

Experience and quality you can rely on

Since 1993, we have been building our position in the market, starting with the distribution of spare parts to expand over time to include a wide range of machinery and tools. Today CEDRUS is synonymous with durability and technological precision. Our products meet European standards and have the required certificates, and our service is a guarantee of support at the highest level.

Wide range of products - from the garden to the construction site

We are not standing still - we are growing for you! From the distribution of spare parts to a comprehensive range of gardening, forestry and construction machinery, we are consecutively expanding our product range, adapting it to changing trends and market needs. Our products meet all European standards, and thanks to an extensive network of dealers we reach customers throughout Poland and most of European countries.

Our product range includes a wide assortment of machines for various applications - from lawn mowers, garden tractors, scarifiers, soilers, mowers, to log cutters, power generators and professional transporters. Every year we expand our product range to meet the demands of the modern market. In 2024, we introduced a new series of C-TRAC tractors, the Cedrus Professional series of equipment, 60V acumula-tor tools, and mowing robots without a restraining wire from Sunseeker.

Strong brands, best solutions. We work with renowned brands such as Weibang, Sunseeker, Ferris, Ariens, Pubert, Motor Jikov, Kaaz and SARP. We are also the official and general distributor of Loncin in Poland, supplying engines, gensets and pumps of this internationally recognized brand. In addition, we offer accessories, spare parts and personal protective equipment for users of our machines.

Polish brand, global reach

CEDRUS is a brand with a strong position in the country, but also a rapidly growing exporter. Our machines find their way to international markets, where they gain recognition for their high quality and reliability.

A service that gives confidence

We are well aware that quality is not only about products, but also about after-sales support. That's why we provide **professional service and access to original spare parts**. Some of our products come with as much as a **5-year warranty**, which confirms their durability and reliability.

Cedrus - quality and trust in practice

Through cooperation with the best suppliers and an extensive network of distributors, we provide our customers with reliable tools and machinery. We focus on durability, professionalism and the highest quality of service.

- A team of experienced experts to provide support and advice.
- A wide and comprehensive range of items to suit different needs.
- Cooperation with recognized brands and manufacturers.
- An extensive network of authorized sales and service outlets throughout the country and abroad.
- An extensive inventory of spare parts and service parts.
- Wide range of machines for various applications

MORE THAN SALES - SUPPORT, EDUCATION, PROMOTION

Our business is not only sales. We support customers at every stage, providing training, presentations and participating in trade shows. We are active in social media and regularly organize promotions and marketing campaigns.

Our goal is to provide the highest quality equipment and a comprehensive service that allows each customer to find the perfect solution to fit their needs. CEDRUS stands for quality, innovation and reliability you can trust!

CEDRUS - strength and precision in your garden

We continuously invest in technology development and new solutions. Our offer is constantly expanding, and we remain a leader in the industry. We make garden care and construction work easier, faster and more efficient.

Want to know more? Check out our offer at www.cedrus.com.pl and find the perfect solution for you!



CEDRUS POWER+ battery tools

Combine innovative technology, performance and complete freedom of operation. With state-of-the-art lithium-ion batteries, they offer cable-free and emission-free mobility, providing comfort for both everyday household chores and demanding professional applications.

The CEDRUS POWER+ series includes two lines of tools tailored to different user needs. The **20 V** series is designed for home and private use, offering compact and lightweight tools ideal for small repair jobs, DIY and garden maintenance. The 60 V series, on the other hand, is a solution dedicated to professionals - garden tools with increased power and performance that will work well in commercial applications.

One of the most important advantages of the **CEDRUS POWER+ is its** interchangeable battery system, which allows multiple devices to be powered by a single power source. This allows the user to work without interruption, swapping the battery between tools as needed. The rechargeable batteries are available in different capacities, allowing the user to adjust the working time to suit his requirements.

The 20 V series will be great for household chores, while the 60-volt tools are professional models with increased power for intensive use. Robust construction, ergonomic handles and modern technological solutions make **CEDRUS POWER+** the choice for DIYers and professionals alike. Quiet operation and functional solutions, such as speed control and tool-free accessory replacement, increase the comfort of use. When you choose **CEDRUS POWER+**, you are investing in modernity, quality and versatility. Whether you need a tool for your home workshop or equipment for professional work, the range offers the perfect solution.

We also offer:

- Fiskars products,
- oils for two- and four-stroke machines,
- NGK and Champion spark plugs,
- Cutting systems for saws of Cedrus, Sugihara, Sarp brands,
- Tools and cutting lines for trimmers,
- Spare parts for two- and four-stroke engines,

V-belts.

- mower blades and adapters,
 accessories, and forest and garden tools,
 personal protective equipment,
- spare parts and accessories for Chinese machinery.





Lawn Mower

CEDLM40LiX2

Model	LM40LiX2	Basket/Ejection/Mule	ching Yes / No / Yes
Battery	2 x max 20 V	Basket capacity	40 I
Working width	40 cm	Weight	13,9 kg
Working height	25-75 mm / 6 levels	Battery included	No
Height adjustment	Central	Charger included	Νο
Drive	N/A	Case included	No
Battery 2 x 20V	Working 40 cm	width	Working height 25-75 mm / 6 levels
Basket capacity 40 I	KG Weight 13,9 kg		


Rechargeable power in your garden!

The Cedrus LM40LIX2 cordless mower is a modern and eco-friendly solution for demanding users. Powered by 20-volt batteries from the Cedrus Power+ series, it offers convenience and efficiency without the need for fuel or tangled cables. Thanks to its compatibility with a variety of batteries from the Cedrus Power+ series, you can tailor the mower's run time to the size of your garden and your own needs.

Lightweight design, adjustable cutting height and quiet operation make lawn care a pleasure. Without exhaust fumes, noise and complicated maintenance - the Cedrus LM40LIX2 is the ideal choice for anyone who appreciates comfort and modern technology.

Bet on the power of Cedrus Power+ batteries and enjoy a perfectly manicured lawn!











CEDST300LIX2

Model	ST300LIX2	Lload adjustment	90°
IMIOUEI	31300LIX2	Head adjustment	90
Battery	2 x max 20 V	Adjustable handle	Yes
No-load speed	6700 rpm	Edger function	Yes
Working width	300 mm	Weight	2,60 kg
Cutting line diameter	1,6 mm	Battery included	No
Head type	Automatic	Charger included	No
Battery 2 x 20V	Working 300 mm		/eight 60 kg



	-	-	
	A	5.	
-			
No.			

Brush Cutter
CEDBC350LIX2

Model	BC350LIX2	Head adjustment	No
Battery	2 x max 20 V	Adjustable handle	No
No-load speed	7000 rpm	Edger function	No
Working width	350 mm	Weight	4,28 kg
Cutting line diameter	2,0 mm	Battery included	No
Head type	Automatic	Charger included	No
Battery 2 x 20V	Working 350 mm	width	Weight 4,28 kg



Brush Cutter CEDGT254LI

CEDGT254EI			
Model	GT254LI	Head adjustment	90°
Battery	Max. 20 V	Adjustable handle	Yes
No-load speed	9000 rpm	Edger function	Yes
Working width	254 mm	Weight	1,84 kg
Cutting line diameter	Replaceable blades	Battery included	No
Head type	20 blades in set	Charger included	No
Battery 20V	Working 254 mm	width	Weight 1,84 kg



Brush Cutter CEDST280LI

CEDST280LI			
Model	ST280LI	Head adjustment	90°
Battery	Max. 20 V	Adjustable handle	Yes
No-load speed	9000 rpm	Edger function	Yes
Working width	280 mm	Weight	2,00 kg
Cutting line diameter	1,6 mm	Battery included	Νο
Head type	Automatic	Charger included	No
Battery 20V	Working Vorking 280 mm	width	Weight 2,00 kg

	Hedge Trimmer CEDHT520LIX2			
	Model	HT520LIX2	Hand guard	Yes
	Battery	2 x max 20 V	Adjustable pole	Yes
	No-load speed	6700 rpm	Head adjustment	90°
and the second second	Cutting bar length	520 mm	Weight	2,60 kg
C. Transformation	Tooth gap	24 mm	Battery / Charger	No / No
	Handle adjustment	Automatic	Replacement head - saw	No
	Battery 2 x 20V	Cutting b 520 mm		ooth gap 4 mm



Hedge Trimmer
CEDHT510LI

Model	HT510LI	Hand guard	Yes
Battery	Max. 20 V	Adjustable pole	No
No-load speed	1300 rpm	Head adjustment	No
Cutting bar length	510 mm	Weight	2,12 kg
Tooth gap	15 mm	Battery / Charger	No / No
Handle adjustment	Yes	Replacement head - saw	No
Battery	Cutting b		ooth gap



Pole Hedge Trimmer CEDPHT450LI

Model	PHT450LI	Hand guard	Yes
Battery	Max. 20 V	Adjustable pole	Yes
No-load speed	1300 rpm	Head adjustment	90°
Cutting bar length	450 mm	Weight	3,15 kg
Tooth gap	15 mm	Battery / Charger	No / No
Handle adjustment	No	Replacement head - saw	Yes - CPS20
Battery 20V	Cutting b 450 mm		ooth gap 5 mm
Length adjustme 2,55 - 3,00 m	nt KG Weight 3,15 kg		

Saw Attachment for PHT450Li

Model	CPS20	Chain pitch	3/8"
Attachment for pole	PHT450Li	Chain speed	8 m/s
shears		Battery included	No
No-load speed	1300 rpm	Charger included	No
Guide length	20 cm	Case included	No



Grass and Hedge Shears

CEDGS100LI

Model	GS100LI	Weight	1,05 kg
Battery	Max. 20 V	Battery included	No
Grass cutter width	100 mm	Charger included	Νο
Cutting bar length	200 mm	Case included	No
Tooth gap	8 mm		
Claw width	75 mm		
Battery 20V	Grass cur 100 mm	tter width	Grass shears, hedge trimmers,
Cutting bar lengt 200 mm	h KG Weight 1,05 kg		soil claws



Tranton

Pruner CEDBP30LI

Model	BP30LI	Brushless motor	Yes
Battery	Max. 20 V	Weight	0,95 kg
Max. cutting diameter	30 mm	Battery included	No
Cutting diameter adjustment	Yes	Charger included	No
Cutting speed	1,4 s	Case included	No
Dimensions	300×80×130 mm		
Battery 20V	Cutting of 30 mm	diameter 🔗	Cutting speed 1,4 s



Pruner CEDBPB40LI-SET Model BF

Model	BPB40LI	Brushless motor	Yes
Battery	Max. 20 V	Weight	0,90 kg
Max. cutting diameter	40 mm	Battery included	2 Ah
Cutting diameter adjustment	Yes	Charger included	Yes
Cutting speed	1,75 s	Case included	No
Dimensions	300×70×115 mm		
Battery 20V Weight KG 0,90 kg	Cutting d 40 mm		tting speed 75 s arger included

Cedrus Power Toolsfreedom and convenience

Cordless devices are gaining popularity due to their versatility and mobility. The absence of a cable gives full freedom of action - whether in the workshop, in the garden or on the construction site. The 20V battery system is the ideal solution for those who value convenience and efficiency. One battery can power a variety of tools, saving time and money.





Chainsaw	
CEDCHS350LIX2	

Model	CHS350LIX2	Toolless tensioner	Yes
Battery	2 x max 20 V	Chain lubrication	Automatic
Bar length	35 cm	Weight	3,50 kg
Chain pitch	3/8" Picco	Battery included	No
Cutting system	Oregon	Charger included	No
Cutting chain speed	19 m/s	Case included	No
Battery 2 x 20V	Bar lengt 35 cm	h Good	Chain pitch 3/8" Picco





NEW



Chainsaw CEDCHS250LI

Model	CHS250LI	Toolless tensioner	Yes
Battery	Max. 20 V	Chain lubrication	Automatic
Bar length	25 cm	Weight	3,14 kg
Chain pitch	3/8" Picco	Battery included	No
Cutting system	Oregon	Charger included	No
Cutting chain speed	6 m/s	Case included	No
Battery 20V	Bar lengt 25 cm		Chain pitch 3/8" Picco

Chainsaw

CEDCHS150LI-SET

Model	CHS150LI	Toolless tensioner	Yes
Battery	Max. 20 V	Chain lubrication	Automatic
Bar length	15 cm	Weight	1,30 kg
Chain pitch	1/4"	Battery included	2 Ah
Cutting system	Oregon	Charger included	Yes
Cutting chain speed	7,9 m/s	Case included	No
Battery 20V	Bar lengtl 15 cm		hain pitch /4" Oregon
Weight (KG) 1,30 kg	Battery ir	cluded C	harger included

Chainsaw	
CEDCHS100L	

Model	CHS100LI	Toolless tensioner	Yes
Battery	Max. 20 V	Chain lubrication	Manual
Bar length	10 cm	Weight	1,35 kg
Chain pitch	1/4"	Battery included	No
Cutting system	Oregon	Charger included	Νο
Cutting chain speed	8 m/s	Case included	No
Battery 20V	Bar lengtl 10 cm		hain pitch /4" Oregon





Telescopic Extensions for CEDCHS100LI

CEDCHS100P

Model	CHS100P
Min. Length	1,95 m
Max. Length	2,40 m







Sprayer	
CEDSC15L	I

Model	SC15LI	Nozzle hole	1,6 mm
Battery	Max. 20 V	Weight	4,5 kg
Liquid tank capacity	15	Battery included	No
Efficiency	1,3 l/min	Charger included	No
Max. pressure	0,3 Mpa	Case included	No
Lance length	800 mm		
Battery 20V	Liquid tar 15 I KG Weight 4,5 kg	ik capacity	Efficiency 1,3 l/min



Washer	
	I.

CEDVVP160LI			
Model	WP160LI	Hose length	6 m
Battery	Max. 20 V	Detergent tank	Yes
Nozzle	Multifunctional 6w1	Overall length	500 mm
Water flow	160 l/h	Battery included	No
Water pressure	25 bar	Charger included	No
Max. water temperature	40°C	Case included	No
Battery 20V	Water flo 160 l/min	[.[-[(%)-].]	fater pressure 5 bar

Cedrus CEDSC15Li

- comfortable and precise spraying

The Cedrus CEDSC15Li cordless sprayer is the perfect solution for gardeners, fruit growers and farmers who value convenience and efficiency. Powered by a 20V battery, it eliminates the need for manual pumping, ensuring even and steady spraying.

Opt for modernity and comfort - choose Cedrus CEDSC15Li and make spraying faster and more effective!


The capacious 15-liter tank allows for longer work without frequent refilling, and the powerful pump guarantees precise dosing of the liquid. The lightweight design and long lance make it easy to work even on larger areas. It is an ideal choice for both plant protection and foliar fertilization.

	Blower CEDB42LIX2			
	Model	B42LIX2	Bag capacity	N/A
	Battery	2 x max 20 V	Turbo function	Yes
	No-load speed	20000 rpm	Speed lock button	Yes
	Air speed	150 km/h	Weight	2,5 kg
	Air flow	470 m³/h	Battery included	No
Common	Turbo	650 m³/h	Charger included	No
	Speed control	Yes	Case included	No
	Vacuum cleaner fun	ction No		
	Battery 2 x 20V	Air speed 150 km/		Air flow 470 m³/h

Blower CEDBV200LIX2

	Model	BV200LIX2	Bag capacity	35 I
	Battery	2 x max 20 V	Turbo function	No
(COD)	No-load speed	14000 rpm	Speed lock button	No
	Air speed	200 km/h	Weight	2,58 kg
1.202	Air flow	220 m³/h	Battery included	No
	Speed control	Yes	Charger included	No
	Vacuum cleaner functior	Yes	Case included	Νο
	Battery 2 x 20V	2w1 Blower / Vacuum		Air speed 200 km/h
	Air flow 220 m³/h	Bag capac 35 I		Weight 2,58 kg

Blower



Battery blowers - tidiness without effort

Battery-powered blowers are the ideal solution for people who want to clean up their garden, patio or driveway quickly and efficiently. With battery power, the tool provides full mobility, quiet operation and no emissions, making it an eco-friendly choice. Blowers are great not only for removing leaves, but also for cleaning sidewalks, stairs or the garage from dust and fine dirt.









Drill CEDD40LI-SET

Model	D40LI-SET	Drill chuck	2-13 mm
Battery	Max. 20 V	Rotation direct. change	Yes
No-load speed	0-400/0-1400 rpm	LED light	Yes
Impact	N/A	Belt clip holder	1,13 kg
Max. torque	40 Nm	Weight	2 Ah
Motor type	Brush	Battery included	Yes
Torque reg.	25+1	Charger/Case/Accessories	Yes / Yes / Yes
Battery 20V	Torque 40 Nm		/eight 13 kg

Drill CEDHD58LI-SET

Model	HD58LI-SET	Drill chuck	2-13 mm
Battery	Max. 20 V	Rotation direct. change	Yes
No-load speed	0-500/0-2000 rpm	LED light	Yes
Impact (bpm)	0-7500/0-30000	Belt clip holder	1,21 kg
Max. torque	58 Nm	Weight	2 x 2 Ah
Motor type	Brush	Battery included	Yes
Torque reg.	21+1	Charger/Case/Accessories	Yes / Yes / Yes
Battery 20V	Torque 58 Nm		Yeight 21 kg

Drill CEDD60LI

CEDEOOEI			
Model	D60LI	Drill chuck	2-13 mm
Battery	Max. 20 V	Rotation direct. change	Yes
No-load speed	0-500/0-2000 rpm	LED light	Yes
Impact	N/A	Belt clip holder	Yes
Max. torque	60 Nm	Weight	1,21 kg
Motor type	Brush	Battery included	No
Torque reg.	21+1	Charger/Case/Accessories	No/ No / No
Battery 20V	Torque 60 Nm		/eight 21 kg



Drill CEDHD60LI

Model	HD60LI	Drill chuck	2-13 mm
Battery	Max. 20 V	Rotation direct. change	Yes
No-load speed	0-500/0-2000 rpm	LED light	Yes
Impact (bpm)	0-7500/0-30000	Belt clip holder	Yes
Max. torque	60 Nm	Weight	1,21 kg
Motor type	Brush	Battery included	No
Torque reg.	21+1	Charger/Case/Accessories	No / No / No
Battery 20V	Torque 60 Nm		′eight 21 kg



Impact Driver CEDID180LI

Model	ID180LI	Rotation direct. change	Yes
Battery	Max. 20 V	LED light	Yes
No-load speed	0 - 2800 rpm	Belt clip holder	Yes
Impact	0 - 3600 bpm	Weight	1,2 kg
Max. torque	180 Nm	Battery included	No
Motor type	Brush	Charger included	No
Chuck	1/4" hex	Case included	No
Battery 20V	Torque 180 Nm		eight 2 kg





Impact Driver CEDIDB200LI

Model	IDB200LI	Rotation direct. change	Yes
Battery	Max. 20 V	LED light	Yes
No-load speed	0 - 2500 rpm	Belt clip holder	Yes
Impact	0 - 3500 bpm	Weight	1,09 kg
Max. torque	200 Nm	Battery included	No
Motor type	Brush	Charger included	No
Chuck	1/4" hex	Case included	No
Battery 20V	Torque 200 Nm		eight D9 kg

Impact Wrench CEDIW250LI

CEDIWZJOLI			
Model	IW250LI	Chuck	1/2 square
Battery	Max. 20 V	Rotation direct. change	Yes
No-load speed	0 - 2800 rpm	LED light	Yes
Impact	0 - 3600 bpm	Belt clip holder	Yes
Torque reg.	N/A	Weight	1,21 kg
Motor type	Brush	Battery included	No
Max. torque	250 Nm	Charger included	No
Battery 20V	Torque 250 Nm	()	eight 21 kg



Impact Wrench CEDIWB250LI

0201102002			
Model	IWB250LI	Uchwyt	1/2" square
Battery	Max. 20 V	Rotation direct. change	Yes
No-load speed	0 - 2500 rpm	LED light	Yes
Impact (bpm)	0-1100/0-2500/0-3500	Belt clip holder	Yes
Torque reg.	3 levels	Weight	1,13 kg
Motor type	Brushless	Battery included	No
Max. torque	50/150/250 Nm	Charger included	No
Battery 20V	Torque 50/150/1	250 Nm KG 1,13	



Impact Wrench

CEDIW400LI

Model	IW400LI	Motor type	Brush
Battery	Max. 20 V	Max. torque	100/150/200/
No-load speed	0-1500 rpm		300/400 Nm
·	0-1700 rpm	Chuck	1/2" square
	0-1900 rpm 0-2000 rpm	Rotation direct. change	Yes
	0-2300 rpm	LED light	Yes
Impact	0-2000 bpm	Belt clip holder	Yes
	0-2350 bpm 0-2640 bpm	Weight	1,90 kg
	0-2780 bpm	Battery included	No
	0-3200 bpm	Charger included	No
Torque reg.	5 levels		
Battery 20V	Torque 100/150/20		eight 90 kg



Hammer - Impact Drill

CEDRH1.1LI				
Model	RH1.1LI	Drill chuck	SDS+	
Battery	Max. 20 V	Weight	1,25 kg	
No-load speed	0 - 900 rpm	Battery included	No	
Impact	0 - 5000 bpm	Charger included	No	
Impact force	1,1 kJ	Case included	No	
Motor type	Brush	Accessories included	No	
Battery 20V	Impact fo		Weight 1,25 kg	SDS+



Hammer - Impact Drill CEDRH2.2LI

20V

\$

0201012.220				
Model	RH2.2LI	Drill chuck	SDS+	
Battery	Max. 20 V	Weight	2,28 kg	
No-load speed	0 - 1420 rpm	Battery included	No	
Impact	0 - 4500 bpm	Charger included	No	
Impact force	2,2 kJ	Case included	No	
Motor type	Brushless	Accessories included	No	
Battery	🖵 Impa	ct force	Weight	SDS+

2,2 kJ

Workshop tools - reliable helpers for every **DIY enthusiast**

Workshop tools, such as screwdrivers and impact wrenches, are a staple of equipment in every workshop, both home and professional. Thanks to modern technology and high performance, these devices greatly speed up and facilitate a variety of assembly, repair or construction work.

′ KG ∖

2,28 kg

(SDS+



Angle Grinder CEDAG125LI

Model	AG125LI	Hole diameter	22,2 mm
Battery	Max. 20 V	Weight	1,78 kg
No-load speed	10000 rpm	Battery included	No
Motor type	Brush	Charger included	No
Disc diameter	125 mm	Case included	Νο
Spindle threads	M14		
Battery 20V	Disc of 125 n	diameter (KG)	Weight 1,78 kg



Angle Grinder
CEDAG125LI-SET

Model	AG125LI-SET	Hole diameter	22,2 mm	
Battery	Max. 20 V	Weight	1,78 kg	
No-load speed	10000 rpm	Battery included	4 Ah	
Motor type	Brush	Charger included	Yes	
Disc diameter	125 mm	Case included	Yes	
Spindle threads	M14			
Battery 20V	Disc 125	diameter (RG)	Weight 1,78 kg	SET

Angle Grinder CEDAGB125LI

Model	AGB125LI	Hole diameter	22,2 mm
Battery	Max. 20 V	Weight	1,78 kg
No-load speed	8500 rpm	Battery included	No
Motor type	Brushless	Charger included	No
Disc diameter	125 mm	Case included	No
Spindle threads	M14		
Battery	E Disc dia	ameter O	Weight
20V	125 mn		1,78 kg



Table Grinder CEDCBG50LI

Model	CBG50LI	Flexible mounting shaft	Yes
Battery	Max. 20 V	Accessories included	Yes
No-load speed	9000 rpm	Weight	1,78 kg
Motor type	Brush	Battery included	No
Disc diameter	50 mm	Charger included	No
Disc thickness	13 mm	Case included	No
Battery 20V	Disc 50 n		/eight 78 kg





Eccentric Grinder LI

C	ΕL)(DS	1	2	5	L

Model	OS125LI	Disc diameter	125 mm
Battery	Max. 20 V	Motor type	Brush
Speed control	6 settings	LED light	Yes
No-load speed	No-load speed 2000 rpm 3500 rpm 5000 rpm 6500 rpm 8000 rpm 10000 rpm	Dust bag	Yes
		Weight	1,1 kg
		Battery included	No
		Charger included	No
	10000 1011	Case included	No
Battery 20V	Disc c 125 n	diameter Ø	Weight 1,1 kg





Model	RSLI	Motor type	Brush
Battery	Max. 20 V	Blade stroke length	22 mm
No-load speed	0 - 3000 rpm	Weight	1,71 kg
Cutting capacity	115 mm in wood	Battery included	No
	10 mm in aluminum	Charger included	No
Quick blade replacem	nent Yes	Case included	No
Battery 20V	Cutting		Weight 1.71 kg



Saw Blade CEDCSLI

Model	CSLI	Laser pointer	Yes
Battery	Max. 20 V	Weight	2,4 kg
No-load speed	4200 rpm	Battery included	No
Disc size	165x20x1.6 mm, 24 T	Charger included	No
Cutting depth	51mm at 90° 37mm at 45°	Case included	No
Motor type	Brush		
Battery 20V	Disc diam 165x20x	I KO I	Weight 2,4 kg




Saw Blade CEDCSB165LI

CEDC3D103E			
Model	CSB165LI	Laser pointer	Yes
Battery	Max. 20 V	Weight	2,78 kg
No-load speed	4200 rpm	Battery included	No
Disc size	165x20x1.6 mm, 24 T	Charger included	No
Cutting depth	51mm at 90° 37mm at 45°	Case included	No
Motor type	Brushless		
Battery 20V	Disc diam 165x20x	neter 1.6 mm, 24 T KG	Weight 2,78 kg

	Saw Blade CEDCSM140LI			
	Model	CSM140LI	Laser pointer	Yes
	Battery	Max. 20 V	Weight	2,1 kg
	No-load speed	6000 rpm	Battery included	No
Action Co.	Disc size	140 mm	Charger included	No
2 miles	Cutting depth	50 mm at 90° 35 mm at 45°	Case included	No
	Motor type	Brushless		
	Battery 20V	Disc di 140 mi		Weight 2,1 kg



Jigsaw CEDJSLI			
Model	JSLI	Cutting angle	0-45°
Battery	Max. 20 V	Motor type	Brush
No-load speed	0 - 2700 rpm	Blade stroke length	20 mm
Cutting capacity	9 80 mm in wood 12 mm in aluminum 5 mm in steel	Weight	1,65 kg
		Battery / Charger	No / No
	Jinninsteer	Case included	No
Battery 20V	Cutting c 80 / 12 /	rapacity (S mm KG 1	Veight L,65 kg



Model	MTLI	Weight	1,00 kg
Battery	Max. 20 V	Battery included	No
No-load speed	5000 - 20000 rpm	Charger included	No
Speed control	6 settings	Case included	No
Oscillation angle	3°	Accessories included	Yes
Motor type	Brush		
Battery 20V	KG Weight 1,00 kg		



Compressor CEDAP100LI

CLDAI 100LI			
Model	AP100LI	LED light	Yes
Battery	Max. 20 V	Display	Yes
Max. air pressure	7 bar (100 psi)	Weight	0,7 kg
Air volume	30 I/min	Battery included	No
Max. air speed	54 m/s	Charger included	No
Motor type	Brush	Case included	No
Work cycle	5 minutes of work 5 minutes break		
Battery 20V		ir pressure 100 psi)	Weight 0,7 kg





Glue Gun CEDCG3LI

Model	CG3LI	Weight	0,36 kg
Battery	Max. 20 V	Battery included	No
Nozzle diameter	3 mm	Charger included	No
Diameter of the cartridge	10-12 mm	Case included	No
Heating time	3 min		
Working temperature	175°C		
Battery 20V	+↓ Workina ↓● 175°C	g temperature 🖉 V	Veight),36 kg



Battery Max. 20 V		
Battery Max. 20 V	Cartridge capacity	300 ml
Motor type Brush	Weight	2,2 kg
Max. dispensing force 4500 N	Battery	No
Feed adjustment 6 levels	Charger	No
Feed rate 0,7 - 11 m/s	Case included	No
	Case included	No Weight





Nail Gun
CEDNGLI

Model	NGLI	Storage capacity	50 pcs
Battery	Max. 20 V	Weight	1,8 kg
Driving speed	to 30 nails/min	Battery included	No
Nail size	15-32 mm	Charger included	No
Staple size	15-25 mm	Case included	No



Vacuum	Cleaner
CEDVC15LI	

Model	VC15LI	Weight	4,0 kg
Battery	Max. 20 V	Accessories inclu	ided Yes
Motor type	Brush	Battery included	No
Tank capacity	15 I	Charger included	No
Suction pressure	≥8.0 KPa	Case included	No
Hose diameter	32 mm		
Hose length	1,5 m		
Battery 20V	Ta 15	nk capacity) Weight G 4,0 kg

	Vacuum Cleaner CEDVC5LI			
	Model	VC5LI	Weight	1,2 kg
HIR	Battery	Max. 20 V	Accessories included	Yes
	Motor type	Brush	Battery included	No
	Tank capacity	0,5 I	Charger included	No
	Suction pressure	≥3.8 Kpa	Case included	No
	Hose diameter	N/A		
	Hose length	N/A		
	Battery 20V	L Tank c 0,5 I		Veight .,2 kg



Flashlight	
CEDLLI	

Model	LLI	Weight	0,25 kg
Battery	Max. 20 V	Battery included	No
Diodes	LED 3W 3pcs	Charger included	No
Luminous flux	260 Lumens	Case included	No
Head adjustment	90°		



Lamp
CEDCL35LI

Model	CL35LI	Weight	0,75 kg
Battery	Max. 20 V	Battery included	No
Diodes	LED 35W SMD 100 pcs	Charger included	No
Luminous flux	I - 5000 Lumens II - 2000 Lumens	Case included	No
Head adjustment	120°		
Battery 20V	120°		Weight 0.75 kg



Pumper
CEDCP57LI

Model	CP57LI	Accessories included	Yes
Battery	Max. 20 V	Weight	0,7 kg
Max. air pressure	0,034 bar	Battery included	No
Max. airflow	53 m³/h	Charger included	No
Max. air speed	11 m/s	Case included	No
Motor type	Brush		











Fan CEDWE300LL

230 V

Model	WF300LI	Weight	3 kg
Battery	Max. 20 V	Battery included	No
Fan diameter	300 mm	Charger included	No
Adjustable speed	3 levels	Case included	No
Timer switch	Yes		
Mains power supply	Yes		



Model	SP1000Li	Nozzle diameter	2,5 / 1,8 / 1,5 mm
Battery	Max. 20 V	Weight	1,25 kg
Tank capacity	1000 ml	Battery included	No
Flow rate	800 ml/min	Charger included	No
Viscosity	60 DIN-S	Case included	No
Pressure	0,1 bar		
Tressure	0,1 041		



USB Charger for phone CEDCHPLI

BatteryMax. 20 VWeightInput voltage20 VBattery indOutput voltage5 VCharger ind	0,1 kg
Output voltage 5V Charger in	luded No
	cluded No
Input current 1,5 A Case inclu	ded No
USB port Yes	

Battery ø 20V



Cedrus Power+ – Power, you can rely on

The Cedrus Power+ series is a combination of modern technology and reliability, designed for the most demanding users.

The versatility of the rechargeable system allows you to power a wide range of tools with a single battery, bringing convenience, economy and order to your workshop. Performance, durability and comfort - these are the qualities that define the Cedrus Power+ brand. Trust the power to meet any challenge!



	Battery CEDLI-ION 2AH		
	Model	LI-ION 2AH	
	Voltage	Max. 20 V	
	Battery capacity	2 Ah	
	Cells	Li-ion	
204	Charge indicator	LED	
	Weight	0,40 kg	
	Battery 20V	Battery capacity 2 Ah	KG Weight 0,40 kg






Battery

EDLI-ION 6AH		
Model	LI-ION 6AH	
Voltage	Max. 20 V	
Battery capacity	6 Ah	
Cells	Li-ion	
Charge indicator	LED	
Weight	0,90 kg	
Battery 20V	Battery capacity 6 Ah	KG Weight



Battery







Charger CEDFCH2.4

1

Dual Charger

CEE	DF	СН	2.4	1

Model	FCH2.4
Туре	Single port
Charging current	2,4 A
Battery cooling	No
Status indication	Changing LED color
Weight	0,30 kg
Weight KG 0,30 kg	



CEDDCH3.0	
Model	DCH3.0
Туре	Dual port
Charging current	3,0 A
Battery cooling	No
Status indication	Changing LED color
Weight	0,72 kg
Weight	




(KG)	Weight 0,72 kg
Fast (Charger
cedfc	H3.5

Model	FCH3.5
Туре	Single port
Charging current	3,5 A
Battery cooling	No
Status indication	Changing LED color
Weight	0,30 kg
Weight KG 0,30 kg	



Fast Charger CEDFCH8

CEDFCHO	
Model	FCH8
Туре	Single port
Charging current	from 2,4 to 8,0A
Battery cooling	Yes
Status indication	Display
Weight	0,50 kg
Weight (KG) 0,50 kg	



Lawn Mower CEDLM560S-P25

_

Model	LM560S-P25	Working width	56 cm
Туре	On board	Working height	25-89 mm / 6 levels
Motor power	3000 W	Basket capacity	80 I
Voltage	60 V	Basket/Ejection/Mulchir	g Yes / Yes / Yes
Drive	Yes; adjustable	Weight	47,5 kg
Battery 60V	Power su On board	pply	ower)00 W



0	Power supply On board
	Basket capacity 80 I



	Stra Ca
3	
NEW	

Model	BC420L-B	Cutting line diameter	2,4 mm
Гуре	On board	Blade working width	258 mm
Motor power	1800 W	Blade thickness	3 mm
Motor type	Brushless	Shaft diameter	26 mm
Voltage	60 V	Gearbox reduction ratio	19:14
No-load speed	4500-5200-5800 rpm	Display	Yes
Handle	Single	Protection degree	IPX4
Working width	420 mm	Overall length	1825 mm
Head	Tecomec	Net weight	5,12 kg
Battery 60V	Power su on board		ower 300 W
Working width 420 mm	КС КС 5,12 kg		



Brush Cutter CEDBC420B-B

Model	BC420B-B	Cutting line diameter	2,4 mm
Туре	On board	Blade working width	258 mm
Motor power	1800 W	Blade thickness	3 mm
Motor type	Brushless	Shaft diameter	26 mm
Voltage	60 V	Gearbox reduction ratio	19:14
No-load speed	4500-5200-5800 rpm	Display	Yes
Handle	Double	Protection degree	IPX4
Working width	420 mm	Overall length	1825 mm
Head	Tecomec	Net weight	6,3 kg
Battery 60V	Power su on board		ower 300 W
Working width 420 mm	KG Weight 6,3 kg		




Brush Cutter

CEDBC420B-P

Model	BC420B-P	Cutting line diameter	2,4 mm
Туре	Plug-In	Blade working width	258 mm
Motor power	1800 W	Blade thickness	3 mm
Motor type	Brushless	Shaft diameter	26 mm
Voltage	60 V	Gearbox reduction ratio	19:14
No-load speed	4500-5200-5800 rpm	Display	Yes
Handle	Double	Protection degree	IPX4
Working width	420 mm	Overall length	1825 mm
Head	Tecomec	Net weight	6,5 kg
Battery 60V	Power su Plug-in		wer 00 W
Working width 420 mm	KG Weight 6,5 kg		

Hedge Trimmer CEDHT640-P



Tooth gap Model HT640-P 38 mm Cutting bar length Туре Plug-In 638 mm Cutting capacity 1200 W Motor power 30 mm Display Yes Motor type Brushless 60 V Protection degree IPX4 Voltage Net weight 3200-3600-4000 rpm No-load speed 4,2 kg Rotating; 180°/5 levels Handle Blade type Double-sided, laser-cut Blade thickness 2,5 mm Power 1200 W Power supply Battery \$ Plug-in 60V Cutting bar length Weight KG 638 mm 4,2 kg

Pole Hedge Trimmer CEDPH525-B

Model	РН525-В	Display	Yes
Туре	On board	Overall length	152 cm
Motor power	1800 W	Protection degree	IPX4
Motor type	Brushless	Net weight	6,12 kg
Voltage	60 V		
Blade type	Double-sided, laser-cut		
Cutting bar length	530 mm		
Feed speed (rpm)	2800-3200-3600		
Head adjustment	180° / 11 levels		
Battery 60V	Power su On board		ower 800 W
Cutting bar length 152 cm	KG Weight 6,12 kg		

	Chainsaw CEDCHS350-B4			
	Model	CHS350-B4	Bar length	12"
	Туре	On board with 4ah battery	Chain pitch	0.325"
1000	Motor power	1800 W	Automatic oil pump	Yes
Ch	Motor type	Brushless	Display	Yes
	Voltage	60 V	Net weight	2,0 kg
	Chain speed	20 m/s		
	Battery 60V	Power si On board		Power 1800 W
	Bar length	Weight		
NEW	Blower	KG 2,0 kg		
NEW	Blower CEDBL210-P	2,0 Kg	Flow in the tube	1410 m³/h
NEW	Blower CEDBL210-P Model	BL210-P	Flow in the tube Max force	1410 m³/h 29 N
NEW	Blower CEDBL210-P Model Type	2,0 Kg	Max force	1410 m³/h 29 N Yes
NEW	Blower CEDBL210-P Model Type Motor power	BL210-P Plug-In		29 N
<u></u>	Blower CEDBL210-P Model Type	BL210-P Plug-In 1800W	Max force Speed lock button	29 N Yes
<u></u>	Blower CEDBL210-P Model Type Motor power Motor type	BL210-P Plug-In 1800W Brushless	Max force Speed lock button Turbo functions	29 N Yes Yes
NEW	Blower CEDBL210-P Model Type Motor power Motor type Voltage	BL210-P Plug-In 1800W Brushless 60 V	Max force Speed lock button Turbo functions Display	29 N Yes Yes Yes
<u></u>	Blower CEDBL210-P Model Type Motor power Motor type Voltage No-load speed	BL210-P Plug-In 1800W Brushless 60 V 2700 rpm	Max force Speed lock button Turbo functions Display Protection degree Net weight	29 N Yes Yes Yes IPX4

Maximum power, zero compromise

The Cedrus 60V series of cordless machines is a professional line of batterypowered equipment that combines powerful power with convenience. The mowers, chainsaws, hedge trimmers, trimmers and blowers in the series are designed to meet even the toughest garden and outdoor challenges. With high-efficiency 60V batteries, you can enjoy long run times, exceptional performance and emission-free operation. Cedrus 60V is the future in your hands - power that never fails!





1	-	-
		-

Battery 4 Ah CEDB4

Model	B4	Charging time	96 min (Charger 2,5 A)
Voltage	60 V	Charging time	44 min (Charger 5,5 A)
Battery capacity	4,0 Ah	Protection degree	IP54
Energy content (nominal)	216 Wh	Weight	1,60 kg
Energy content (max)	240 Wh		
Charge indicator	Yes		
Battery capacity 4 Ah	KG Weight 1,60 kg		

NEW



Battery 8 Ah CEDB8

Model	B8	Charging time	192 min (Charger 2,5 A)
Voltage	60 V	Charging time	88 min (Charger 5,5A)
Battery capacity	8,0 Ah	Protection degree	IP54
Energy content (nominal)	432 Wh	Weight	2,7 kg
Energy content (max)	480 Wh		
Charge indicator	Yes		
Battery capacity 8 Ah	KG Weight 2,7 kg		





NEW



Backpack Battery 15 Ah CEDP15

Model	P15	Charge indicator	Yes
Туре	Backpack Battery	Cable length	1,8 m
Voltage	60 V	Charging time	3,9 h (Charger 4,0 A)
Battery capacity	15 Ah	Charging time	1,8 h (Charger 8 A)
Energy content (nominal)	810 Wh	Protection degree	IP54
Energy content (max)	900 Wh	Weight	6,2 kg
Battery capacity 15 Ah	KG Weight 6,2 kg		

Backpack Battery 25AH CEDP25

CLDFZJ			
Model	P25	Charge indicator	Yes
Туре	Backpack Battery	Cable length	1,8 m
Voltage	60 V	Charging time	6,5 h (Charger 4,0 A)
Battery capacity	25 Ah	Charging time	3,0 h (Charger 8 A)
Energy content (nominal)	1350 Wh	Protection degree	IP54
Energy content (max)	1500 Wh	Weight	8,1 kg
Battery capacity 25 Ah	KG Weight KG 8,1 kg		



Charger 2,5A CEDCHB2.5

CEDCHB2.5

Model	CHB2.5
Input voltage	200-240 V, 155 W
Output voltage	2,5 A - 60 V
Charging time	1,6 h (for CEDB4)
Charging time	3,2 h (for CEDB8)

NEW



Charger 5,5A CEDCHB5.5

CEDCHBJ.J	
Model	CHB5.5
Input voltage	200-240 V, 330 W
Output voltage	5,5 A -60 V
Charging time	0,75 h (for CEDB4)
Charging time	1,5 h (for CEDB8)

Backpack Battery Charger CEDCHP4-8

Model	CHP4-8
Input voltage	200-240 V, 535 W
Output voltage	4A / 8A - 25-63 V
Charging time	For CEDP25: Fast mode - 3,0 h; Standard mode - 6,5 h
Charging time	For CEDP15: Fast mode - 1,8 h; Standard mode - 3,9 h

NEW

Choose the battery that fits your needs

The Cedrus 60V machine series offers two innovative battery power solutions to suit different work styles:

Plug-in: Thanks to the portable battery in the backpack, you can enjoy less strain on the device, which significantly increases the comfort of your work, especially for prolonged use. The corded connection system ensures freedom of movement and even weight distribution.



On-board: Batteries plug directly into the device for convenience and ease of use. Ideal for fast and precise tasks where mobility and ease of use are important.

Both options guarantee high performance and reliability, allowing you to tailor the tool to your needs and preferences. Cedrus 60V is freedom of choice and quality you can count on!





											 				_			_				_	 			_	
	-										 -											+	 -				
	_								 		 		_		_			_				_	 			_	
					-						 	_						_				-	 			_	
									 		 								 			_	 				
									 				-									-	 -			_	
											 		_		_							_	 			_	
			_		-				 	_	 	_	_				_	_			_	+	 		_	_	
											 											_	 			_	
	-	_		-	\rightarrow								_	\vdash		-				-		+	 				
	-														-			_				_				_	
																						T					
				\rightarrow												\rightarrow						+					
											 				_				 			_	 			_	
					\rightarrow										-			-				+					
	-				_									- -				_		_	_	+	 				
																						+					
					_				 		 		_		_			_	 			-	 			_	
	-										 -		_			 		_	 			-	 			_	
											 		_					_				_	 		_	_	
																								0			
																								0			
																								0			
																								(2			
																								0			
																								0			

C CEDRUS

2025

Cedrus Spółka Akcyjna

95-060 Brzeziny ul. Przemysłowa 1 biuro@cedrus.com.pl

tel. (+48) 46 874 13 11 tel. (+48) 46 874 18 60

www.cedrus.com.p

Cedrus Business Partner



C CEDRUS C CEDRUS C CEDRUS C CEDRUS

Copyright © 2025 Cedrus. All right reserved. We reserve the right to withdraw models, change specifications, discontinue some models, change their technical parameters and functions without notice. Cedrus is not responsible for any mistakes in the printing of the catalog. The product may differ from the photo.