

# **WEIBANG<sup>®</sup>**

## 2026 GARDEN MACHINES



**STEEL CONFIDENCE IN EVERY CUT**

** CEDRUS<sup>®</sup>**

# CONTENTS

4	Lawn mowers
10	High grass mowers
12	Scarifiers
13	Aerators
14	Trencher
14	Stump grinder
14	Sod cutter
15	Vacuum cleaners
15	Blower
15	Brush

## CEDRUS – Exclusive Distributor of the Weibang Brand in Poland

For over 30 years, Cedrus has been supplying machinery and tools for gardening, forestry, and construction, building a brand based on durability, modern technologies, and proven solutions. We collaborate with renowned manufacturers from around the world, and one of our key partners is Weibang, for which we are the exclusive distributor in Poland. This guarantees original products, full availability of parts, and professional technical support.

### Experience, Quality, and Technical Support

Since 1993, we have been developing a comprehensive offering—from spare parts to advanced lawn care machines. Weibang equipment available at Cedrus meets the highest quality standards and is designed for intensive use. Our service and access to original components ensure longevity and reliability of the equipment.

### Strong Brands, Proven Solutions

Cedrus offering also includes products from manufacturers such as Sunseeker Elite, Ferris, Ariens, and Pubert. We are also the general distributor of Loncin in Poland, supplying engines, generators, and pumps from this renowned brand. We also offer accessories and spare parts.

### Cedrus – the Weibang brand expert .

Professional equipment, comprehensive support, and a confident choice.



# LET YOUR MOWER CALL THE SHOTS

Shift Your garden into high gear



### Lawn mower

WB455HC 3IN1



Engine manufacturer	<b>Loncin</b>	Working width	<b>45 cm</b>
Engine model	<b>1P65FE-1</b>	Number of blades	<b>1</b>
Engine power	<b>2,17 kW / 2800 rpm</b>	Working height	<b>20-70 mm / 8 levels</b>
Engine capacity	<b>139 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>50 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>7"/9"</b>
Self-propelled	<b>No</b>	Suggested work area	<b>&lt;600 m<sup>2</sup></b>
Drive transmission	<b>N/A</b>	Weight	<b>31 kg</b>



Engine power  
2,17 kW



Working width  
45 cm



Working height  
20-70 mm / 8 levels



Basket capacity  
50 l



Weight  
31 kg

### Lawn mower

WB455SC 3IN1



Engine manufacturer	<b>Loncin</b>	Working width	<b>45 cm</b>
Engine model	<b>1P65FE-1</b>	Number of blades	<b>1</b>
Engine power	<b>2,17 kW / 2800 rpm</b>	Working height	<b>20-70 mm / 8 levels</b>
Engine capacity	<b>139 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>50 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>7"/9"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;600 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>37 kg</b>



Engine power  
2,17 kW



Working width  
45 cm



Working height  
20-70 mm / 8 levels



Basket capacity  
50 l



Weight  
37 kg

### Lawn mower

WB456SCVE 3IN1



Engine manufacturer	<b>Loncin</b>	Working width	<b>45 cm</b>
Engine model	<b>1P65FE-2 e-start</b>	Number of blades	<b>1</b>
Engine power	<b>2,5 kW / 2800 rpm</b>	Working height	<b>20-70 mm / 8 levels</b>
Engine capacity	<b>166 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>50 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>7"/9"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;600 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>40,9 kg</b>



Engine power  
2,5 kW



Working width  
45 cm



Working height  
20-70 mm / 8 levels



Basket capacity  
50 l



Weight  
40,9 kg



**Lawn mower**

WB506HC 3IN1

Engine manufacturer	<b>Loncin</b>	Working width	<b>49,2 cm</b>
Engine model	<b>1P65FE-2</b>	Number of blades	<b>1</b>
Engine power	<b>2,7 kW / 2800 rpm</b>	Working height	<b>20-70 mm / 8 levels</b>
Engine capacity	<b>166 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>60 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/8"</b>
Self-propelled	<b>No</b>	Suggested work area	<b>&lt;1000 m<sup>2</sup></b>
Drive transmission	<b>N/A</b>	Weight	<b>37 kg</b>



Engine power  
2,7 kW



Working width  
49,2 cm



Working height  
20-70 mm / 8 levels



Basket capacity  
60 l



Weight  
37 kg



**Lawn mower**

WB506SC 3IN1

Engine manufacturer	<b>Loncin</b>	Working width	<b>49,2 cm</b>
Engine model	<b>1P65FE-2</b>	Number of blades	<b>1</b>
Engine power	<b>2,7 kW / 2800 rpm</b>	Working height	<b>20-70 mm / 8 levels</b>
Engine capacity	<b>166 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>60 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;1000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>41 kg</b>



Engine power  
2,7 kW



Working width  
49,2 cm



Working height  
20-70 mm / 8 levels



Basket capacity  
60 l



Weight  
41 kg



**Lawn mower**

WB506SCVE 3IN1

Engine manufacturer	<b>Loncin</b>	Working width	<b>49,2 cm</b>
Engine model	<b>1P65FE-2 e-start</b>	Number of blades	<b>1</b>
Engine power	<b>2,5 kW / 2800 rpm</b>	Working height	<b>20-70 mm / 8 levels</b>
Engine capacity	<b>166 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>60 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>7"/9"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;1000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>43 kg</b>



Engine power  
2,5 kW



Working width  
49,2 cm



Working height  
20-70 mm / 8 levels



Basket capacity  
60 l



Weight  
43 kg

### Lawn mower

WB537SLC 3IN1



Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>25-80 mm / 8 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>47 kg</b>



Engine power  
3,1 kW



Working width  
53 cm



Working height  
25-80 mm / 8 levels



Basket capacity  
70 l



Weight  
47 kg

### Lawn mower

WB537SLC V 3IN1



Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>25-80 mm / 8 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>54 kg</b>



Engine power  
3,1 kW



Working width  
53 cm



Working height  
25-80 mm / 8 levels



Basket capacity  
70 l



Weight  
54 kg

### Lawn mower

WB536SK V 3IN1



Engine manufacturer	<b>Kawasaki</b>	Working width	<b>53 cm</b>
Engine model	<b>FJ180V</b>	Number of blades	<b>1</b>
Engine power	<b>3,14 kW / 2800 rpm</b>	Working height	<b>25-80 mm / 8 levels</b>
Engine capacity	<b>179 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>52,4 kg</b>



Engine power  
3,14 kW



Working width  
53 cm



Working height  
25-80 mm / 8 levels



Basket capacity  
70 l



Weight  
52,4 kg



**Lawn mower**

WB507SC V 3IN1

Engine manufacturer	<b>Loncin</b>	Working width	<b>49,2 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>25-70 mm / 8 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>60 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>42,5 kg</b>



Engine power  
3,1 kW



Working width  
49,2 cm



Working height  
25-70 mm / 8 levels



Basket capacity  
60 l



Weight  
42,5 kg



**Lawn mower**

WB537SC V 3IN1

Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>20-85 mm / 8 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>49,5 kg</b>



Engine power  
3,1 kW



Working width  
53 cm



Working height  
20-85 mm / 8 levels



Basket capacity  
70 l



Weight  
49,5 kg

NEW



**Lawn mower**

WB538SC V 3IN1-LV

Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>LC1P75FC LV</b>	Number of blades	<b>1</b>
Engine power	<b>3,5 kW / 3600 rpm</b>	Working height	<b>25-80 mm / 8 levels</b>
Engine capacity	<b>224 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3500 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>52,5 kg</b>



Engine power  
3,5 kW



Working width  
53 cm



Working height  
25-80 mm / 8 levels



Basket capacity  
70 l



Weight  
52,5 kg

| Engine with reduced vibration levels



Lawn mower with blade clutch

### Lawn mower

WB537SC V 3IN1-BBC

Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1 - blade clutch</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>25-85 mm / 8 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>52,6 kg</b>



Engine power  
3,1 kW



Working width  
53 cm



Working height  
25-85 mm / 8 levels



Basket capacity  
70 l



Weight  
52,6 kg



### Lawn mower

WB537SC V AL

Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>25-76 mm / 7 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Aluminum</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/No</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>54 kg</b>



Engine power  
3,1 kW



Working width  
53 cm



Working height  
25-76 mm / 7 levels



Basket capacity  
70 l



Weight  
54 kg



Lawn mower with blade clutch

### Lawn mower

WB537SC V AL-BBC

Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1 - blade clutch</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>25-76 mm / 7 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Aluminum</b>	Basket capacity	<b>70 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/No</b>	Front/rear wheel size	<b>8"/9"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>54 kg</b>



Engine power  
3,1 kW



Working width  
53 cm



Working height  
25-76 mm / 7 levels



Basket capacity  
70 l



Weight  
54 kg



Lawn mower with roller

### Lawn mower with rear roller

WB567SK V-R

Engine manufacturer	<b>Kawasaki</b>	Working width	<b>56 cm</b>
Engine model	<b>FJ180V</b>	Number of blades	<b>1</b>
Engine power	<b>3,14 kW / 2800 rpm</b>	Working height	<b>13-67 mm / 7 levels</b>
Engine capacity	<b>179 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Aluminum</b>	Basket capacity	<b>90 l</b>
Basket/Side disch./Mulch.	<b>Yes/No/No</b>	Front/rear wheel size	<b>7"/5" roller</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>68,3 kg</b>



Engine power  
3,14 kW



Working width  
56 cm



Working height  
13-67 mm / 7 levels



Basket capacity  
90 l



Weight  
68,3 kg



### Lawn mower

WB537HCU

Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>1P70FC</b>	Number of blades	<b>1</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Working height	<b>11-64 mm / 7 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Central</b>
Housing material	<b>Steel</b>	Basket capacity	<b>N/A</b>
Basket/Side disch./Mulch.	<b>No/Yes/No</b>	Front/rear wheel size	<b>8"/8"</b>
Self-propelled	<b>No</b>	Suggested work area	<b>&lt;3000 m<sup>2</sup></b>
Drive transmission	<b>N/A</b>	Weight	<b>32 kg</b>



Engine power  
3,1 kW



Working width  
53 cm



Working height  
11-64 mm / 7 levels



Weight  
32 kg



Two blades lawn mower

### Lawn mower

WB778SLC V-3IN1 A

Engine manufacturer	<b>Loncin</b>	Working width	<b>77 cm</b>
Engine model	<b>XCV300</b>	Number of blades	<b>2 - blade clutch</b>
Engine power	<b>5,5 kW / 3100 rpm</b>	Working height	<b>50-129 mm / 11 levels</b>
Engine capacity	<b>300 cm<sup>3</sup></b>	Cutting height adjustment	<b>Independent front/rear</b>
Housing material	<b>Steel</b>	Basket capacity	<b>90 l</b>
Basket/Side disch./Mulch.	<b>Yes/Yes/Yes</b>	Front/rear wheel size	<b>9"/10,5"</b>
Self-propelled	<b>Yes - variable</b>	Suggested work area	<b>&lt;6000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>105 kg</b>



Engine power  
5,5 kW



Working width  
77 cm



Working height  
50-129 mm / 11 levels



Basket capacity  
90 l



Weight  
105 kg

## High grass mower

WBBC537SCV



Engine manufacturer	<b>Loncin</b>	Working width	<b>53 cm</b>
Engine model	<b>LC1P70FC</b>	Number of blades	<b>1 - x type</b>
Engine power	<b>3,4 kW / 3600 rpm</b>	Working height	<b>15-90 mm / 6 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>3-levels</b>
Housing material	<b>Steel</b>	Basket capacity	<b>N/A</b>
Basket/Side disch./Mulch.	<b>No/No/Yes</b>	Front/rear wheel size	<b>8"/10,5"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;10000 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>75,4 kg</b>



Engine power  
3,4 kW



Working width  
53 cm



Working height  
15-90 mm / 6 levels



Suggested work area  
<10000 m<sup>2</sup>



Weight  
75,4 kg

## Flail mower

WBG6813



Engine manufacturer	<b>Brilliant</b>	Working width	<b>68 cm</b>
Engine model	<b>GT1300PE</b>	Number of blades	<b>38 Y type flail blades</b>
Engine power	<b>6,6 kW / 3600 rpm</b>	Working height	<b>0-90 mm / 6 levels</b>
Engine capacity	<b>392 cm<sup>3</sup></b>	Cutting height adjustment	<b>Quick swing arm adjust</b>
Housing material	<b>Steel</b>	Basket capacity	<b>N/A</b>
Basket/Side disch./Mulch.	<b>No/No/Yes</b>	Front/rear wheel size	<b>8"/16"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;10000 m<sup>2</sup></b>
Drive transmission	<b>Weibang CVT</b>	Weight	<b>243 kg</b>



Engine power  
6,6 kW



Working width  
68 cm



Working height  
0-90 mm / 6 levels



Suggested work area  
<10000 m<sup>2</sup>



Weight  
243 kg

## Remote-controlled flail mower

WBG6813-TE



Engine manufacturer	<b>Brilliant</b>	Working width	<b>68 cm</b>
Engine model	<b>GT1300PE</b>	Number of blades	<b>38 Y type flail blades</b>
Engine power	<b>6,6 kW / 3600 rpm</b>	Working height	<b>0-90 mm / 6 levels</b>
Engine capacity	<b>392 cm<sup>3</sup></b>	Cutting height adjustment	<b>Quick swing arm adjust</b>
Housing material	<b>Steel</b>	Basket capacity	<b>N/A</b>
Basket/Side disch./Mulch.	<b>No/No/Yes</b>	Front/rear wheel size	<b>8"/Tracks</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;10000 m<sup>2</sup></b>
Drive transmission	<b>Weibang CVT + electric motor 800W</b>	Weight	<b>295 kg</b>



Engine power  
6,6 kW



Working width  
68 cm



Working height  
0-90 mm / 6 levels



Suggested work area  
<10000 m<sup>2</sup>



Weight  
295 kg

**5 YEARS WARRANTY**

### String mower

WBLT567SLC



Engine manufacturer	<b>Loncin</b>	Working width	<b>56 cm</b>
Engine model	<b>LC1P70FC</b>	Number of blades	<b>Cutting line, 5 mm</b>
Engine power	<b>3,2 kW / 2800 rpm</b>	Working height	<b>51-137 mm / 8 levels</b>
Engine capacity	<b>196 cm<sup>3</sup></b>	Cutting height adjustment	<b>Manual</b>
Housing material	<b>Steel</b>	Basket capacity	<b>N/A</b>
Basket/Side disch./Mulch.	<b>No/No/Yes</b>	Front/rear wheel size	<b>N/A / 14"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;10000 m<sup>2</sup></b>
Drive transmission	<b>Belt</b>	Weight	<b>47,3 kg</b>



Engine power  
3,2 kW



Working width  
56 cm



Working height  
51-137 mm / 8 levels



Suggested work area  
<10000 m<sup>2</sup>



Weight  
47,3 kg

### Lawn mower - mulcher

WBBC7623LC



Engine manufacturer	<b>Loncin</b>	Working width	<b>76,2 cm</b>
Engine model	<b>2P80F</b>	Number of blades	<b>1 cutting bar</b>
Engine power	<b>17 kW</b>	Working height	<b>85 mm</b>
Engine capacity	<b>764 cm<sup>3</sup></b>	Cutting height adjustment	<b>N/A</b>
Housing material	<b>Steel</b>	Basket capacity	<b>N/A</b>
Basket/Side disch./Mulch.	<b>No/No/Yes</b>	Front/rear wheel size	<b>N/A / 18"</b>
Self-propelled	<b>Yes</b>	Suggested work area	<b>&lt;10000 m<sup>2</sup></b>
Drive transmission	<b>Shaft</b>	Weight	<b>280 kg</b>



Engine power  
17 kW



Working width  
76,2 cm



Working height  
85 mm



Suggested work area  
<10000 m<sup>2</sup>



Weight  
280 kg

# FLAIL MOWERS

Built to perform where results matter more than conditions



### Scarifier

WB384RB



Engine manufacturer	<b>Briggs&amp;Stratton</b>	Working width	<b>38 cm</b>
Engine model	<b>750 Series</b>	Max. working depth	<b>16 mm</b>
Engine power	<b>3,5 kW</b>	Number of blades	<b>22 - tilted</b>
Engine capacity	<b>163 cm<sup>3</sup></b>	Front/rear wheel size	<b>8"/8"</b>
Housing material	<b>Steel</b>	Weight	<b>46 kg</b>
Basket capacity	<b>40 l</b>		



 Engine power  
3,5 kW

 Working width  
38 cm

 Max. working depth  
16 mm

 Basket capacity  
40 l

 Weight  
46 kg

### Scarifier

WB486CRB



Engine manufacturer	<b>Briggs&amp;Stratton</b>	Working width	<b>47 cm</b>
Engine model	<b>750 Series</b>	Max. working depth	<b>16 mm</b>
Engine power	<b>3,5 kW</b>	Number of blades	<b>28 - tilted</b>
Engine capacity	<b>163 cm<sup>3</sup></b>	Front/rear wheel size	<b>8"/8"</b>
Housing material	<b>Steel</b>	Weight	<b>55 kg</b>
Basket capacity	<b>N/A</b>		



 Engine power  
3,5 kW

 Working width  
47 cm

 Max. working depth  
16 mm

 Weight  
55 kg



# SCARIFICATION

Refeneration you can see

**5 YEARS  
WARRANTY**

### Aerator

WB457AB



Engine manufacturer	<b>Briggs &amp; Stratton</b>	Number of tubes	<b>24</b>
Engine model	<b>750 Series</b>	Tube spacing	<b>100x200 mm</b>
Engine power	<b>3,5 kW</b>	Self-propelled	<b>Yes</b>
Engine capacity	<b>163 cm<sup>3</sup></b>	Efficiency	<b>1600 m<sup>2</sup>/h</b>
Housing material	<b>Powder-coated steel</b>	Weights	<b>2 x 16 kg</b>
Working width	<b>45 cm</b>	Weight	<b>140 kg</b>
Max. working depth	<b>7 cm</b>		



Engine power  
3,5 kW



Working width  
45 cm



Max. working depth  
7 cm



Weight  
140 kg

### Aerator

WB517AB



Engine manufacturer	<b>Briggs &amp; Stratton</b>	Number of tubes	<b>30</b>
Engine model	<b>750 Series</b>	Tube spacing	<b>100x200 mm</b>
Engine power	<b>3,5 kW</b>	Self-propelled	<b>Yes</b>
Engine capacity	<b>163 cm<sup>3</sup></b>	Efficiency	<b>2700 m<sup>2</sup>/h</b>
Housing material	<b>Powder-coated steel</b>	Weights	<b>Front 2,3 kg; Rear 9,3 kg</b>
Working width	<b>53 cm</b>	Weight	<b>173 kg</b>
Max. working depth	<b>7 cm</b>		



Engine power  
3,5 kW



Working width  
53 cm



Max. working depth  
7 cm



Weight  
173 kg

**BREATH NEW LIFE  
INTO YOUR LAWN**



### Trencher

WBTR126H



Model	<b>WBTR126H</b>	Working width	<b>10,2 cm</b>
Engine model	<b>Honda GX160</b>	Number of teeth	<b>21</b>
Engine capacity	<b>163 cm<sup>3</sup></b>	Chain speed	<b>102,5 m/min</b>
Engine power	<b>4,8 kW</b>	Weight	<b>110 kg</b>
Working depth	<b>30,5 cm</b>		



Engine power  
4,8 kW



Working width  
10,2 cm



Working depth  
30,5 cm



Number of teeth  
21



Weight  
110 kg

### Stump grinder

WBSG13H



Model	<b>WBSG13H</b>	Number of teeth	<b>8</b>
Engine model	<b>Honda GX390</b>	Work. height above ground	<b>53,4 cm</b>
Engine capacity	<b>390 cm<sup>3</sup></b>	Work. height below ground	<b>22,9 cm</b>
Engine power	<b>8,7 kW</b>	Weight	<b>137 kg</b>
Cutting disc diameter	<b>35,5 cm</b>		



Work. height above ground  
35,5 cm



Number of teeth  
8



Working depth  
22,9 cm



Working height  
53,4 cm



Weight  
137 kg

### Sod cutter

WBSC409H



Model	<b>WBSC409H</b>	Max. working depth	<b>5 cm</b>
Engine model	<b>Honda GX270</b>	Working speed	<b>0,6 - 0,8 km/h</b>
Engine capacity	<b>270 cm<sup>3</sup></b>	Max. efficiency	<b>1000 m<sup>2</sup>/h</b>
Engine power	<b>6,3 kW</b>	Weight	<b>180 kg</b>
Working width	<b>35 cm</b>		



Engine power  
6,3 kW



Working width  
35 cm



Max. working depth  
5 cm



Max. efficiency  
1000 m<sup>2</sup>/h



Weight  
180 kg

### Onboard vacuum cleaner

WBLV50K



Model	<b>WBLV50K</b>	Hose length	<b>4 m</b>
Engine manufacturer	<b>Kawasaki</b>	Hose diameter	<b>160 mm</b>
Engine model	<b>FJ180V</b>	Discharge deflector adjustment	<b>No</b>
Air volume	<b>63 m<sup>3</sup>/min</b>	Weight	<b>60 kg</b>



Hose diameter  
160 mm



Air volume  
63 m<sup>3</sup>/min



Weight  
60 kg

**5 YEARS WARRANTY**

**Onboard vacuum cleaner**

WBDL5021R



Model	<b>WBDL5021R</b>	Hose length	<b>3 m</b>
Engine manufacturer	<b>Rato</b>	Hose diameter	<b>254 mm</b>
Engine model	<b>RV670 V-TWIN</b>	Discharge deflector adjustment	<b>Tak</b>
Air volume	<b>88 m³/min</b>	Weight	<b>167 kg</b>




**Vacuum cleaner**

WBLV506C



Model	<b>WBLV506C</b>	Self-propelled	<b>Tak</b>
Engine manufacturer	<b>Loncin</b>	Bag capacity	<b>240 l</b>
Engine model	<b>G200F</b>	Accessories included	<b>Suction tube</b>
Air volume	<b>63 m³/min</b>	Weight	<b>83 kg</b>
Working width	<b>79 cm</b>		



**Blower**

WBGB4313LC

NEW



Model	<b>WBGB4313LC</b>	Air speed	<b>76 m/s</b>
Engine model	<b>Loncin G420F</b>	Fuel tank	<b>6,5 l</b>
Engine capacity	<b>420 cm³</b>	Rotor diameter	<b>430 mm</b>
Engine power	<b>9 kW / 3600 rpm</b>	Weight	<b>93 kg</b>
Drive speed	<b>0,88 - 1,01 - 1,29 m³/s</b>		



**Brush**

WBGC877LC

NEW



Model	<b>WBGC877LC</b>	Working width	<b>87cm</b>
Engine manufacturer	<b>Loncin</b>	Brush rotation	<b>150 rpm</b>
Engine model	<b>LC1P70FC</b>	Self-propelled	<b>No</b>
Engine power	<b>3,1 kW / 2800 rpm</b>	Weight	<b>85 kg</b>



# CEDRUS®

# 2026

## Cedrus Spółka Akcyjna

95-060 Brzeziny  
ul. Przemysłowa 1  
biuro@cedrus.com.pl

tel. (+48) 46 874 13 11  
tel. (+48) 46 874 18 60

Authorized Cedrus Dealer

cedrus.com.pl



CEDRUS®  
Parts

CEDRUS®  
Garden

CEDRUS®  
Construction

CEDRUS®  
Powers

CEDRUS®  
Professional