

CEDRUS[®] Garden

2026



NEW DIMENSIONS OF GARDENING MACHINES

cedrus.com.pl

CONTENTS

4	Garden tractors
13	Zero-turn tractors
14	Universal tractors
16	Lawn mowers: petrol electric spindle
25	Scarifiers: petrol electric
28	Tillers: petrol electric
38	Single-axle tractors
40	Wood chippers: petrol electric
43	Vacuum Cleaner
43	Weeder
44	Sweepers
46	Trenchers
46	Stump grinder
47	Log splitters
49	Brushcutters
52	Chainsaws
53	Hedge trimmer
53	Blowers
54	Sprayers
55	Augers
56	Snowblowers petrol electric

ENGINEERING EXCELLENCE

for Your garden



CEDRUS – experience that works for your results

A brand consistently built over 30 years – from a solid foundation to a modern, comprehensive portfolio of machines and tools. We began by distributing spare parts, and today we are a key player in the Polish market and increasingly important player on the international markets for gardening, forestry, and construction equipment. From the very beginning we have one goal – to provide solutions that truly simplify work – regardless of its scale.

CEDRUS is a brand for those who expect equipment they can rely on – today, tomorrow and for the next seasons.



Garden tractor C-TRAC-65MC

CEDRUS

Model	C-TRAC-65MC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-75 mm
Engine model	Loncin LC1P75F	Basket capacity	150 l
Engine power	4,05 kW / 2800 rpm	Front/rear wheel size	13"/15"
Engine capacity	224 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	2,5 l
Transmission	Manual	Forward/reverse speed	9,3/3 km/h
Blades engagement	Mechanical	Basket/Side disch./Mulching	Yes/Yes/Yes
Working width	65 cm	Headlights	Yes
Number of blades	1	Weight	127 kg

LONCIN

 Transmission
Manual

 Engine power
4,05 kW

 Number of blades
1

 Working width
65 cm

 Basket capacity
150 l


Garden tractor C-TRAC-65HC

CEDRUS

Model	C-TRAC-65HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-75 mm
Engine model	Loncin LC1P75F	Basket capacity	150 l
Engine power	4,05 kW / 3600 rpm	Front/rear wheel size	13"/15"
Engine capacity	224 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	2,5 l
Transmission	Hydrostatic	Forward/reverse speed	9,3/3 km/h
Blades engagement	Mechanical	Basket/Side disch./Mulching	Yes/Yes/Yes
Working width	65 cm	Headlights	Yes
Number of blades	1	Weight	127 kg

LONCIN

 Transmission
Hydrostatic

 Engine power
4,05 kW

 Number of blades
1

 Working width
65 cm

 Basket capacity
150 l


Garden tractor C-TRAC-86MS

CEDRUS

Model	C-TRAC-86MS	Cutting system	Extruded
Type	Tractor without basket	Working height	30-90 mm
Engine model	Loncin LC1P85FA	Basket capacity	N/A
Engine power	5,6 kW/2600 rpm	Front/rear wheel size	15"/18"
Engine capacity	352 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	7,5 l
Transmission	Manual	Forward/reverse speed	7,5/2,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	No/Yes/Optional
Working width	86 cm	Headlights	Yes
Number of blades	2	Weight	162 kg

LONCIN

 Transmission
Manual

 Engine power
5,6 kW

 Number of blades
2

 Working width
86 cm



Garden tractor C-TRAC-98HS

CEDRUS

Model	C-TRAC-98HS	Cutting system	Extruded
Type	Tractor without basket	Working height	30-90 mm
Engine model	Loncin LC1P92F-1	Basket capacity	N/A
Engine power	7,8 kW/2600 rpm	Front/rear wheel size	15"/18"
Engine capacity	452 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	7,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	No/Yes/Optional
Working width	98 cm	Headlights	Yes
Number of blades	2	Weight	168,5 kg

LONCIN



Transmission
Hydrostatic Tuff Torq



Engine power
7,8 kW



Number of blades
2



Working width
98 cm



Garden tractor C-TRAC-86MC

CEDRUS

Model	C-TRAC-86MC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC1P90F-1	Basket capacity	245 l
Engine power	7,5 kW/2600 rpm	Front/rear wheel size	15"/18"
Engine capacity	432 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	7,5 l
Transmission	Manual	Forward/reverse speed	7,5/2,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	86 cm	Headlights	Yes
Number of blades	2	Weight	190,5 kg

LONCIN



Transmission
Manual



Engine power
7,5 kW



Number of blades
2



Working width
86 cm



Basket capacity
245 l

NEW



Garden tractor C-TRAC-86HC

CEDRUS

Model	C-TRAC-86HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC1P92F-1	Basket capacity	245 l
Engine power	7,8 kW/2600 rpm	Front/rear wheel size	15"/18"
Engine capacity	452 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	7,5 l
Transmission	Hydrostatic	Forward/reverse speed	7,5/2,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	86 cm	Headlights	Yes
Number of blades	2	Weight	190,5 kg

LONCIN



Transmission
Hydrostatic



Engine power
7,8 kW



Number of blades
2



Working width
86 cm



Basket capacity
245 l



Garden tractor

C-TRAC 92HC

CEDRUS

Model	C-TRAC-92HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC1P92F-1	Basket capacity	245 l
Engine power	7,8 kW/2600 rpm	Front/rear wheel size	15"/18"
Engine capacity	452 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	7,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	92 cm	Headlights	Yes
Number of blades	2	Weight	191,5 kg

Loncin



Transmission
Hydrostatic Tuff Torq



Engine power
7,8 kW



Number of blades
2



Working width
92 cm



Basket capacity
245 l



Garden tractor

C-TRAC 102HC

CEDRUS

Model	C-TRAC-102HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC2P73F	Basket capacity	245 l
Engine power	10,3 kW/2600 rpm	Front/rear wheel size	15"/18"
Engine capacity	586 cm³	Cast iron front axle	No
Number of cylinders	2	Fuel tank capacity	7,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	102 cm	Headlights	Yes
Number of blades	2	Weight	196,5 kg

Loncin



Transmission
Hydrostatic Tuff Torq



Engine power
10,3 kW



Number of blades
2



Working width
102 cm



Basket capacity
245 l

NEW



PREMIUM Garden tractor

C-TRAC-112HC

CEDRUS
Premium

Model	C-TRAC-112HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-100 mm
Engine model	Loncin LC2P76F	Basket capacity	300 l
Engine power	11,5 kW/2600 rpm	Front/rear wheel size	15"/20"
Engine capacity	635 cm³	Cast iron front axle	Yes
Number of cylinders	2	Fuel tank capacity	7,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	9,7/4,9 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	112 cm	Headlights	Yes
Number of blades	2	Weight	210 kg

Loncin



Transmission
Hydrostatic Tuff Torq



Engine power
11,5 kW



Number of blades
2



Working width
112 cm



Basket capacity
300 l



PREMIUM Garden tractor C-TRAC-T108HS

CEDRUS
Premium

Model	C-TRAC-T108HS	Cutting system	Extruded
Type	Tractor without basket	Working height	30-90 mm
Engine model	Loncin LC2P73F	Basket capacity	N/A
Engine power	11,2 kW/2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	586 cm³	Cast iron front axle	No
Number of cylinders	2	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	No/Yes/Yes
Working width	108 cm	Headlights	Yes
Number of blades	2	Weight	207 kg

Loncin



Engine power
11,2 kW



Working width
108 cm



Transmission
Hydrostatic Tuff Torq



Number of blades
2



PREMIUM Garden tractor C-TRAC-83HC

CEDRUS
Premium

Model	C-TRAC-83HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC1P85FA	Basket capacity	280 l
Engine power	6,45 kW/2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	352 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	84 cm	Headlights	Yes
Number of blades	2	Weight	216 kg

Loncin



Engine power
6,45 kW



Working width
84 cm



Transmission
Hydrostatic Tuff Torq



Number of blades
2



Basket capacity
280 l

NEW



PREMIUM Garden tractor C-TRAC-83HC-1

CEDRUS
Premium

Model	C-TRAC-83HC-1	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC1P90F-1	Basket capacity	280 l
Engine power	7,6 kW/2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	432 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	84 cm	Headlights	Yes
Number of blades	2	Weight	216 kg

Loncin



Engine power
7,6 kW



Working width
84 cm



Transmission
Hydrostatic Tuff Torq



Number of blades
2



Basket capacity
280 l

NEW

**PREMIUM** Garden tractor

C-TRAC-93HC-1

CEDRUS
Premium

Model	C-TRAC-93HC-1	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC1P91F	Basket capacity	280 l
Engine power	9,8 kW/2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	546 cm³	Cast iron front axle	No
Number of cylinders	1	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	93 cm	Headlights	Yes
Number of blades	2	Weight	227 kg

LoncinTransmission
Hydrostatic Tuff TorqEngine power
9,8 kWNumber of blades
2Working width
93 cmBasket capacity
280 l**PREMIUM** Garden tractor

C-TRAC-93HC

CEDRUS
Premium

Model	C-TRAC-93HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC2P73F	Basket capacity	280 l
Engine power	11,2 kW/2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	586 cm³	Cast iron front axle	No
Number of cylinders	2	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	93 cm	Headlights	Yes
Number of blades	2	Weight	227 kg

LoncinTransmission
Hydrostatic Tuff TorqEngine power
11,2 kWNumber of blades
2Working width
93 cmBasket capacity
280 l

NEW

**PREMIUM** Garden tractor

C-TRAC-93HC-H

CEDRUS
Premium

Model	C-TRAC-93HC-H	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Honda GXV630	Basket capacity	280 l
Engine power	10,5 kW / 2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	688 cm³	Cast iron front axle	No
Number of cylinders	2	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	93 cm	Headlights	Yes
Number of blades	2	Weight	244 kg

HONDA
The Power of DreamsTransmission
Hydrostatic Tuff TorqEngine power
10,5 kWNumber of blades
2Working width
93 cmBasket capacity
280 l



PREMIUM Garden tractor

C-TRAC-103HC

CEDRUS
Premium

Model	C-TRAC-103HC	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC2P73F	Basket capacity	280 l
Engine power	11,2 kW / 2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	586 cm³	Cast iron front axle	No
Number of cylinders	2	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	102 cm	Headlights	Yes
Number of blades	2	Weight	233 kg

Loncin



Transmission
Hydrostatic Tuff Torq



Engine power
11,2 kW



Number of blades
2



Working width
102 cm



Basket capacity
280 l

NEW



PREMIUM Garden tractor

C-TRAC-103HDC-MAX

CEDRUS
Premium

Model	C-TRAC-103HDC-MAX	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC2P73F	Basket capacity	280 l
Engine power	11,2 kW/2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	586 cm³	Cast iron front axle	No
Number of cylinders	2	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	102 cm	Headlights	Yes
Number of blades	2	Weight	233 kg

Loncin



Transmission
Hydrostatic Tuff Torq



Engine power
11,2 kW



Number of blades
2



Working width
102 cm



Basket capacity
280 l

Tuff Torq K46ER transmission
with automatic differential lock

NEW



PREMIUM Garden tractor

C-TRAC-103HC-H

CEDRUS
Premium

Model	C-TRAC-103HC-H	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Honda GXV630	Basket capacity	280 l
Engine power	10,5 kW / 2800 rpm	Front/rear wheel size	15"/18"
Engine capacity	688 cm³	Cast iron front axle	No
Number of cylinders	2	Fuel tank capacity	8,5 l
Transmission	Hydrostatic Tuff Torq	Forward/reverse speed	8,8/4,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Optional/Yes
Working width	102 cm	Headlights	Yes
Number of blades	2	Weight	246 kg

HONDA
The Power of Dreams



Transmission
Hydrostatic Tuff Torq



Engine power
10,5 kW



Number of blades
2



Working width
102 cm



Basket capacity
280 l

**Garden tractor**

S536027047703

CEDRUS

Model	Challenge AJ 92/16H	Cutting system	Extruded
Type	Tractor with basket	Working height	30-90 mm
Engine model	Loncin LC1P92F1	Basket capacity	300 l
Engine power	7,8 kW / 2700 rpm	Front/rear wheel size	15"x6" / 18"x8,5"
Engine capacity	452 cm³	Cast iron front axle	Yes
Number of cylinders	1	Fuel tank capacity	7,5 l
Transmission	Hydrostatic Hydro-Gear T2	Forward/reverse speed	8/5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Option/Option
Working width	92 cm	Headlights	Tak
Number of blades	2	Weight	226 kg

LoncinTransmission
HydrostaticEngine power
7,8 kWNumber of blades
2Working width
92 cmBasket capacity
300 l**Garden tractor**

S536026054183

CEDRUS

Model	Challenge MJ 102/22H	Cutting system	Extruded
Type	Tractor with basket	Working height	25-80 mm
Engine model	Loncin LC2P77FV-TWIN	Basket capacity	300 l
Engine power	12,5 kW / 2700 rpm	Front/rear wheel size	15"x6" / 18"x8,5"
Engine capacity	708 cm³	Cast iron front axle	Yes
Number of cylinders	2	Fuel tank capacity	7,5 l
Transmission	Hydrostatic Hydro-Gear T2	Forward/reverse speed	8/5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Option/Option
Working width	102 cm	Headlights	Yes
Number of blades	2	Weight	242 kg

LoncinTransmission
HydrostaticEngine power
12,5 kWNumber of blades
2Working width
102 cmBasket capacity
300 l**Garden tractor**

S536026054184

CEDRUS

Model	Challenge MJ 102/22H B&S	Number of blades	2
Type	Tractor with basket	Cutting system	Extruded
Engine model	Briggs&Stratton Intek 7220EXi V-TWIN	Working height	25-80 mm
Engine power	11,5 kW / 2700 rpm	Basket capacity	300 l
Engine capacity	656 cm³	Front/rear wheel size	15"x6" / 18"x8,5"
Number of cylinders	2	Cast iron front axle	Yes
Transmission	Hydrostatic Hydro-Gear T2	Fuel tank capacity	7,5 l
Blades engagement	Electromagnetic	Forward/reverse speed	8/5 km/h
Working width	102 cm	Basket/Side disch./Mulching	Yes/Option/Option
		Headlights	Yes

BRIGGS & STRATTONTransmission
HydrostaticEngine power
11,5 kWNumber of blades
2Working width
102 cmBasket capacity
300 l

Garden tractor

S536027051732

CEDRUS



Model	Starjet UJ 102/22H	Cutting system	Extruded
Type	Tractor with basket	Working height	25-80 mm
Engine model	Loncin LC2P77F V-TWIN	Basket capacity	320 l
Engine power	12,5 kW / 2700 rpm	Front/rear wheel size	16"x6,5" / 20"x10"
Engine capacity	708 cm³	Cast iron front axle	Yes
Number of cylinders	2	Fuel tank capacity	11,9 l
Transmission	HydrostaticTuff Torq K46	Forward/reverse speed	9/6 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulching	Yes/Option/Option
Working width	102 cm	Headlights	Yes
Number of blades	2	Weight	276 kg

LONCIN



Engine power

12,5 kW



Number of blades

2



Working width

102 cm



Basket capacity

320 l

THE STAR

OF YOUR GARDEN

Pefect lawn. Every time.



Tractor accessories



SP31102

**Aerator
(tubular)**



SP31519

**Aerator
with seeder**
seeder capacity 80 L



SP31509

**Aerator
with seeder**
seeder capacity 43,5 L



SP31101

**Tine
Dethatcher**



SP22111

Trailer
Load capacity 225 kg



SP22124

Trailer
Load capacity 225 kg



SP22102

Trailer
Load capacity 600 kg



SP22103

Trailer
Load capacity 900 kg



SP31511

Seeder
seeder capacity 80 L



SP31507

Seeder
seeder capacity 29 L



SP31508

Seeder
seeder capacity 60 L



Roller/Aerator

SP31129

working width 91 cm

SP31130

working width 122 cm

SP31131

working width 152,4 cm



Roller

SP45103

working width 91 cm

SP45203

working width 122 cm

SP45303

working width 152,4 cm



Collector

SP31105

working width 97 cm

SP31109

working width 122 cm



Plough C-TRAC PREMIUM

ACC0314/01

working width 110 cm

ACC0315/01

working width 120 cm

ACC0316

working width 120 cm HARD



Plough C-TRAC

ACC0314

working width 110 cm HARD

ACC0314/01

working width 110 cm

ACC0315

working width 120 cm HARD

ACC0315/01

working width 120 cm



Plough

ACC0154

Challenge tractor

ACC0154N

Challenge tractor - NEW

ACC0157

Starjet Tractor



Plough with actuator

ACC0127

Challenge tractor

ACC0128

Starjet tractor

Zero-turn tractor C-TRAC-Z107

CEDRUS



Model	C-TRAC-Z107	Number of blades	2
Engine model	Loncin LC2P77F	Cutting system	Extruded
Engine power	16 kW / 3600 rpm	Cutting height	2,5-10,1 cm
Engine capacity	708 cm³	Front/rear wheel size	11"/18"
Number of cylinders	2	Fuel tank capacity	13 l
Transmission	Hydrostatic Hydro-Gear ZT2200	Forward/reverse speed	11,3/5,5 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulch.	No/Yes/Optional
Working width	107 cm	Reflektory	No
		Weight	225 kg
		Licznik motogodzin	Yes

Loncin



Engine power
16 kW



Working width
107 cm



Mowing speed
11,3 km/h



Number of blades
2



Weight
225 kg

Zero-turn tractor C-TRAC-Z132

CEDRUS



Model	C-TRAC-Z132	Number of blades	3
Engine model	Loncin LC2P82F	Cutting system	Welded
Engine power	18 kW / 3600 rpm	Cutting height	2,5-12,7 cm
Engine capacity	803 cm³	Front/rear wheel size	13"/23"
Number of cylinders	2	Fuel tank capacity	45,3 l
Transmission	Hydrostatic Hydro-Gear ZT3800	Forward/reverse speed	16,5/9 km/h
Blades engagement	Electromagnetic	Basket/Side disch./Mulch.	No/Yes/Optional
Working width	132 cm	Reflektory	Yes
		Weight	450 kg
		Licznik motogodzin	Yes

Loncin



Engine power
18 kW



Working width
132 cm



Mowing speed
16,5 km/h



Number of blades
3



Weight
450 kg

ULTIMATE CONTROL IN YOUR GARDEN

Zero Radius. Full Precision.



NEW



Universal tractor 4x4
C-TUR-18B



Model	C-TUR-18B	Drive	2WD / 4WD
Engine manufacturer	Loncin	Fuel tank capacity	6,5 l
Engine model	LC192FD (petrol)	Forward/reverse gears	4/2
Engine power	18 KM	Speed	3600 rpm
Engine capacity	459 cm ³	Wheel size	6.00-12"x 12"
Electric starter	Yes	Weight	402 kg





Engine power
18 KM



Forward/reverse gears
4/2

NEW



Universal tractor 4x4
C-TUR-18D



Model	C-TUR-18B	Drive	2WD / 4WD
Engine manufacturer	Kama	Fuel tank capacity	5,5 l
Engine model	KM195F (diesel)	Forward/reverse gears	4/2
Engine power	18 KM	Speed	3600 rpm
Engine capacity	532 cm ³	Wheel size	6.00-12"x 12"
Electric starter	Yes	Weight	421 kg





Engine power
18 KM



Forward/reverse gears
4/2



C-TUR

YOUR VERSATILE PARTNER
for every season!

When one machine is to replace several others, versatility, power, and reliability are key. The C-TUR multi-purpose tractors from Cedrus were designed with this in mind – to perform year-round, regardless of the type of work and conditions.

Two C-TUR models with 4x4 drive are available, combining a robust design, compact dimensions, and a wide range of applications. These machines are ideal for gardening, landscaping, municipal tasks, transport, and seasonal work – from mowing and sweeping to snow removal and cleanup.

C-TUR Accesories and attachments



C-TUR-A01

Rotary tiller18 pcs of rotary blades
working width 90 cm

C-TUR-A02

Flail mower

working width 60 cm



C-TUR-A03

Potato harvester

C-TUR-A04

Front mower

3-disc



C-TUR-A05

Plough

C-TUR-A06

Potato seeder

C-TUR-A07

5-row seeder

C-TUR-A08

Weeder with sprayer

C-TUR-A09

Potato digger

C-TUR-A10

**5-row
cultivator**

C-TUR-A11

2 line Ditcher

C-TUR-A12

Ditcher

C-TUR-A13

One sided plow

C-TUR-A14

Adjustable plow

C-TUR-A15

Two-furrow plow

C-TUR-A16

Trailer

140x80x28 cm



Lawn mower

CEDKS42

CEDRUS

Model	KS42	Working width	42 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y145V	Cutting height	25-75 mm / 6 levels
Engine power	2,6 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	145 cm ³	Basket capacity	45 l
Housing material	Steel	Front/rear wheel size	6"/7"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<1000 m ²
Self-propelled	No	Weight	25 kg
Drive	N/A		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
2,6 kW



Basket capacity
45 l



Working width
42 cm



Weight
25 kg



Lawn mower

CEDKS42S

CEDRUS

Model	KS42S	Working width	42 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y145V	Cutting height	25-75 mm / 6 levels
Engine power	2,6 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	145 cm ³	Basket capacity	45 l
Housing material	Steel	Front/rear wheel size	6"/7"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<1000 m ²
Self-propelled	Yes	Weight	25 kg
Drive	Belt		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
2,6 kW



Basket capacity
45 l



Working width
42 cm



Weight
25 kg



Lawn mower

CEDKS51P

CEDRUS

Model	KS51P	Working width	51 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y170V	Cutting height	25-75 mm / 6 levels
Engine power	2,9 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	170 cm ³	Basket capacity	Brak
Housing material	Steel	Front/rear wheel size	7"/10"
Basket/Side disch./Mulch.	No / Yes / Yes	Suggested work area	<2000 m ²
Self-propelled	No	Weight	32 kg
Drive	N/A		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
2,9 kW



Weight
32 kg



Working width
51 cm



Lawn mower

CEDKS48

CEDRUS

Model	KS48	Working width	48 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y145V	Cutting height	25-75 mm / 6 levels
Engine power	2,6 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	145 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	7"/10"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<1500 m ²
Self-propelled	No	Weight	29 kg
Drive	N/A		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
2,6 kW



Basket capacity
65 l



Working width
48 cm



Weight
29 kg



Lawn mower

CEDKS48S

CEDRUS

Model	KS48S	Working width	48 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y145V	Cutting height	25-75 mm / 6 levels
Engine power	2,6 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	145 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	7"/10"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<1500 m ²
Self-propelled	Yes	Weight	36 kg
Drive	Belt		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
2,6 kW



Basket capacity
65 l



Working width
48 cm



Weight
36 kg



Lawn mower

CEDKS48S-H

CEDRUS

Model	KS48S-H	Working width	48 cm
Engine manufacturer	Honda	Number of blades	1
Engine model	GCV170	Cutting height	25-75 mm / 6 levels
Engine power	3,4 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	170 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	7"/10"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<1500 m ²
Self-propelled	Yes	Weight	36 kg
Drive	Belt		

HONDA
The Power of Dreams



Cutting height
25-75 mm / 6 levels



Engine power
3,4 kW



Basket capacity
65 l



Working width
48 cm



Weight
36 kg

Lawn mower

CEDKS51S-H




Model	KS51S-H	Working width	51 cm
Engine manufacturer	Honda	Number of blades	1
Engine model	GCV200	Cutting height	25-75 mm / 6 levels
Engine power	3,9 kW / 2500 rpm	Cutting height adjustment	Central
Engine capacity	201 cm³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<2000 m²
Self-propelled	Yes	Weight	35 kg
Drive	Belt		



The Power of Dreams



Cutting height
25-75 mm / 6 levels



Engine power
3,9 kW



Basket capacity
65 l



Working width
51 cm



Weight
35 kg

Lawn mower

CEDKS51S-ZT




Model	KS51S-ZT	Working width	51 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y196V	Cutting height	25-75 mm / 6 levels
Engine power	4,2 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	196 cm³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<2000 m²
Self-propelled	Yes	Weight	39 kg
Drive	Belt		




Cutting height
25-75 mm / 6 levels



Engine power
4,2 kW



Basket capacity
65 l



Working width
51 cm



Weight
39 kg

Lawn mower

CEDKS51S-H-ZT




Model	KS51S-H-ZT	Working width	51 cm
Engine manufacturer	Honda	Number of blades	1
Engine model	GCV170	Cutting height	25-75 mm / 6 levels
Engine power	3,4 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	166 cm³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<2000 m²
Self-propelled	Yes	Weight	44 kg
Drive	Belt		



The Power of Dreams



Cutting height
25-75 mm / 6 levels



Engine power
3,4 kW



Basket capacity
65 l



Working width
51 cm



Weight
44 kg



Lawn mower

CEDKS53S

CEDRUS

Model	KS53S	Working width	53 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y196V	Cutting height	25-75 mm / 6 levels
Engine power	4,2 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	196 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<2000 m ²
Self-propelled	Yes	Weight	39 kg
Drive	Belt		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
4,2 kW



Basket capacity
65 l



Working width
53 cm



Weight
39 kg

NEW



Lawn mower with roller

CEDKS53S-R

CEDRUS

Model	KS53S-R	Working width	53 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y196V OHV	Cutting height	25-75 mm / 6 levels
Engine power	4,2 kW / 3600 rpm	Cutting height adjustment	Central
Engine capacity	196 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/roller
Basket/Side disch./Mulch.	Yes/No/Yes	Suggested work area	<3000 m ²
Self-propelled	Yes	Weight	41 kg
Drive	Belt		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
4,2 kW



Basket capacity
65 l



Working width
53 cm



Weight
41 kg

I Lawn mower with rear roller

Lawn mower

CEDKS53S-E

CEDRUS

Model	KS53S-E	Working width	53 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y196V e-start	Cutting height	25-75 mm / 6 levels
Engine power	4,2 kW / 2800 rpm.	Cutting height adjustment	Central
Engine capacity	196 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<3000 m ²
Self-propelled	Yes	Weight	40 kg
Drive	Belt		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
4,2 kW



Basket capacity
65 l



Working width
53 cm



Weight
40 kg





Lawn mower

CEDKS53SV-E

CEDRUS

Model	KS53SV-E	Working width	53 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y196 e-start	Cutting height	25-75 mm / 6 levels
Engine power	4,2 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	196 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side dish./Mulch.	Yes/Yes/Yes	Suggested work area	<2000 m ²
Self-propelled	Yes	Weight	44 kg
Drive	Belt		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
4,2 kW



Basket capacity
65 l



Working width
53 cm



Weight
44 kg



Lawn mower

CEDKS53S-L

CEDRUS

Model	KS53S-L	Working width	53 cm
Engine manufacturer	Loncin	Number of blades	1
Engine model	LC1P70FC	Cutting height	25-75 mm / 6 levels
Engine power	3,5 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	196 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side dish./Mulch.	Yes/Yes/Yes	Suggested work area	<2000 m ²
Self-propelled	Yes	Weight	39 kg
Drive	Belt		

LONCIN



Cutting height
25-75 mm / 6 levels



Engine power
3,5 kW



Basket capacity
65 l



Working width
53 cm



Weight
39 kg



Lawn mower

CEDKS53S-H

CEDRUS

Model	KS53S-H	Working width	53 cm
Engine manufacturer	Honda	Number of blades	1
Engine model	GCV200	Cutting height	25-75 mm / 6 levels
Engine power	3,9 kW / 2500 rpm	Cutting height adjustment	Central
Engine capacity	201 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side dish./Mulch.	Yes/Yes/Yes	Suggested work area	<2000 m ²
Self-propelled	Yes	Weight	36,3 kg
Drive	Belt		

HONDA
The Power of Dreams



Cutting height
25-75 mm / 6 levels



Engine power
3,9 kW



Basket capacity
65 l



Working width
53 cm



Weight
36,3 kg



| Aluminum housing

Lawn mower

CEDKS53S-H AL

CEDRUS

Model	KS53S-H AL	Working width	53 cm
Engine manufacturer	Honda	Number of blades	1
Engine model	GCV200	Cutting height	20-80 mm / 8 levels
Engine power	3,9 kW / 2500 rpm	Cutting height adjustment	Central
Engine capacity	201 cm ³	Basket capacity	65 l
Housing material	Aluminum	Front/rear wheel size	8"/12"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<3000 m ²
Self-propelled	Yes	Weight	47 kg
Drive	Belt		

HONDA
The Power of Dreams



Cutting height
20-80 mm / 8 levels



Engine power
3,9 kW



Basket capacity
65 l



Working width
53 cm



Weight
47 kg



Lawn mower

CEDKS56S

CEDRUS

Model	KS56S	Working width	56 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y196V	Cutting height	25-75 mm / 6 levels
Engine power	4,2 kW / 2800 rpm	Cutting height adjustment	Central
Engine capacity	196 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<4000 m ²
Self-propelled	Yes	Weight	42 kg
Drive	Belt		

CEDRUS



Cutting height
25-75 mm / 6 levels



Engine power
4,2 kW



Basket capacity
65 l



Working width
56 cm



Weight
42 kg



Lawn mower

CEDKS56S-H

CEDRUS

Model	KS56S-H	Working width	56 cm
Engine manufacturer	Honda	Number of blades	1
Engine model	GCV200	Cutting height	25-75 mm / 6 levels
Engine power	3,9 kW / 2500 rpm	Cutting height adjustment	Central
Engine capacity	201 cm ³	Basket capacity	65 l
Housing material	Steel	Front/rear wheel size	8"/11"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<4000 m ²
Self-propelled	Yes	Weight	42 kg
Drive	Belt		

HONDA
The Power of Dreams



Cutting height
25-75 mm / 6 levels



Engine power
3,9 kW



Basket capacity
65 l



Working width
56 cm



Weight
42 kg

NEW


PREMIUM Lawn mower
CEDLP53S

CEDRUS
Premium

Model	LP53S	Working width	53 cm
Engine manufacturer	Cedrus	Number of blades	1
Engine model	Y196V OHV	Cutting height	20-80 mm / 7 levels
Engine power	4,2 kW / 3600 rpm	Cutting height adjustment	Central
Engine capacity	196 cm ³	Basket capacity	75 l
Housing material	Steel	Front/rear wheel size	8"/10"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<3000 m ²
Self-propelled	Yes	Weight	46 kg
Drive	Belt		

CEDRUS
Cutting height
20-80 mm / 7 levelsEngine power
4,2 kWBasket capacity
75 lWorking width
53 cmWeight
46 kg

NEW


PREMIUM Lawn mower
CEDLP53S-L

CEDRUS
Premium

Model	LP53S-L	Working width	53 cm
Engine manufacturer	Loncin	Number of blades	1
Engine model	LC1P75F	Cutting height	20-80 mm / 7 levels
Engine power	4,5 kW / 3600 rpm.	Cutting height adjustment	Central
Engine capacity	224 cm ³	Basket capacity	75 l
Housing material	Steel	Front/rear wheel size	8"/10"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<3000 m ²
Self-propelled	Yes	Weight	44,5 kg
Drive	Belt		

Loncin
Cutting height
20-80 mm / 7 levelsEngine power
4,5 kWBasket capacity
75 lWorking width
53 cmWeight
44,5 kg

NEW


PREMIUM Lawn mower
CEDLP53S-H

CEDRUS
Premium

Model	LP53S-H	Working width	53 cm
Engine manufacturer	Honda	Number of blades	1
Engine model	GCV200	Cutting height	20-80 mm / 7 levels
Engine power	4,2 kW / 3600 rpm	Cutting height adjustment	Central
Engine capacity	201 cm ³	Basket capacity	75 l
Housing material	Steel	Front/rear wheel size	8"/10"
Basket/Side disch./Mulch.	Yes/Yes/Yes	Suggested work area	<3000 m ²
Self-propelled	Yes	Weight	42,5 kg
Drive	Belt		

HONDA
The Power of Dreams
Cutting height
20-80 mm / 7 levelsEngine power
4,2 kWWeight
42,5 kgWorking width
53 cm



Electric mower CEDKE34

CEDRUS

Model	KE34	Housing material	Plastic
Motor	Brush	Cutting height adjustment	Central
Motor power	1400 W	Cutting height	20-65 mm / 6 levels
Voltage/Frequency	230 V / 50 Hz	Basket capacity	35 l
Working width	34 cm	Weight	8,9 kg



Voltage
230V



Motor power
1400 W



Working width
34 cm



Electric mower CEDKE40

CEDRUS

Model	KE40	Housing material	Plastic
Motor	Brush	Cutting height adjustment	Central
Motor power	1800 W	Cutting height	25-70 mm / 6 levels
Voltage/Frequency	230 V / 50 Hz	Basket capacity	45 l
Working width	40 cm	Weight	12 kg



Voltage
230V



Motor power
1800 W



Working width
40 cm



Spindle mower CEDSM42

CEDRUS

Model	SM42	Cutting height	6-30 mm
Engine model	Loncin G200F	Cylinder diameter	146,6 mm
Engine capacity	196 cm³	Basket capacity	54 l
Nominal power	4,1 kW / 2900 rpm	Self-propelled	Yes, by chain
Fuel tank capacity	3,6 l	Clutch type	Belt type
Working width	42 cm	Weight	83,6 kg
Number of blades	6 blades on spindle		

Loncin



Engine power
4,1 kW



Working width
42 cm



Cutting height
6-30 mm



Basket capacity
54 l



Weight
83,6 kg



Spindle mower CEDSM50

CEDRUS

Model	SM50	Cutting height	6-30 mm
Engine model	Loncin G200F	Cylinder diameter	146,6 mm
Engine capacity	196 cm³	Basket capacity	63 l
Nominal power	4,1 kW / 2900 rpm	Self-propelled	Yes, by chain
Fuel tank capacity	3,6 l	Clutch type	Belt type
Working width	50 cm	Weight	89,2 kg
Number of blades	6 blades on spindle		

Loncin



Engine power
4,1 kW



Working width
50 cm



Cutting height
6-30 mm



Basket capacity
63 l



Weight
89,2 kg

Accessories for spindle mowers



CEDRSM01

Groomer cartridge
for CEDSM42



CEDRSM02

Groomer cartridge
for CEDSM50



CEDRSM03

10- blades cartridge
for CEDSM42



CEDRSM04

10- blades cartridge
for CEDSM50



CEDRSM05

Aerator cartridge
for CEDSM42



CEDRSM06

Aerator cartridge
for CEDSM50



CEDRSM07

Dethatcher cartridge
for CEDSM42



CEDRSM08

Dethatcher cartridge
for CEDSM50



CEDRSM09

Brush cartridge
for CEDSM42



CEDRSM10

Brush cartridge
for CEDSM50



CEDRSM11

Scarifier cartridge
for CEDSM42



CEDRSM12

Scarifier cartridge
for CEDSM50



CEDRSM13

Turf rake
for CEDSM42



CEDRSM14

Turf rake
for CEDSM50



CEDRSM15

Turf rake
for CEDSM42



CEDRSM16

Turf rake
for CEDSM50



Lawn brushing
roller included

Scarifier CEDWR01

CEDRUS

Model	WR01 2w1	Basket capacity	45 l
Engine manufacturer	Cedrus	Working width	40 cm
Engine model	Cedrus 212	Max. working depth	15 mm
Engine power	4,0 kW	Number of blades	18 - fixed
Engine capacity	212 cm³	Front/rear wheel size	8"/8"
Housing material	Steel	Weight	39 kg

CEDRUS



Engine power
4,0 kW



Working width
40 cm



Max. working depth
15 mm



Number of blades
18 - fixed



Weight
39 kg



Lawn brushing
roller included

Scarifier CEDWR01-H

CEDRUS

Model	WR01-H 2w1	Basket capacity	45 l
Engine manufacturer	Honda	Working width	40 cm
Engine model	GP200	Max. working depth	15 mm
Engine power	4,1 kW	Number of blades	18 - fixed
Engine capacity	196 cm³	Front/rear wheel size	8"/8"
Housing material	Steel	Weight	39 kg

HONDA
The Power of Dreams



Engine power
4,1 kW



Working width
40 cm



Max. working depth
15 mm



Number of blades
18 - fixed



Weight
39 kg



Lawn brushing
roller included

Scarifier CEDWR01-B

CEDRUS

Model	WR01-B 2w1	Basket capacity	45 l
Engine manufacturer	Briggs&Stratton	Working width	40 cm
Engine model	CR950	Max. working depth	15 mm
Engine power	4,1 kW	Number of blades	18 - fixed
Engine capacity	208 cm³	Front/rear wheel size	8"/8"
Housing material	Steel	Weight	39 kg



Engine power
4,1 kW



Working width
40 cm



Max. working depth
15 mm



Number of blades
18 - fixed



Weight
39 kg



Scarifier CEDWR02R

CEDRUS

Model	WR02R	Basket capacity	50 l
Engine manufacturer	Loncin	Working width	40 cm
Engine model	LC165F	Max. working depth	18 mm
Engine power	4,0 kW	Number of blades	32 - tilting
Engine capacity	182 cm³	Front/rear wheel size	7"/7"
Housing material	Steel	Weight	44 kg

Loncin



Engine power
4,0 kW



Working width
40 cm



Max. working depth
18 mm



Number of blades
32 - tilting



Weight
44 kg

NEW



PREMIUM Scarifier
CEDWR46L-R

CEDRUS
Premium

Model	WR46L-R	Basket capacity	N/A
Engine manufacturer	Loncin	Working width	46 cm
Engine model	G200F	Max. working depth	30 mm
Engine power	4,1 kW	Number of blades	32- tilting
Engine capacity	196 cm³	Front/rear wheel size	8"/8"
Housing material	Steel	Weight	66 kg

Loncin



Engine power
4,1 kW



Working width
46 cm



Max. working depth
30 mm



Number of blades
32



Weight
66 kg

Accessories for scarifier



CEDRWR01

Groomer
roller for vertical
grass cutting



CEDRWR02

**Kit for changing
blades number**
for groomer CEDRWR01



CEDRWR03

Lawn brushing roller
with hard springs



CEDRWR04

Lawn brushing roller
with thin springs

LET YOUR LAWN TO
**BREATH
DEEPLY**

Scarifier gives your grass a second life.





Lawn brushing roller included

Electric scarifier CEDWE32

CEDRUS

Model	WE32	Number of blades	16 - fixed
Motor type	Electric	Basket capacity	30 l
Motor power	1500 W	Work. depth adjustment	from -12 to +4 mm
Voltage/Frequency	230 V / 50 Hz	Weight	9,1 kg
Working width	32 cm		
 Voltage 230 V	 Motor power 1500 W	 Working width 32 cm	
 Working depth from -12 to +4 mm	 Number of blades 16 - fixed	 Weight 9,1 kg	



Lawn brushing roller included

Electric scarifier CEDWE38

CEDRUS

Model	WE38	Number of blades	16 - fixed
Motor type	Voltage	Basket capacity	45 l
Motor type	1800 W	Work. depth adjustment	from -12 to +6 mm
Voltage/Frequency	230 V / 50 Hz	Weight	12,8 kg
Working width	38 cm		
 Voltage 230 V	 Motor power 1800 W	 Working width 38 cm	
 Working depth from -12 to +6 mm	 Number of blades 16 - fixed	 Weight 12,8 kg	



Lawn brushing roller included

Electric scarifier CEDWE40

CEDRUS

Model	WE40	Number of blades	20 - fixed
Motor type	Electric	Basket capacity	55 l
Motor type	2000 W	Work. depth adjustment	from -12 to +6 mm
Voltage/Frequency	230 V / 50 Hz	Weight	13,4 kg
Working width	40 cm		
 Voltage 230 V	 Motor power 2000 W	 Working width 40 cm	
 Working depth from -12 to +6 mm	 Number of blades 20 - fixed	 Weight 13,4 kg	



Electric Scarifier

Quiet dimension of lawn care.



Tiller
CEDRUSGL08

CEDRUS

Model	GL450	Working width/depth	42 cm / 10 cm
Engine manufacturer	Weima	Forward/reverse gears	1
Engine model	W80F	Blades rotation speed	134 rpm
Engine power	1,7 kW	Suggested work area	1000 m²
Engine capacity	78,5 cm³	Weight	29 kg



Engine power
1,7 kW



Blades rotation speed
134 rpm



Working width
42 cm



Weight
29 kg



Tiller
CEDRUSGL01

CEDRUS

Model	GL01	Working width/depth	30-80 cm / 18 cm
Engine manufacturer	Loncin	Forward/reverse gears	1/1
Engine model	G200F	Blades rotation speed	155 rpm
Engine power	4,1 kW	Suggested work area	1000 m²
Engine capacity	196 cm³	Weight	61 kg



Engine power
4,1 kW



Blades rotation speed
155 rpm



Working width
30-60-80 cm




Weight
61 kg



Tiller
CEDRUSGL500

CEDRUS

Model	GL500	Working width/depth	50-100 cm / 25 cm
Engine manufacturer	Weima	Forward/reverse gears	2/1
Engine model	WM168FB/P	Blades rotation speed	82 / 113 rpm
Engine power	4,3 kW	Suggested work area	1500 m²
Engine capacity	196 cm³	Weight	66 kg



Engine power
4,3 kW



Blades rotation speed
82 / 113 rpm



Working width
50-100 cm




Weight
66 kg



Tiller
CEDRUSGL900

CEDRUS

Model	GL900	Working width/depth	80-120 cm / 30 cm
Engine manufacturer	Weima	Forward/reverse gears	2/1
Engine model	WM168FB/P	Blades rotation speed	82 / 113 rpm
Engine power	4,3 kW	Suggested work area	2000 m²
Engine capacity	196 cm³	Weight	78 kg



Engine power
4,3 kW



Blades rotation speed
82 / 113 rpm



Working width
80-120 cm



Weight
78 kg



Tiller CEDRUSGL05

CEDRUS

Model	GL05	Working width/depth	30-85 cm / 18 cm
Engine manufacturer	Rato	Forward/reverse gears	2/1
Engine model	R210	Blades rotation speed	190 rpm
Engine power	4,2 kW	Suggested work area	3000 m²
Engine capacity	212 cm³	Weight	61 kg



Engine power
4,2 kW



Working width
30-60-85 cm



Working width
18 cm



Blades rotation speed
190 rpm



Weight
61 kg



Tiller CEDRUSGL06

CEDRUS

Model	GL06	Working width/depth	45-135 cm / 18 cm
Engine manufacturer	Rato	Forward/reverse gears	2/1
Engine model	R390	Blades rotation speed	145 rpm
Engine power	6,5 kW	Suggested work area	5000 m²
Engine capacity	389 cm³	Weight	125 kg



Engine power
6,5 kW



Working width
45-75-105-135 cm



Working width
18 cm



Blades rotation speed
145 rpm



Weight
125 kg



Tiller CEDRUSGL10

CEDRUS

Model	GLX680	Working width/depth	44-68 cm / 10 cm
Engine manufacturer	Weima	Forward/reverse gears	2/1
Engine model	WM170F/P	Blades rotation speed	234 / 270 rpm
Engine power	4,0 kW	Suggested work area	4000 m²
Engine capacity	212 cm³	Weight	83 kg



Engine power
4,0 kW



Working width
44-68 cm



Working width
10 cm



Blades rotation speed
234 / 270 rpm



Weight
83 kg

Two-directional blades
operation mode



Tiller CEDRUSGL11

CEDRUS

Model	GLX720	Working width/depth	40-66 cm / 18 cm
Engine manufacturer	Weima	Forward/reverse gears	3/2
Engine model	WM170F/P	Blades rotation speed	290 rpm
Engine power	4,0 kW	Suggested work area	5000 m² 123 kg
Engine capacity	212 cm³	Weight	



Engine power
4,0 kW



Working width
40-50-66 cm



Working width
18 cm



Blades rotation speed
290 rpm



Weight
123 kg



Tiller

CEDRUSGLX480

CEDRUS

Model	GLX480	Working width/depth	48 cm / 17 cm
Engine manufacturer	Loncin	Forward/reverse gears	1/1
Engine model	H200	Blades rotation speed	215 rpm - counter-rotating
Engine power	4,0 kW	Suggested work area	2500 m ²
Engine capacity	196 cm ³	Weight	70 kg

Loncin



Working width
17 cm



Engine power
4,0 kW



Blades rotation speed
215 rpm



Working width
48 cm



Weight
70 kg



Tiller

CEDRUSGLX480F

CEDRUS

Model	GLX480F	Working width/depth	48 cm / 17 cm
Engine manufacturer	Loncin	Forward/reverse gears	1/1
Engine model	H200	Blades rotation speed	215 rpm - co-rotating 2500
Engine power	4,0 kW	Suggested work area	m ²
Engine capacity	196 cm ³	Weight	70 kg

Loncin



Working width
17 cm



Engine power
4,0 kW



Blades rotation speed
215 rpm



Working width
48 cm



Weight
70 kg



Tiller

CEDRUSGLX540

CEDRUS

Model	GLX540	Working width/depth	54 cm / 17 cm
Engine manufacturer	Weima	Forward/reverse gears	2/1
Engine model	WM170F/P	Blades rotation speed	270 / 350 rpm
Engine power	4,0 kW	Suggested work area	3000 m ²
Engine capacity	212 cm ³	Weight	90 kg

Weima



Working width
17 cm



Engine power
4,0 kW



Blades rotation speed
270 / 350 rpm



Working width
54 cm



Weight
90 kg

Two-directional blades
operation mode



Tiller

CEDRUSGLX640

CEDRUS

Model	GLX640	Working width/depth	62 cm / 10 cm
Engine manufacturer	Weima	Forward/reverse gears	2/1
Engine model	WM170F-2/P	Blades rotation speed	240 rpm
Engine power	4,0 kW	Suggested work area	5000 m ²
Engine capacity	212 cm ³	Weight	110 kg

Weima



Working width
10 cm



Engine power
4,0 kW



Blades rotation speed
240 rpm



Working width
62 cm



Weight
110 kg



TILLERS

Breaking ground. Breaking standards

CEDRUS

Tiller

CEDRUSGLX-GT65-2B&S



Model	GLX-GT65-2B&S	Working width/depth	50 cm / 17 cm
Engine manufacturer	Briggs&Stratton	Forward/reverse gears	1/1
Engine model	XR950	Blades rotation speed	180 rpm
Engine power	4,2 kW	Suggested work area	2500 m²
Engine capacity	208 cm³	Weight	80 kg



Engine power
4,2 kW



Working width
50 cm



Working depth
17 cm



Blades rotation speed
180 rpm



Weight
80 kg

CEDRUS

Tiller

CEDRUSGLX-GT65-2L



Model	GLX-GT65-2L	Working width/depth	50 cm / 17 cm
Engine manufacturer	Loncin	Forward/reverse gears	1/1
Engine model	G200F	Blades rotation speed	180 rpm
Engine power	4,1 kW	Suggested work area	2500 m²
Engine capacity	196 cm³	Weight	80 kg



Engine power
4,1 kW



Working width
50 cm



Working depth
17 cm



Blades rotation speed
180 rpm



Weight
80 kg

CEDRUS

Tiller

CEDRUSGL03PRO-LC



Two-directional blades
operation mode

Model	GL03PRO-LC	Working width/depth	45 cm / 17 cm
Engine manufacturer	Loncin	Forward/reverse gears	1/1
Engine model	G200F	Blades rotation speed	190 rpm
Engine power	4,1 kW	Suggested work area	2500 m²
Engine capacity	196 cm³	Weight	93 kg



Engine power
4,1 kW



Working width
45 cm



Working depth
17 cm



Blades rotation speed
190 rpm



Weight
93 kg

CEDRUS

Tiller

CEDRUSGL03PRO-B&S



Two-directional blades
operation mode

Model	GL03PRO-B&S	Working width/depth	45 cm / 17 cm
Engine manufacturer	Briggs&Stratton	Forward/reverse gears	1/1
Engine model	CR950	Blades rotation speed	190 rpm
Engine power	4,2 kW	Suggested work area	2500 m²
Engine capacity	208 cm³	Weight	93,5 kg



Engine power
4,2 kW



Working width
45 cm



Working depth
17 cm



Blades rotation speed
190 rpm



Weight
93,5 kg

NEW



PREMIUM Tiller CEDRUSGL50

CEDRUS
Premium

Model	GL50 PREMIUM	Working width/depth	35-50 cm / 10 cm
Engine manufacturer	Rato	Forward/reverse gears	1/0
Engine model	R100-V	Blades rotation speed	150 rpm
Engine power	1,95 kW	Suggested work area	1000 m ²
Engine capacity	99,9 cm ³	Weight	37 kg



Working depth
10 cm



Engine power
1,95 kW



Blades rotation speed
150 rpm



Working width
35-50 cm



Weight
37 kg

NEW



PREMIUM Tiller CEDRUSGLX530

CEDRUS
Premium

Model	GLX530 PREMIUM	Working width/depth	50 cm / 20 cm
Engine manufacturer	Rato	Forward/reverse gears	1/1
Engine model	R210	Blades rotation speed	205 rpm
Engine power	4,1 kW	Suggested work area	3000 m ²
Engine capacity	212 cm ³	Weight	65 kg



Working depth
20 cm



Engine power
4,1 kW



Blades rotation speed
205 rpm



Working width
50 cm



Weight
65 kg

NEW



PREMIUM Tiller CEDRUSGLX650

CEDRUS
Premium

Model	GLX650 PREMIUM	Working width/depth	65 cm / 20 cm
Engine manufacturer	Rato	Forward/reverse gears	2/1
Engine model	R210	Blades rotation speed	275-565 rpm
Engine power	4,1 kW	Suggested work area	5000 m ²
Engine capacity	212 cm ³	Weight	95 kg



Working depth
20 cm



Engine power
4,1 kW



Blades rotation speed
275-565 rpm



Working width
65 cm



Weight
95 kg

Tiller Loncin 1WG2.2-36FQ-DA

Loncin

Model	L36	Working width/depth	36 cm / 10 cm
Engine manufacturer	Loncin	Forward/reverse gears	1
Engine model	LC1P65FE	Blades rotation speed	90 rpm
Engine power	2,4 kW	Suggested work area	1000 m ²
Engine capacity	139 cm ³	Weight	27,5 kg



Working depth
10 cm



Engine power
2,4 kW



Blades rotation speed
90 rpm



Working width
36 cm



Weight
27,5 kg





Tiller Loncin
1WG3.4-60FQ-D



Model	L82	Working width/depth	50-82 cm / 10 cm
Engine manufacturer	Loncin	Forward/reverse gears	1/1
Engine model	G200F	Blades rotation speed	144 rpm
Engine power	4,1 kW	Suggested work area	1500 m²
Engine capacity	196 cm³	Weight	60 kg



Working depth
10 cm



Engine power
4,1 kW



Blades rotation speed
144 rpm



Working width
50-82 cm



Waga
60 kg



Tiller Loncin
1WG3.4-75FQ-D



Model	L90	Working width/depth	60-90 cm / 15 cm
Engine manufacturer	Loncin	Forward/reverse gears	2/1
Engine model	G200F	Blades rotation speed	120 rpm
Engine power	4,1 kW	Suggested work area	2000 m²
Engine capacity	196 cm³	Weight	69 kg



Working depth
15 cm



Engine power
4,1 kW



Blades rotation speed
120 rpm



Working width
60-90 cm



Weight
69 kg



Tiller Loncin
1WG3.9-85FQ-Z



Model	L85	Working width/depth	30-100 cm / 18 cm
Engine manufacturer	Loncin	Forward/reverse gears	2/1
Engine model	LC170F-2	Blades rotation speed	110 rpm
Engine power	4,4 Kw	Suggested work area	2500 m²
Engine capacity	212 cm³	Weight	71 kg



Working depth
18 cm



Engine power
4,4 kW



Blades rotation speed
110 rpm



Working width
30-60-100 cm



Weight
71 kg



Tiller Loncin
1WG5.2-120FQ-ZA



Model	L103	Working width/depth	103 cm / 18 cm
Engine manufacturer	Loncin	Forward/reverse gears	2/1
Engine model	LC175F-2	Blades rotation speed	128 rpm
Engine power	5,2 kW	Suggested work area	3500 m²
Engine capacity	252 cm³	Weight	88 kg



Working depth 18
cm



Engine power
5,2 kW



Blades rotation speed
128 rpm



Working width
103 cm




Weight
88 kg



Tiller Loncin
1WG6.8-144FC-Z



Model	L103D1	Working width/depth	103 cm / 18 cm
Engine manufacturer	Loncin	Forward/reverse gears	2/1
Engine model	LCD186F Diesel	Blades rotation speed	128 rpm
Engine power	6,8 kW	Suggested work area	5000 m²
Engine capacity	441 cm³	Weight	96 kg



Engine power
6,8 kW



Working width
103 cm



Blades rotation speed
128 rpm




Weight
96 kg



Tiller Loncin
1WG7.5-146FC-Z



Model	L103D2	Working width/depth	103 cm / 18 cm
Engine manufacturer	Loncin	Forward/reverse gears	2/1
Engine model	LCD460FD Diesel	Blades rotation speed	128 rpm
Engine power	7,5 kW	Suggested work area	5000 m²
Engine capacity	462 cm³	Weight	96 kg



Engine power
7,5 kW



Working width
103 cm



Blades rotation speed
128 rpm



Weight
96 kg


NEW



Tiller Loncin
3WG4-50FQ-D



Model	L50	Working width/depth	50 cm / 15 cm
Engine manufacturer	Loncin	Forward/reverse gears	2/1
Engine model	LC165F	Blades rotation speed	292 rpm
Engine power	4,0 kW	Suggested work area	3500 m²
Engine capacity	166 cm³	Weight	90 kg



Engine power
4,0 kW



Working width
50 cm



Blades rotation speed
292 rpm




Weight
90 kg



Tiller Pubert
3200020204/3200480201



Model	Sarp Roto 408	Working width/depth	48 cm / 17 cm
Engine manufacturer	Honda	Forward/reverse gears	1/1
Engine model	GP160	Blades rotation speed	207,3 rpm
Engine power	3,6 kW	Suggested work area	3500 m²
Engine capacity	163 cm³	Weight	73 kg



Engine power
3,6 kW



Working width
48 cm



Blades rotation speed
207,3 rpm



Weight
73 kg

Accessories for tillers



CEDRGL59
Connector
for GLX640



CEDRGL60
Connector
for GLX540



CEDRGL61
Connector
for GLX650



CEDRGL62
Connector
for GLX530



CEDRGL06
Connector
for GL01



CEDRGL32
Connector
for GL01



CEDRGL22
Connector
for GL06



CEDRGL15
Connector
for GL07



CEDRGL55
Connector
for Loncin L82



CEDRGL29
Connector
for GL1000N-3/GL09



CEDRGL30
Connector
for GLX680/GL10



CEDRGL31
Connector
for GLX720/GL11



CEDRGL57
Connector
for GL01 GL05 GL06 GL09 GL500
GL900 Loncin 600 850



CEDRGL12
Ridging plough
for GL01 GL04 GL05
GL07 GL09 GLX640



CEDRGL08
Ridging plough
for GL04 GL05



CEDRGL36
Ridging plough
for GL01, GL06, GL07, GL10, GL11



CEDRGL13
Ridging plough
for GL01



CEDRGL53
Ridging plough
for GLX640, Loncin 600



CEDRGL21
Plough
double sided - rotatable
for GL05 GL06



CEDRGL03
Plough
for GL01 GL04 GL05 GL07 GL09
GLX640 GLX540



CEDRGL35
Plough
for GL01 GL06 GL07 GL10 GL11



CEDRGL16
Adjustable plough
for GL05 GL06 GLX540



CEDRGL17
Adjustable plough
for GL05 with connector



CEDRGL48
Plough
for GL500 GL900



CEDRGL50
Plough
for GLX640, Loncin 600



CEDRGL02
Potato ridger
for GL01 GL07 GL09



CEDRGL37
Potato ridger
for GL01 GL06 GL07 GL10 GL11

Accessories for tillers



CEDRGL51

Potato ridger
for GLX640 Loncin 600



CEDRGL25

Ridging hoe
for GL06



CEDRGL26

Weeder blade
for GL05 GLX650



CEDRGL40

Scarifier
for GL01 GLX530



CEDRGL39

Aerator
for GL01 GLX530



CEDRGL38

Disc harrow
for GL01 GL06 GL07 GL10 GL11



ACC0147

Ploughing kit
for GL03PRO



ACC0146

Ploughing kit
for GLX-GT65



CEDRGL49

Ploughing kit
for GLX540



CEDRGL54

Ploughing kit
for GLX480, GLX480F



ACC0148

Counterweight
for GLX-GT65 GL03 GLX640
GLX530 GLX650



ACC0148/01

Counterweight
square 7,0 cm



CEDRGL04/05

Iron wheels
load 225 kg for GL01



CEDRGL23

Iron wheels
load 225 kg for GL05 GLX650



CEDRGL42

Iron wheels with axles
for GL06



CEDRGL33

Iron wheels with axles
for GLX530



CEDRGL46

Iron wheels
for GL500



CEDRGL47

Iron wheels
for GL900



CEDRGL52

Iron wheels
for Loncin 600



CEDRGL58

Transportation wheels
Loncin L82



CEDRGL53

Ridging plough
for Loncin L82



CEDRGL56

Plough
for Loncin L90



Electric tiller CEDRUSGE36

CEDRUS

Model	GE36	Max. Working depth	220 mm
Motor type	Electric	Number of blades	4x4
Motor power	1200 W	Blades diameter	205 mm
Voltage/Frequency	230 V / 50Hz	Transportation wheels	No
Working width	36 cm	Weight	7,4 kg



Voltage
230 V



Motor power
1200 W



Working width
36 cm



Working depth
220 mm



Number of blades
4x4



Weight
7,4 kg



Glebogryzarka elektryczna CEDRUSGE45

CEDRUS

Model	GE45	Max. Working depth	220 mm
Motor type	Electric	Number of blades	6x4
Motor power	1500 W	Blades diameter	205 mm
Voltage/Frequency	230 V / 50Hz	Transportation wheels	Yes
Working width	45 cm	Weight	10,3 kg



Voltage
230 V



Motor power
1500 W



Working width
45 cm



Working depth
220 mm



Number of blades
6x4



Weight
10,3 kg



Single-axle tractor CEDTJ02

CEDRUS

Model	TJ02	Clutch type	Hydromechanical - dry
Engine manufacturer	Loncin	Differential lock	Yes
Engine model	G420F	Forward/reverse gears	3/2
Engine power	9 kW / 3600 rpm	Speed	1,5 to 11,2 km/h
Engine capacity	420 cm³	Wheel size	5"x 10"
Electric starter	Yes	Weight	115 kg

LONCIN



Engine power
9 kW



Forward/reverse gears
3/2

Accessories and attachments for CEDTJ



CEDRTJ01

Power harrow
Working width 75 cm
Blades number: 10 pcs



CEDRTJ02

Seeder
Working width 101,5 cm



CEDRTJ03

Tiller
Working width 63,5 cm



CEDRTJ04

Tiller
Working width 81 cm

Accessories and attachments for CEDTJ



CEDRTJ05

Tiller

Working width 101,5 cm



CEDRTJ07

Active plough
rotatable, double-sided
4 spiral blades

CEDRTJ10

**Reversible
plough**
with a mouldboard
for
burying the turf

CEDRTJ11

Plough

CEDRTJ12

Bar mowerdouble active blades
width 100 cm

CEDRTJ16

Brush

Working width 100 cm



CEDRTJ18

Dozer blade

Working width: 100 cm



CEDRTJ21

Saddle

CEDRTJ22

Quick hose connector

new type - two teeth



CEDRTJ23

PTO extension

new type - two teeth



CEDRTJ25

Wheel connector

CEDRTJ26

Shaft extension

8 cm



CEDRTJ27

Wheel counterweight

17 kg



CEDRTJ28

Wheel counterweight

34 kg



CEDRTJ29

Steel wheels



Wood chipper

CEDRB01C

CEDRUS

Model	RB01C	Efficiency	2 to 3 m³/h
Engine manufacturer	Loncin	Number of blades	2
Engine model	G200F	Hydraulic feeder	No
Electric starter	No	Weight	51 kg
Engine capacity	196 cm³	Box capacity	65 l
Max. branch diameter	5 cm		

Loncin


Efficiency
2 to 3 m³/h



Engine power
4,1 kW



Weight
51 kg



Max. branch diameter
5 cm



Box capacity
65 l



Wood chipper

CEDRB02

CEDRUS

Model	RB02	Max. branch diameter	10 cm
Engine manufacturer	Loncin	Efficiency	3 to 5 m³/h
Engine model	G200F	Number of blades	2
Electric starter	No	Hydraulic feeder	No
Engine capacity	196 cm³	Weight	85 kg

Loncin


Efficiency
3 to 5 m³/h



Engine power
4,1 kW



Weight
85 kg



Max. branch diameter
10 cm



Wood chipper

CEDRB02PRO

CEDRUS

Model	RB02PRO	Max. branch diameter	12 cm
Engine manufacturer	Loncin	Efficiency	3 to 6 m³/h
Engine model	LC170F	Number of blades	2
Electric starter	No	Hydraulic feeder	No
Engine capacity	212 cm³	Weight	135 kg

Loncin


Efficiency
3 to 6 m³/h



Engine power
4,4 kW



Weight
135 kg



Max. branch diameter
12 cm



Wood chipper

CEDRB03

CEDRUS

Model	RB03	Max. branch diameter	12 cm
Engine manufacturer	Loncin	Efficiency	4 to 6 m³/h
Engine model	G420F	Number of blades	2
Electric starter	No	Hydraulic feeder	No
Engine capacity	420 cm³	Weight	185 kg

Loncin


Efficiency
4 to 6 m³/h



Engine power
9,0 kW



Weight
185 kg



Max. branch diameter
12 cm



ORDER BEGINS WITH A DECISION

Strength that reduces branches to mulch.



Wood chipper

CEDRB04PRO-E

CEDRUS

Model	RB04PRO-E	Max. branch diameter	15 cm
Engine manufacturer	Loncin	Efficiency	5 to 7 m³/h
Engine model	G420F e-start	Number of blades	2
Electric starter	Tak	Hydraulic feeder	No
Engine capacity	420 cm³	Weight	260 kg

Loncin



Engine power
9,0 kW



Max. branch diameter
15 cm



Efficiency
5 to 7 m³/h



Weight
260 kg



Wood chipper

CEDRB05PRO-HE

CEDRUS

Model	RB05PRO-HE	Efficiency	4 to 6 m³/h
Engine manufacturer	Loncin	Number of blades	2 + 1 counterblade + 10 chopping blades
Engine model	G420F e-start	Hydraulic feeder	Yes
Electric starter	Yes	Weight	293 kg
Engine capacity	420 cm³		
Max. branch diameter	12 cm		

Loncin



Engine power
9,0 kW



Max. branch diameter
12 cm



Efficiency
4 to 6 m³/h



Weight
293 kg



Electric wood chipper

CEDRE01

CEDRUS

Model	RE01	Branch diameter adjustment	Yes
Motor power	2800 W	Reverse	Yes
Voltage	230 V	Protection	Yes
Max. branch diameter	4,4 cm	Box capacity	60 l
Type	Milling	Weight	20,5 kg



Electric motor
230 V



Motor power
2800 W



Max. branch diameter
4,4 cm



Box capacity
60 l



Weight
20,5 kg



Electric wood chipper

CEDRE03

CEDRUS

Model	RE03	Branch diameter adjustment	No
Motor power	3000 W	Reverse	No
Voltage	230 V	Protection	Yes
Max. branch diameter	4,5 cm	Box capacity	50 l
Type	Disc	Weight	12,7 kg



Electric motor
230 V



Motor power
3000 W



Max. branch diameter
4,5 cm



Box capacity
50 l



Weight
12,7 kg

2 YEARS
WARRANTY

Electric wood chipper

CEDRE04

CEDRUS

Model	RE04	Branch diameter adjustment	No
Motor power	2800 W	Reverse	No
Voltage	230 V	Protection	Yes
Max. branch diameter	4,5 cm	Box capacity	45 l
Type	Disc	Weight	8 kg

Electric motor
230 VMotor power
2800 WMax. branch diameter
4,5 cmBox capacity
45 lWeight
8 kg
Leaf vacuum cleaner

CEDLV58S

CEDRUS

Model	LV58S	Self-propelled	Tak
Engine manufacturer	Loncin	Bag capacity	150 l
Engine model	LC1P65FC	Weight	46 kg
Air flow	18 m³/min	Included accessories: suction tube, suction port baffle, grass roller, paving roller	
Working width	58 cm		

LONCIN
Engine power
2,9 kWSuction port width
58 cmBag capacity
150 lWeight
46 kgVacuum cleaner,
Blower, Sweeper,
Lawn brush
Nut and acorn vacuum cleaner

V1200B

CIFARELLI

Model	V1200B	Engine power	5 KM
Engine manufacturer	Cifarelli	Fuel tank capacity	2 l
Engine model	C7	Tank capacity	20 l
Engine capacity	77 cm³	Weight	16,5 kg
Suction pipe diameter	70 mm		

CIFARELLI
Engine power
5 KMSuction pipe diameter
70 cmTank capacity
20 lWeight
16,5 kg
Weeder

CEDSC02

CEDRUS

Model	SC02	Working sytem	9 brushes
Engine manufacturer	Loncin	Brush rotation	500 obr./min
Engine model	LC1P65FE-2	Wheels	7"
Engine capacity	166 cm³	Foldable handle	Yes
Housing material	Steel	Safety bar	Yes
Self-propelled	No	Weight	41 kg
Working width	70 cm		

LONCIN
Engine power
2,9 kWWorking width
70 cmBrush rotation
500 rpmWeight
41 kg



Sweeper

CEDRUSZM02

CEDRUS

Model	ZM02	Working angle adjustment	15° left and right
Engine manufacturer	Loncin	Brush speed adjustment	No
Engine model	G200F	Efficiency	1500 m²/h
Electric starter	No	Snow plough	Optional
Engine power	4,1 kW	Collecting box	Optional
Engine capacity	196 cm³	Snowthrower	No
Working width	60 cm	Weight	70 kg
Forward/reverse gears 5/2			

Loncin



Engine power
4,1 kW



Working width
60 cm



Efficiency
1500 m²/h



Forward/reverse gears
5/2



Weight
70 kg



Sweeper

CEDRUSZM04

CEDRUS

Model	ZM04	Working angle adjustment	15° left and right
Engine manufacturer	Loncin	Brush speed adjustment	No
Engine model	G200F	Efficiency	2500 m²/h
Electric starter	No	Snow plough	Optional
Engine power	4,1 kW	Collecting box	Optional
Engine capacity	196 cm³	Snowthrower	No
Working width	80 cm	Weight	80 kg
Forward/reverse gears 5/2			

Loncin



Engine power
4,1 kW



Working width
80 cm



Efficiency
2500 m²/h



Forward/reverse gears
5/2



Weight
80 kg



Sweeper

CEDRUSZM06-E 4IN1

CEDRUS

Model	ZM06-E 4IN1	Working angle adjustment	15° left and right
Engine manufacturer	Loncin	Brush speed adjustment	No
Engine model	G200F	Efficiency	2500 m²/h
Electric starter	Yes - 230 V socket	Snow plough	Yes, in set
Engine power	4,1 kW	Collecting box	Yes, in set
Engine capacity	196 cm³	Snowthrower	Yes, in set
Working width	80 cm	Weight	80 kg
Forward/reverse gears 5/2			

Loncin



Engine power
4,1 kW



Working width
80 cm



Efficiency
2500 m²/h



Forward/reverse gears
5/2



Weight
80 kg



Sweeper

CEDZM05PRO-E

CEDRUS


Model	ZM05PRO-E	Working angle adjustment	15° left and right
Engine manufacturer	Cedrus	Brush speed adjustment	Yes
Engine model	Y173V e-start	Efficiency	4000 m²/h
Electric starter	Yes	Snow plough	Optional
Engine power	3,6 kW	Collecting box	Optional
Engine capacity	173 cm³	Snowthrower	No
Working width	100 cm	Weight	82 kg
Forward/reverse gears	3/1		

CEDRUS

 Efficiency
4000 m²/h

 Engine power
3,6 kW

 Forward/reverse gears
3/1

 Working width
100 cm

 Weight
82 kg

Accessories for sweepers



CEDRZM01

Plough
for CEDRUSZM02


CEDRZM02

Collecting box
for CEDRUSZM02


CEDRZM08

Plough
for CEDRUSZM04


CEDRZM07

Collecting box
for CEDRUSZM04


CEDRZM14

Plough
for CEDZM05PRO-E


CEDRZM13

Collecting box
for CEDZM05PRO-E




Trencher CEDKP01

CEDRUS

Model	KP01	Working width	10 cm
Engine model	Loncin G420F	Number of teeth	27
Engine capacity	420 cm³	Chain speed	550 m/min
Engine power	9 kW	Weight	185 kg
Working depth	20-40-60 cm		

Loncin

Working depth
20-40-60 cm



Engine power
9 kW



Number of teeth
27



Working width
10 cm



Weight
185 kg



Trencher CEDKP02

CEDRUS

Model	KP02	Working width	10 cm
Engine model	Loncin G200F	Number of teeth	18
Engine capacity	196 cm³	Chain speed	550 m/min
Engine power	4,1 kW	Weight	128 kg
Working depth	15-25-35-45 cm		

Loncin

Working depth
15-25-35-45 cm



Engine power
4,1 kW



Number of teeth
18



Working width
10 cm



Weight
128 kg



Stump grinder CEDFR01

CEDRUS

Model	FR01	Number of teeth	9
Engine model	Loncin G420F	Work. height above ground	60 cm
Engine capacity	420 cm³	Work. depth below ground	23,5 cm
Engine power	9 kW	Weight	110 kg
Disc diameter	30 cm		

Loncin

Number of teeth
9



Engine power
9 kW



Working depth
23,5 cm



Disc diameter
30 cm



Working height
60 cm



**POWER ON.
STUMP GONE!**
Clean ground in minutes.



Log splitter
CEDLS02H

CEDRUS

Model	LS02H	Pressure force	7 T
Type	Horizontal	Max. length of split wood	52 cm
Motor power	2200 W	Log lifter	No
Voltage	230 V	Weight	45 kg



Electric motor
230 V



Motor power
2200 W



Pressure force
7 T



Log splitter
CEDLS06V

CEDRUS

Model	LS06V	Pressure force	7 T
Type	Vertical	Max. length of split wood	55 cm
Motor power	3000 W	Log lifter	No
Voltage	230 V	Weight	99 kg



Electric motor
230 V



Motor power
3000 W



Pressure force
7 T



Log splitter
CEDLS07V

CEDRUS

Model	LS07V	Pressure force	8 T
Type	Vertical	Max. długość łupanego drewna	55 cm
Motor power	3500 W	Log lifter	No
Voltage	400 V	Weight	108 kg



Electric motor
400 V



Motor power
3500 W



Pressure force
8 T



Log splitter
CEDLS08V

CEDRUS

Model	LS08V	Pressure force	11 T
Type	Vertical	Max. length of split wood	104 cm
Motor power	3300 W	Log lifter	Yes
Voltage	230 V	Weight	178 kg



Electric motor
230 V



Motor power
3300 W



Pressure force
11 T



Log splitter CEDLS09V

CEDRUS

Model	LS09V	Pressure force	14 T
Type	Vertical	Max. length of split wood	104 cm
Motor power	3500 W	Log lifter	Yes
Voltage	400 V	Weight	187 kg



Electric motor
400 V



Motor power
3500 W



Pressure force
14 T



Log splitter CEDLS10V

CEDRUS

Model	LS10V	Pressure force	22 T
Type	Vertical	Max. length of split wood	110 cm
Motor power	5100 W	Log lifter	Yes
Voltage	400 V	Weight	308 kg



Electric motor
400 V



Motor power
5100 W



Pressure force
22 T

Accessories for log splitters



CEDRLS01
Splitter stand
for CEDLS02H



CEDRLS02
4-piece splitting wedge
for LS02H



CEDRLS03
4-piece splitting wedge
for LS06V



CEDRLS04
4-piece splitting wedge
for LS07V



CEDRLS05
Widening splitting wedge
for LS06V



CEDRLS06
Widening splitting wedge
for LS07V



CEDRLS08
4-piece splitting wedge
for LS08V LS09V



CEDRLS09
4-piece splitting wedge
for LS05V LS10V



CEDRLS12
Widening splitting wedge
for LS10V



CEDRLS13
Widening splitting wedge
for LS08V



CEDRLS13-09V
Widening splitting wedge
for LS09V



Brushcutter CEDWK330R

CEDRUS

Model	WK330R	Fuel	Mixture 40:1
Engine type	2-stroke	Shaft diameter	26 mm
Engine model	Cedrus	Head	Semi-automatic
Engine power	1,22 KM	Suspenders	Yes
Engine capacity	32,6 cm³	Blade	3-tooth
Fuel tank capacity	0,75 l	Weight	7,1 kg

CEDRUS



Engine power
1,22 KM



Weight
7,1 kg



Brushcutter CEDWK430X

CEDRUS

Model	WK430X	Fuel	Mixture 40:1
Engine type	2-stroke	Shaft diameter	28 mm
Engine model	Cedrus	Head	Semi-automatic
Engine power	1,77 KM	Suspenders	Yes
Engine capacity	42,7 cm³	Blade	3-tooth
Fuel tank capacity	0,7 l	Weight	8,5 kg

CEDRUS



Engine power
1,77 KM



Weight
8,5 kg



Brushcutter CEDWK520X

CEDRUS

Model	WK520X	Fuel	Mixture 40:1
Engine type	2-stroke	Shaft diameter	28 mm
Engine model	Cedrus	Head	Semi-automatic
Engine power	2,04 KM	Suspenders	Yes
Engine capacity	51,7 cm³	Blade	3-tooth
Fuel tank capacity	0,7 l	Weight	8,7 kg

CEDRUS



Engine power
2,04 KM



Weight
8,7 kg



Brushcutter CEDKW45PRO

CEDRUS

Model	KW45PRO	Fuel	Mixture 50:1
Engine type	2-stroke	Shaft diameter	28 mm
Engine model	Kawasaki TJ45E	Head	Semi-automatic
Engine power	1,90 KM	Suspenders	Yes
Engine capacity	45,4 cm³	Blade	3-tooth
Fuel tank capacity	0,9 l	Weight	8,8 kg

Powered by
Kawasaki



Engine power
1,90 KM



Weight
8,8 kg



Brushcutter

CEDKW53PRO

CEDRUS

Model	KW53PRO	Fuel	Mixture 50:1
Engine type	2-stroke	Shaft diameter	28 mm
Engine model	Kawasaki TJ53E	Head	Semi-automatic
Engine power	2,68 KM	Suspenders	Yes
Engine capacity	53,2 cm ³	Blade	3-tooth
Fuel tank capacity	1,1 l	Weight	8,9 kg




Brushcutter

CEDKH35PRO

CEDRUS

Model	KH35PRO	Fuel	Petrol
Engine type	4-stroke	Shaft diameter	28 mm
Engine model	Honda GX35	Head	Semi-automatic
Engine power	1,34 KM	Suspenders	Yes
Engine capacity	35,8 cm ³	Blade	3-tooth
Fuel tank capacity	0,63 l	Weight	8,5 kg




Brushcutter

CEDKH50PRO

CEDRUS

Model	KH50PRO	Fuel	Petrol
Engine type	4-stroke	Shaft diameter	28 mm
Engine model	Honda GX50	Head	Semi-automatic
Engine power	1,97 KM	Suspenders	Yes
Engine capacity	47,9 cm ³ 0,63	Blade	3-tooth
Fuel tank capacity	l	Weight	8,9 kg



NEW




Brushcutter

CEDKW45PRO-V

CEDRUS

Model	KW45PRO-V	Fuel	Mixture 50:1
Engine type	2-stroke	Shaft diameter	28 mm
Engine model	Kawasaki TJ45E	Head	Semi-automatic
Engine power	1,90 KM	Suspenders	Yes
Engine capacity	45,4 cm ³	Blade	3-tooth
Fuel tank capacity	0,9 l	Weight	8,8 kg




NEW



Brushcutter CEDKW53PRO-V

CEDRUS

Model	KW53PRO-V	Fuel	Mixture 50:1
Engine type	2-stroke	Shaft diameter	28 mm
Engine model	Kawasaki TJ53E	Head	Semi-automatic
Engine power	2,68 HP	Suspenders	Yes
Engine capacity	53,2 cm ³	Blade	Blade
Fuel tank capacity	1,1 l	Weight	8,9 kg



NEW



Brushcutter CEDKH35PRO-V

CEDRUS

Model	KH35PRO-V	Fuel	Fuel
Engine type	4-stroke	Shaft diameter	28 mm
Engine model	Honda GX35	Head	Semi-automatic
Engine power	1,34 HP	Suspenders	Yes
Engine capacity	35,8 cm ³	Blade	Blade
Fuel tank capacity	0,63 l	Weight	8,5 kg




NEW



Brushcutter CEDKH50PRO-V

CEDRUS


Model	KH50PRO-V	Fuel	Fuel
Engine type	4-stroke	Shaft diameter	28 mm
Engine model	Honda GX50	Head	Semi-automatic
Engine power	1,97 HP	Suspenders	Yes
Engine capacity	47,9 cm ³	Blade	Blade
Fuel tank capacity	0,63 l	Weight	8,9 kg



Multifunctional device CEDUW552

CEDRUS

Model	UW552	Fuel	Mixture 40:1
Engine type	2-stroke	Shaft diameter	26 mm
Engine model	Cedrus	Split shaft	Yes
Engine power	1,97 HP	Suspenders	Yes
Engine capacity	51,7 cm ³	Weight	11,5 kg
Fuel tank capacity	0,92 l	Functions: pole saw 25 cm, pole shears 43 cm, trimmer with head and blade Option: Edger - CEDRUW01; Blower - CEDRUW02	
Carburetor	Manufacturer'		





Chainsaw

CEDPS25-10T

CEDRUS

Model	PS25-10T	Oil tank capacity	0,21 l
Engine type	2-stroke	Carburetor	Manufacturer's
Engine power	1,2 HP	Fuel	Mixture 40:1
Engine capacity	25,4 cm³	Max. working speed	10000 rpm
Bar length	10" Oregon	Idle speed	2800 rpm
Chain	3/8" 1,3 mm Oregon	Weight	4,5 kg
Fuel tank capacity	0,31 l		



Engine power
1,2 HP



Bar length
10" Oregon



Chain pitch
3/8" 1,3 mm Oregon



Chainsaw

CEDPS40-16T

CEDRUS

Model	PS40-16T	Oil tank capacity	0,21 l
Engine type	2-stroke	Carburetor	Manufacturer's
Engine power	2,0 HP	Fuel	Mixture 40:1
Engine capacity	40,1 cm³	Max. working speed	10000 rpm
Bar length	16" Oregon	Idle speed	2800 rpm
Chain	3/8" 1,3 mm Oregon	Weight	4,7 kg
Fuel tank capacity	0,31 l		



Engine power
2,0 HP



Bar length
16" Oregon



Chain pitch
3/8" 1,3 mm Oregon



Chainsaw

CEDPS50-18T

CEDRUS

Model	PS50-18T	Oil tank capacity	0,26 l
Engine type	2-stroke	Carburetor	Manufacturer's
Engine power	3,0 HP	Fuel	Mixture 40:1
Engine capacity	50,1 cm³	Max. working speed	10000 rpm
Bar length	18" Oregon	Idle speed	2800 rpm
Chain	0,325" 1,5 mm	Weight	5,1 kg
Fuel tank capacity	0,55 l		



Engine power
3,0 HP



Bar length
18" Oregon



Chain pitch
0,325" 1,5 mm



Pole saw

CEDPW425

CEDRUS

Model	PW425	Fuel tank capacity	0,7 l
Engine type	2-suwowy	Oil tank capacity	0,2 l
Engine power	0,94 HP	Fuel	Mixture 30:1
Engine capacity	27,2 cm³	Max. working speed	9000 rpm ± 450
Bar length	10" Oregon	Adjustable pole	2900 - 4250 mm
Chain	3/8" 0,050" Oregon	Weight	8,3 kg



Engine power
0,94 HP



Bar length
10" Oregon



Chain pitch
3/8" 0,050" Oregon



Hedge trimmer CEDNZ02

CEDRUS

Model	NZ02	Fuel tank capacity	0,24 l
Engine type	2-stroke	Carburetor	Manufacturer's
Power	0,85 kW	Fuel	Mixture 40:1
Engine capacity	24,5 cm³	Adjustable handle	Yes
Cutting bar length	61 cm	Weight	5,5 kg
Teeth gap	35 mm		



Engine power
0,85 kW



Cutting bar length
61 cm



Weight
5,5 kg



Blower/Vacuum cleaner CEDDM03 2IN1

CEDRUS

Model	DM03 2w1	Air flow	7,8 m³/min
Engine type	2-stroke	Fuel tank capacity	0,6 l
Engine capacity	22,5 cm³	Noise level	112 dB
Engine power	0,65 kW	Weight	4,8 kg



Engine power
0,65 kW



Air flow
7,8 m³/min



Weight
4,8 kg



Blower CEDDM04

CEDRUS

Model	DM04	Air flow	14,4 m³/min
Engine type	2-stroke	Fuel tank capacity	1,5 l
Engine capacity	41,5 cm³	Noise level	113 dB
Engine power	1,5 kW	Weight	8,3 kg




Engine power
1,5 kW



Air flow
14,4 m³/min



Weight
8,3 kg



Blower CEDDM05PRO

CEDRUS

Model	DM05PRO	Air flow	24,8 m³/min
Engine type	2-stroke	Fuel tank capacity	2,1 l
Engine capacity	75,6 cm³	Noise level	112 dB
Engine power	3,1 kW	Waga	11,0 kg



Engine power
3,1 kW



Air flow
24,8 m³/min



Weight
11,0 kg



Blower

BL1200



Model	BL1200	Air flow	27,0 m³/min
Engine type	2-stroke	Fuel tank capacity	2,15 l
Engine capacity	77 cm³	Noise level	103 dB
Engine power	3,6 kW	Weight	10,3 kg



Engine power
3,6 kW



Air flow
27,0 m³/min



Weight
10,3 kg



Sprayer

CEDOP04



Model	OP04	Spray range	12 m
Engine capacity	41,5 cm³	Booster pump	Yes
Engine power	1,6 kW	Droplet size adjustment	Yes
Liquid tank capacity	14 l	Weight	11 kg
Fuel tank capacity	2 l		



Engine power
1,6 kW



Liquid tank capacity
14 l



Spray range
12 m



Sprayer

CEDOP02



Model	OP02	Spray range	17 m
Engine capacity	79,4 cm³	Booster pump	Yes
Engine power	3,0 kW	Droplet size adjustment	Yes
Liquid tank capacity	14 l	Weight	14 kg
Fuel tank capacity	2 l		



Engine power
3,0 kW



Liquid tank capacity
14 l



Spray range
17 m



Sprayer

M1200



Model	M1200	Spray range	18 m
Engine capacity	77 cm³	Droplet size adjustment	Yes
Engine power	3,6 kW	Weight	11,8 kg
Liquid tank capacity	17 l	Booster pump	Optional: OG33400/OG34000
Fuel tank capacity	2,15 l		



Engine power
3,6 kW



Liquid tank capacity
17 l



Spray range
18 m



Auger CEDSW03

CEDRUS

Model	SW03	Transmission of power	Centrifugal clutch
Engine type	2-stroke	Fuel tank capacity	1,0 l
Engine capacity	51,7 cm³	Weight	13,7 kg + drill
Engine power	1,3 kW	Drill included	200mm x 800mm
Drill speed	310 rpm		



Engine power
1,3 kW



Drill speed
310 rpm



Weight
13,7 kg + drill



Auger CEDRUSSW02

CEDRUS

Model	SW02	Transmission of power	Centrifugal clutch
Engine type	4-stroke	Fuel tank capacity	0,8 l
Engine capacity	141 cm³	Weight	17,5 kg
Engine power	3,3 kW	Included: safety spring, handle for 2 operators	
Drill speed	200 rpm		



Engine power
3,3 kW



Drill speed
200 rpm



Waga
17,5 kg



Auger AG500-TB50

CEDRUS

Model	AG500-TB50	Transmission of power	Centrifugal clutch
Engine type	2-stroke	Fuel tank capacity	0,9 l
Engine capacity	47,1 cm³	Weight	9,3 kg
Engine power	1,8 kW		
Drill speed	170 rpm		



Engine power
1,8 kW



Drill speed
170 rpm



Weight
9,3 kg



Shaker SC904R

CIFARELLI

Model	SC904R	Fuel	Mixture 50:1
Engine type	2-stroke	Number of shocks	>1800 min
Engine capacity	52 cm³	Weight	10,8 kg
Engine power	2,3 HP		
Telescopic rod	from 2 to 4m		



Engine power
2,3 HP



Weight
10,8 kg



Snowblower
CEDSB56

CEDRUS

Model	SB56	Self-propelled	Yes, by wheels
Engine manufacturer	Loncin	Wheels size	6"
Engine model	H200	Forward/reverse gears	6/2
Starter	Manual	Skids	Yes
Engine capacity	196 cm ³	Adjustable discharge chute	Yes
Working width	56 cm	Adjustable chute deflector	Yes
Working height	42 cm	Heated handles	No
Transmission type	Belt	Weight	51,6 kg



Working width
56 cm



Forward/reverse gears
6/2



Snowblower
CEDSB56-E

CEDRUS

Model	SB56-E	Self-propelled	Yes, by wheels
Engine manufacturer	Loncin	Wheels size	6"
Engine model	LC170FDS Snow Series	Forward/reverse gears	5/2
Starter	Electric	Skids	Yes
Engine capacity	212 cm ³	Adjustable discharge chute	Yes
Working width	56 cm	Adjustable chute deflector	Yes
Working height	51 cm	Heated handles	No
Transmission type	Friction disc	Weight	80 kg



Working width
56 cm



Forward/reverse gears
5/2



Snowblower
CEDSB61-E+

CEDRUS

Model	SB61-E+	Self-propelled	Yes, by wheels
Engine manufacturer	Loncin	Wheels size	6"
Engine model	LC170FDS Snow Series	Forward/reverse gears	6/2
Starter	Electric	Skids	Yes
Engine capacity	212 cm ³	Adjustable discharge chute	Yes
Working width	61 cm	Adjustable chute deflector	Yes
Working height	51 cm	Heated handles	No
Transmission type	Friction disc	Weight	85 kg



Working width
61 cm



Forward/reverse gears
6/2

MASTER SNOW WITH RIGHT MACHINE

Maximum throw. Minimal effort.





Snowblower

CEDSB61G-E+

CEDRUS

Model	SB61G-E+	Self-propelled	Yes, by tracks
Engine manufacturer	Loncin	Wheels size	N/A
Engine model	LC170FDS Snow Series	Forward/reverse gears	6/2
Starter	Electric	Skids	Yes
Engine capacity	212 cm³	Adjustable discharge chute	Yes
Working width	61 cm	Adjustable chute deflector	Yes
Working height	51 cm	Heated handles	Yes
Transmission type	Friction disc	Weight	91,8 kg

Loncin



Working width
61 cm



Forward/reverse gears
6/2



Snowblower

CEDSB71-E+

CEDRUS

Model	SB71-E+	Self-propelled	Yes, by wheels
Engine manufacturer	Loncin	Wheels size	7"
Engine model	LC185FDS Snow Series	Forward/reverse gears	6/2
Starter	Electric	Skids	Yes
Engine capacity	375 cm³	Adjustable discharge chute	Yes
Working width	71 cm	Adjustable chute deflector	Yes
Working height	54,5 cm	Heated handles	Yes
Transmission type	Friction disc	Weight	120 kg

Loncin



Working width
71 cm



Forward/reverse gears
6/2



Snowblower

CEDSB71G-E

CEDRUS

Model	SB71G-E	Self-propelled	Yes, by tracks
Engine manufacturer	Loncin	Wheels size	N/A
Engine model	LC185FDS Snow Series	Forward/reverse gears	6/2
Starter	Electric from battery / Manual	Skids	Yes
Engine capacity	375 cm³	Adjustable discharge chute	Yes
Working width	71 cm	Adjustable chute deflector	Yes
Working height	54 cm	Heated handles	Yes
Transmission type	Friction disc	Weight	130 kg

Loncin



Working width
71 cm



Forward/reverse gears
6/2



Electric snowblower

CEDSE50

CEDRUS

Model	SE50	Auger diameter	17,2 cm
Motor power	2300 W	Adjustable chute	Yes
Voltage/Frequency	230 V / 50 Hz	LED lights	Yes
Working width	50 cm	Waga	13,3 kg
Working height	25 cm		



Electric motor
230 V



Motor power
2300 W



Working width
50 cm





C-TRAC

FEEL THE DIFFERENCE
from the very first meter

 **CEDRUS[®]**
Premium



Cedrus Spółka Akcyjna

95-060 Brzeziny
ul. Przemysłowa 1
biuro@cedrus.com.pl

tel. (+48) 46 874 13 11
tel. (+48) 46 874 18 60

Authorized Cedrus Dealer

www.cedrus.com.pl

